4-2004

A North Dakota Geology Field Trip Primer

Joseph A. Hartman

University of North Dakota, joseph.hartman@und.edu

[How does access to this work benefit you? Let us know!](#)

Follow this and additional works at: <https://commons.und.edu/gge-fac>

Part of the [Geology Commons](#)

Recommended Citation

Joseph A. Hartman. "A North Dakota Geology Field Trip Primer" (2004). *Geology and Geological Engineering Faculty Publications*. 4.
<https://commons.und.edu/gge-fac/4>

This Conference Proceeding is brought to you for free and open access by the Department of Geology and Geological Engineering at UND Scholarly Commons. It has been accepted for inclusion in Geology and Geological Engineering Faculty Publications by an authorized administrator of UND Scholarly Commons. For more information, please contact und.common@library.und.edu.

Geology and Geological Engineering

Contribution 54

Department of Geology and Geological Engineering
The University of North Dakota, Box 8358
Grand Forks, North Dakota 58202

GGE 54

April 2004

Guide to the Vertebrate Paleontology of the High Plains – The Late Mesozoic–Cenozoic Record of North Dakota

Joseph H. Hartman, editor

Table of Contents	1
A North Dakota Geology Field Trip Primer Joseph H. Hartman	2
Hell Creek Formation Stratigraphy and Paleontology at the Stumpf Site Natural Area, Morton County, South-Central North Dakota John W. Hoganson	25
Mud Buttes – A Cretaceous–Tertiary boundary section in southwestern North Dakota Dean A. Pearson	35
The Brown Ranch Locality area, “mid” Paleocene mammals and the tongues of the Cannonball Formation, Slope County, North Dakota John P. Hunter and Joseph H. Hartman	55
The Late Paleocene Judson Local Fauna, North Dakota Allen J. Kihm and Joseph H. Hartman	65

Stratigraphy and Paleontology of the White River Group, Little Badlands, Stark County, North Dakota John W. Hoganson	75
The Medicine Pole Hills Local Fauna, North Dakota Allen J. Kihm	80

A preliminary version of this guide was issued to the participants of the October 2003 field trip by the same name, conducted under the auspices of the Society of Vertebrate Paleontology prior to its annual meeting.

A North Dakota Geology Field Trip Primer

Joseph H. Hartman

University of North Dakota
Department of Geology and Geological Engineering
Box 8358, Grand Forks, ND 58202
joseph_hartman@und.nodak.edu

Introduction

The rocks containing vertebrate fossils in North Dakota represent an important archive of biological and geological events that took place from around 80 million years ago to the present (Figure 1). Although the record is not complete through this interval of time, significant exposures provide important sections of Earth's geologic history (Figure 2). We continue to understand better how seas moved back and forth across North Dakota and the life that persisted in these seas and adjacent estuaries. The terrestrial habitats and river drainages that are recorded in nonmarine strata contain important insights into the patterns of dinosaur diversity up to the end of the Cretaceous followed by the adaptive radiation of mammals across the Cretaceous–Tertiary (K/T) boundary. North Dakota preserves aspects of K/T extinction drama quite well in its badland topography. This event is followed by a succession of isolated vertebrate local faunas throughout the Paleogene and into the early Neogene. Vertebrates are, of course, not the only fossil resource of North Dakota, but they are the subject of this field trip volume.

These fossils are brought to life, in part, by visiting fossil localities and enjoying the thrill of discovery as reported by those who found or worked these digs or by you in visiting these localities for the first time (Figure 3). This field trip volume is the result of a guidebook organized for the participants of the October 2003 premeeting field trip of the Society of Vertebrate Paleontology (SVP) Annual Convention (St. Paul, Minnesota). To make the contributions of

the authors of this volume more widely available, a revised version was thought appropriate. To permit a reduced cost and include color images, an electronic format was thought to be most effective.

Acknowledgments

The authors wish to thank the reviewers Jonathan Bloch of the South Dakota School of Mines and Technology and John Storer of the Yukon Government for their insightful remarks on the manuscripts. I also wish to thank Victoria Swift and Jane Russell for their comments on the manuscript, John McCauley for his production help with electronic media, and Roy Beard for his long-term facilitation of my electronic goals.

In aiding the successful undertaking of the field trip, I wish to gratefully acknowledge the support and assistance of the administration and staff of the Department of Geology and Geological Engineering (GGE) and Energy & Environmental Research Center (EERC) of the University of North Dakota, the North Dakota Geological Survey (NDGS), and the Pioneer Trails Regional Museum. In addition, information provided by the following agencies is very much appreciated: the University of North Dakota Alumni Association and Foundation, Greater Grand Forks Visitor Center, North Dakota Department of Tourism Division, the Minnesota Geological Survey (MGS), and Minnesota Department of Transportation.

For their many considerations, I would specifically like to thank Connie Larson and Richard

Figure 1. General geologic section of surface-exposed rocks in North Dakota.

Modified from Hartman (1999); see text

Figure 2. View north from the Painted Canyon Overlook of clinkers and other well-layered beds of the upper Paleocene Sentinel Butte Member of the Fort Union Formation in Theodore Roosevelt National Park (Hartman photo C11960).

LeFever (GGE); John Harju and Trish Belker (EERC); Julie LeFever, Kent Hollands, and John Bluemle (NDGS); Ken Harris (MGS); and Debbie Pederson (The Sherwood Group for SVP). For their patience and good cheer in assisting in copying and collating the guidebook, I also wish to thank Bud and Mardi Holland and Anne Bakken of Grand Forks.

Fossil Localities and Collecting

A locality that has not been worked for a while may easily be overlooked. One of the Judson sites appears to be just another road intersection, and

another graded and grassed hill (see Kihm and Hartman, this volume). Listening to presenters tell the history of the various fossil localities creates a unique virtual hands-on experience. With a little imagination, the cold October sunrise experienced by our SVP field trip participants becomes a “dig,” with plenty of sweat and hardy effort.

Those nonpaleontologists who read these contributions on-site and have the opportunity to visit these fossil localities may gain some taste of field trip experience. All in all, paleontology is enjoyed most by doing, and it is hard to beat doing it in the field.

Whether the weather conditions are fair or foul, there are always discoveries to be made and stories to tell (Figure 4).

While visiting a fossil locality, there are some important topics to consider that paleontologists take seriously, such as vertebrate fossil collecting. There are two basic rules to follow in visiting a locality mentioned in this volume: 1) Virtually all land is owned by someone and permission is absolutely necessary to access private property and 2) Vertebrate fossils on federal and state lands require a permit to collect. In keeping with the first rule, if you have to cross a fence, it's probably private and you need permission from a landowner. If access is unfenced, the land may be either private or managed, but if federal or state the public can visit but not collect vertebrate fossils. For more information on permits and procedures in North Dakota, view the North Dakota Geological Survey's Web site at www.state.nd.us/ndgs/paleoregs/Paleoreg.htm or contact John Hoganson (see Table 1).

Figure 3. Fossils are where you find them, but they are easier to find at some places more than others. Here, Phil Gensler, Hagerman of Fossil Beds National Monument, Hagerman, Idaho, finds vertebrate fossils relatively common in the Chadron Formation at the Little Badlands Proper Site. This is one of North Dakota's designated Natural Areas, recognized for both its scenic beauty and paleontological value (Hartman photo C11899).

Figure 4. John Hunter, a field trip coleader, points to the K/T boundary event horizon at Mud Buttes, as others look on and photo document (Hoganson photo).

The SVP Field Trip

The SVP field trip was conducted on October 12–14, 2003, out of St. Paul, Minnesota, and traversed nearly 1600 miles (2575 km). Three vans reached the southwestern corner of North Dakota and were within a mile (2 km) of Montana, near Beach (Figures 5a and 5b). To accommodate the miles and the short time frame, many meals were eaten in the vans. The weather cooperated with only a light sprinkle the night of the second day. A list of leaders, facilitators, and participants are as follows (Table 1).

The field trip route is shown in the maps in Figures 5, 6, 9–11, 15, 18. Making for a long day, we left St. Paul, Minnesota, at about 7:15 a.m., had lunch in Fargo, North Dakota, and visited our first stop, the Hell Creek Formation Stumpf Site in the midafternoon (Figures 5a, 6a, and 6b). Although we lacked the long daylight hours of summer, we still managed a few beautiful late afternoon hours touring the Stumpf Site Natural Area (see Hoganson, this volume, and Figure 7). We finished Day 1 by visiting the collections and exhibitions (Figure 8) of the age Center of the State of Historical Society of North Dakota in Bismarck (www.state.nd.us/hist/hcenter.htm).

Day 2 was also a full day of driving and stops. At dawn, we were at one of the late Paleocene Judson localities (see Kihm and Hartman) (Figures 5a and 9), southeast of New Salem. The two northern localities, more or less opposite each other, have been graded over and seeded and have not been field worked for many years. The southern localities are still, more or less, natural exposures, typical of the rolling plains, blowouts, and roadcuts common throughout west-central North Dakota. No sign of the trenching that occurred here remains. Because of the lack of con-

tinuous outcrop, interpreting the stratigraphic placement of fossil localities throughout this area is very difficult. One is aided in the placement of fossil occurrences, however, by organizing them within the context of lignite and silcrete beds, which can be correlated to temporally important fossil local faunas.

The next stop was in the Little Badlands south of South Heart (see Hoganson), southwest of Dickinson (Figure 10a), which includes some of the youngest strata reported in this volume. The brisk,

Table 1

Field Trip Leaders	
Joseph Hartman	University of North Dakota, Grand Forks
John Hoganson	North Dakota Geological Survey, Bismarck
John Hunter	New York Institute of Technology, Old Westbury
Allen Kihm	Minot State University, Minot, North Dakota
Dean Pearson	Pioneer Trails Regional Museum, Bowman, North Dakota
Student Facilitators and Presenters	
Karew Schumaker	Minot State University, Minot, North Dakota
Georgia Knauss	University of Iowa, Department of Geosciences, Iowa City
Participants	
Arvid Aase	Fossil Butte National Monument, Kemmerer, Wyoming
John Alroy	University of California, Santa Barbara
Richard Baer	Lathrup Village, Michigan
David Chopp	Oconomowoc, Wisconsin
Christian Cicimurri	Clemson University, Clemson, South Carolina
David Cicimurri	Clemson University, Clemson, South Carolina
William Clemens	Museum of Paleontology, University of California, Berkeley
Stephen Cumbaa	Canadian Museum of Nature, Ottawa, Ontario
Philip Currie	Royal Tyrrell Museum of Paleontology, Drumheller, Alberta
Kevin Dermody	State Museum of Pennsylvania, Carlisle
Eric Dewar	University of Massachusetts, Amherst
Dougal Dixon	Boyds Mills Press, Dorset, United Kingdom
Masato Fujita	Board of Education of Ohyama Town, Toyama, Japan
Bill Gallagher	New Jersey State Museum, Trenton
Phil Gensler	Hagerman Fossil Beds National Monument, Hagerman, Idaho
Jon Graff	San Jose, California
Naoki Ikegami	Mifune Dinosaur Museum, Kumamoto Pref., Japan
Eva Koppelhus	Royal Tyrrell Museum of Paleontology, Drumheller, Alberta
Mona Marsovsky	Alberta Palaeontological Society, Calgary
Vaclav Marsovsky	Alberta Palaeontological Society, Calgary
Bevin O'Grady	Rutgers University, Camden, New Jersey
John Pappas	Rutgers University, Camden, New Jersey
Kenneth Stadman	Brigham Young University, Provo, Utah
John Strong	Anza-Borrego Desert State Park, Corona Del Mar, California
Yukimitsu Tomida	National Science Museum Department of Geology, Tokyo,
Wighart von Koenigswald	Institut für Palaeontologie, Bonn, Germany

Figure 7. The uppermost Cretaceous Hell Creek formation Stumpf Site is also a North Dakota Natural Area, preserving one of the most complete Hell Creek sections in the Missouri River trench and good exposures of the marine Breien Member. Here, John Hoganson, coleader, discusses the history of the designation of Natural Areas in North Dakota (Philip Currie photo 1674).

Figure 8. An excellent mount of *Plioplatecarpus*, a mosasaur and major marine predator in Late Cretaceous seas of North Dakota, is on exhibit at the Heritage Center on the State capitol grounds in Bismarck (Hartman photo C11881).

northwesterly winds offset the bright sunshine for the clothing challenged (especially the reporter the came out to visit us). The hike into the Natural Area (see photos) resulted in a number of new fossils of the Oligocene White River Group for the State paleontological collections. With limited time today, we drove by the Fitterer Ranch Site (Figure 10b), but discussed its study history and paleontology with radio communication (at least part of the time) between the vehicles.

After picking up bag lunches at the Pioneer Trails Regional Museum (Figure 11a), we drove west to Rhame across Paleocene strata (see Figure 1) and then south to the Mud Buttes localities (Figure 11b) (see Pearson, this volume). This area is rightly famous for its many paleontological studies based on carefully collected and stratigraphically well-controlled plants, vertebrates, and mollusks. The geologic section is represented by the Hell Creek

Formation and Fort Union Group and contains well documented K/T boundary sections (Figure 4). Besides the geologic significance of the wonderful geology preserved in this area, the stark beauty of the Hell Creek mudstone is offset by banded layers of other lithologies and the silcrete rubble that is strewn across the valley floor.

Figure 14. There is something different about a group of paleontologists as people. They will come to a cold and rather bitter hill top to see a minor pit dug in the ground, a blowout, or minor exposure just to see where really cool, very small fossil vertebrate fossils are being found. Here, Allen Kihm, trip coleader, and student facilitator, Karew Schumaker provide the history and current study of the Medicine Pole Hills local fauna. On a slightly warmer, less windy late afternoon, this view towards South Dakota and Montana across grazing bison would seem quite remarkable (Hoganson photo).

With cold winds, the day turned more bitter as we crossed through the bison pastures and up the slopes of the Medicine Pole Hills (Figure 11b) to the fabulously rich vertebrate fossil locality of the same name (see Kihm, this volume). The late afternoon sun did little to warm the winds chaffing us on the hill top. Nonetheless, the distant view into the breaks of the Little Missouri River to the southwest, virtually to the corner of the state, was certainly enjoyed by the more warmly dressed (Figure 12). The evening's festivities were hosted by the Pioneer Trails Regional Museum (see Pearson, 1999; and www.ptm.org) and the people of Bowman. The regional collections and exhibits (Figures 13, 14) were explained and available for us to view and discuss into the late hours.

Figure 15.At the Pioneer Trails Regional Museum (PTRM), Phil Currie of the Royal Tyrrell Museum of Palaeontology, Drumheller, Alberta, takes the opportunity to examine fossil matter on hand, a time-honored tradition among vertebrate colleagues (Hartman photo C11938).

Figure 16.Besides the fossils they have collected in the southwestern part of North Dakota, the PTRM staff have also placed on exhibit the diversity of life found in the marine and nonmarine strata spanning essentially all of the bedrock section found in the state. Here, *Triceratops* saunters by (Philip Currie photo 1733).

The third day began with concerns over the obvious small rain puddles that had formed after most of us had turned in. Calls to ranchers the north had assured us that the dirt roads were as bone dry as ever. We breakfasted at PTRM and waited for the sun to rise. We drove west to Rhame and on to Marmarth, crossing the National Wild and Scenic Little Missouri River. Marmarth has seen busier days as a major Milwaukee Road switching yard, but it has been a fine place from which to headquarter field studies and share an evening's repast with colleagues and locals. Just west of Marmarth, we turned on to a gravel road that alternates between various road bed materials and native substrate as it meanders its way towards Golva (Figure 15a). This road has been much improved over the last couple of decades, but, if the rains soak the road here and there, it is as impassable as ever. We made an unplanned photo stop at Pretty Butte (Figure 16). When the sun is out, the south and southeast views of this clinker-capped Hell Creek–Ludlow section provide clear reason for the name applied to this butte. We drove north and turned east

at the first obvious intersection (Figure 15b). The next stop was at the dissected badlands of the “School Section Creek” on the Brown Ranch and U.S. Forest Service property (checkerboard pattern of ownership throughout this area). This drainage has been studied by many (see Hunter and Hartman, this

volume, and references therein) and is one of the main areas preserving macrofossils of the Boyce and Three V Tongues of the Cannonball Formation. We hiked through the sage and well-known rattlesnake country to an overlook down the tributaries to the Little Missouri River for our morning presentation (Figure 17).

Figure 17. Pretty Butte is a well-recognized landmark on the west side of the Little Missouri River. Slightly better lighting and the butte could have more lived up to its name. The section in Hell Creek and Ludlow strata, capped by clinker (Hartman photo C11948).

The guidebook route takes us back towards Montana and north to Golva (Figure 18a). From there, we lose our few moments of hardtop road and turn east back towards the Little Missouri River where we pick up West River Road. This very scenic drive through the relatively deep river valley provides a good view of the Tongue River Member, capped by the Sentinel Butte Formation. Teddy Roosevelt also followed this route on his first bison hunt in 1883, as he headed south out of Little Missouri (Medora was then under construction) (Hartman, 1993) (Figure 18b). We made our final geological stop at the Painted Canyon Overlook (Figure 19) at the Theodore Roosevelt National Park just north of Interstate I-94. The lighting was good, and the stop made for a final save-the-best-for-last kind of impression. The badlands of the park and adjacent wilderness area are part of the finely dissected drainage of the Little Missouri River. The rocks from the overlook are of

Figure 18. The Brown Ranch presentation was held overlooking “School Creek Section” and the Little Missouri River. Here, Joseph Hartman, trip leader helps carry the discussion to the movement of the Paleocene seas, which are well represented in this area (Hoganson photo).

the Sentinel Butte Member of the Fort Union Formation and include clinker beds of baked clay that add spectacular highlights (Figure 20). St. Paul was now a long way off. Another, more elaborate, preplanned supper was eaten on the road as night closed in around us. The team leading the trip did not park the vans at the rental agency and sit in a comfortable chair until well past 2:00 a.m.

Some Terminology

The terms site, locality, and local fauna are used in this report and may deserve some explanation to the general reader. The terms site and locality are frequently used by authors with their own specific consistent intent. MacIntyre (1966) defined them to have specific paleontological meaning (Table 2).

MacIntyre's intent with these definitions is a good one and grew out of an earlier habit of generalized references to collecting locations. A site was to add precision to an otherwise general collected specimen locality. As times have changed and individuals have only collected with community analysis in mind, the term locality has frequently been employed synonymously with site as used by MacIntyre, and

site restricted to even finer levels along a contiguous stratum. In any case, the author's individual intent should be clear from use. The four Judson Sites/Localities for example, are all precisely known by stratum and geographic collecting area. They were grouped together by Holtzman (1978) as the Judson Locality in the presumption that they represented a MacIntyre-type collecting area defined by a restricted stratigraphic interval and geographic area. In a temporal way, this is undoubtedly true, but depositionally there are differences in the sedimentology and molluscan faunules of different sites. The Stumpf Site is a good example of a collecting area (see Hoganson, this volume), not a specific stratum or geographic location in the sense of MacIntyre. Thus, although consistent use of simple terms would be preferred, the meaning should be clear from the context used by the author.

Table 2

Term	Definition
Locality	A part of an area, with stated geographic limits, usually about one-quarter or one-eighth of a square mile (122–61 m ²) in size, yielding fossils from given beds within a formation.
Site	An accurately designated part of a locality usually about 100 feet (30 m) square, yielding fossils from essentially the same level.
Local Fauna	A term used to represent a collection of fossils from a stratum (bed) or few contiguous strata (layers of rock) of limited thickness over a very limited geographic area with the intent of representing a natural assemblage or community of living organisms.
Faunule	Terms synonymous with local fauna, but applying to animals
Florule	and plants, respectively.
Fauna/Flora	Terms referring to an entire population, not restricted to a single locality or horizon, of an area, stratigraphic interval, or time interval.
NALMA	The North American Land Mammal Age system represents a time or temporal framework based on the evolutionary history of mammals. Specific ages/stages (e.g., Puercan, Pu) can be subdivided into subunits (Pu1 NALMA).

Figures 19–20. Same basic view as in Figure 2, but by other photographers and shown here to capture the variation in badlands perspective by the viewer, the camera, and the film. The view is north from the Painted Canyon Overlook in Theodore Roosevelt National Park.

References

- Bluemle, J.P., Anderson, S.B., Andrew, J.A., Fischer, D.W., and LeFever, J.A., 1986, North Dakota stratigraphic column: North Dakota Geological Survey, Miscellaneous Series 66, 1 sheet (weathering profile used with permission).
- Berggren, W.A., Kent, D.V., Swisher, C.C., III, and Aubry, M.-P., 1995, A revised Cenozoic geochronology and chronostratigraphy, *in* Berggren, W.A., Kent, D.V., Aubry, M.-P., and Hardenbol, J., *Geochronology, times scales and global stratigraphic correlation*: Tulsa, SEPM Special Publication 54, p. 129–212.
- Erickson, J.M., 1999, The Dakota Isthmus – Closing the Late Cretaceous Western Interior Seaway: North Dakota Academy of Science, Proceedings, *in* Hartman, J.H., ed., *The paleontologic and geologic record of North Dakota – Important sites and current interpretations*: North Dakota Academy of Science, Proceedings, v. 53, p. 124–129.
- Gill, J.R., and Cobban, W.A., 1973, Stratigraphy and geologic history of the Montana Group and equivalent rocks, Montana, Wyoming, and North and South Dakota: U.S. Geological Survey Professional Paper 776, 37 p.
- Gradstein, F.M., Agterberg, F.P., Ogg, J.G., Hardenbol, J., Veen, P.v., Thierry, J., and Huang, Z., 1995, A Triassic, Jurassic and Cretaceous time scale, *in* Berggren, W.A., Kent, D.V., Aubry, M.-P., and Hardenbol, J., eds., *Geochronology, times scales and global stratigraphic correlation*: Tulsa, SEPM Special Publication 54, p. 95–126.
- Hartman, J.H., 1993, Teddy Roosevelt up the Little Missouri River: North Dakota Geological Society, The Marshall Lambert Symposium (Pioneer Trails Regional Museum, June 19–20, 1993, Bowman, North Dakota), p. 73–77.
- Hartman, J.H., 1999, Western exploration along the Missouri River and the First paleontological studies in the Williston Basin, North Dakota and Montana, *in* Hartman, J.H., ed., *The paleontologic and geologic record of North Dakota – Important sites and current interpretations*: North Dakota Academy of Science, Proceedings, v. 53, p. 158–165.
- Holtzman, R.C., 1978, Late Paleocene mammals of the Tongue River Formation, western North Dakota: North Dakota Geological Survey Report of Investigation 65, 88 p.
- Lund, S.P., Hartman, J.H., and Banerjee, S., 2002, Magnetostratigraphy of interfingering Upper Cretaceous–Paleocene marine and continental strata of the Williston Basin, North Dakota and Montana, *in* Hartman, J.H., Johnson, K.R., and Nichols, D.J., eds., *The Hell Creek Formation and the Cretaceous–Tertiary boundary in the northern Great Plains – An integrated continental record of the end of the Cretaceous*: Geological Society of America Special Paper 361, p. 57–95.
- MacIntyre, G.T., 1966, The meaning of the word “locality”: American Museum of Natural History Bulletin, v. 131, p. 129.
- Murphy, E.C., Hoganson, J.W., and Forsman, N.F., 1993, The Chadron, Brule, and Arikaree Formations in North Dakota: North Dakota Geological Survey, Report of Investigations 96, 144 p.
- Murphy, E.C., Hoganson, J.W., and Johnson, K.R., 2002, Lithostratigraphy of the Hell Creek Formation in North Dakota, *in* Hartman, J.H., Johnson, K.R., and Nichols, D.J., eds., *The Hell Creek Formation and the Cretaceous–Tertiary Boundary in the Northern Great Plains: An Integrated Continental Record of the End of the Cretaceous*: Boulder, Colorado, Geological Society of America Special Paper 361, p. 9–34.
- Pearson, D.A., 1999, Partnerships for productivity – Collaborative efforts among amateurs and academia, *in* Hartman, J.H., ed., *The paleontologic and geologic record of North Dakota – Important sites and current interpretations*: North Dakota Academy of Science, Proceedings, v. 53, p. 130–153.
- Roberts, L.N.R., and Kirschbaum, M.A., 1995, Paleogeography of the Late Cretaceous of the Western Interior of middle North America–Coal distribution and sediment accumulation: U.S. Geological Survey Professional Paper 1561, 115 p., 1 pl.

Field Trip Primer