Open Educational Resources

8-2020

Math Active Learning Lab: Math 98 Notebook

Gwennie Byron

University of North Dakota, gwennie.byron@UND.edu

Michele Iiams

University of North Dakota, michele.iiams@UND.edu

Department of Mathematics, University of North Dakota

[How does access to this work benefit you? Let us know!](#)

Follow this and additional works at: <https://commons.und.edu/oers>

Part of the [Algebra Commons](#)

Recommended Citation

Byron, Gwennie; Iiams, Michele; and Department of Mathematics, University of North Dakota, "Math Active Learning Lab: Math 98 Notebook" (2020). *Open Educational Resources*. 25.

<https://commons.und.edu/oers/25>

This Course Material is brought to you for free and open access by UND Scholarly Commons. It has been accepted for inclusion in Open Educational Resources by an authorized administrator of UND Scholarly Commons. For more information, please contact und.common@library.und.edu.

Math 98 Notebook

University of North Dakota

Revised August 2020

© 2019
Department of Mathematics
University of North Dakota

This work is licensed under a
Creative Commons
Attribution-NonCommercial-ShareAlike
4.0 International License.

Welcome to the MALL

Welcome to UND's Math Active Learning Lab (MALL)! The MALL is a research-based approach designed to support student engagement with math. The premise of the MALL is that the best way to learn math is by doing math, not by watching someone else do math. This means that most of your time in this course will be spent doing math with the MALL instructors and tutors available to support your learning. The philosophy of the MALL is well described by H. A. Simon's quote

"Learning results from what the student does and thinks and ONLY from what the student does and thinks. The teacher can advance learning only by influencing what the student does to learn."

For many of you, this is your first college math course. Quite possibly, this course and our expectations may be different from your high school mathematics experiences. We cannot stress strongly enough your role in ensuring your success in this class. More than anything else, your choices will determine your success in this course.

- Attending class (focus group) regularly,
- diligently working in ALEKS and this Notebook,
- studying for exams, and
- seeking help when you need it

will lead to success. We will be asking you to use the ALEKS resources and to work in your notebooks before coming to class. In your weekly focus group, your instructor will support your learning by facilitating small-group assignments and providing mini-lectures on the more challenging topics.

Instead of sitting in a lecture class for hours each week AND then being expected to do practice problems outside of class, part of your "class time" is spent doing homework in ALEKS. This provides instant feedback and links you to resources as needed. Using ALEKS allows us to individualize the student learning path. Students can move quickly through topics they are familiar with and take the time they need to learn more challenging topics. To help you get the most out of ALEKS, we have created this notebook. If ALEKS and the notebook are still leaving you confused about a topic, we expect you to ask an instructor or tutor for help.

MALL Staff

Contents

How to use ALEKS	10
☐ Working in ALEKS with the Notebook	10
☐ The Learning Carousel	10
☐ Hamburger Menu	11
☐ Technical Support	12
Syllabus	13
Time Management	19
Test Analysis	22
Module 1	25
☐ Word problem with addition or subtraction of integers	26
☐ Least common multiple of 2 numbers	26
☐ Addition and subtraction of 3 fractions involving signs	28
☐ Signed fraction division	29
☐ Division involving zero	30
☐ Exponents and integers: Problem type 1	31
☐ Exponents and integers: Problem type 2	31
☐ Exponents and signed fractions	32
☐ Order of operations with integers and exponents	32
☐ Properties of real numbers	33
☐ Distributive property: Integer coefficients	34
☐ Using distribution with double negation and combining like terms to simplify: Multivariate	34
☐ Additive property of equality with signed fractions	35
☐ Multiplicative property of equality with signed fractions	36
☐ Solving a two-step equation with integers	37
☐ Solving a two-step equation with signed fractions	37
☐ Solving a linear equation with several occurrences of the variable: Variables on both sides and distribution	38
☐ Translating a sentence into a multi-step equation	39
☐ Writing a multi-step equation for a real-world situation	40
☐ Writing a one-step expression for a real-world situation	41
☐ Solving a word problem with two unknowns using a linear equation	42
Module 2	45
☐ Writing an inequality for a real-world situation	46
☐ Writing an inequality given a graph on the number line	46
☐ Graphing a linear inequality on the number line	47
☐ Graphing a compound inequality on the number line	48

☐ Set-builder and interval notation	49
☐ Evaluating a quadratic expression: Integers	50
☐ Solving for a variable in terms of other variables using addition or subtraction: Advanced	50
☐ Solving for a variable in terms of other variables using addition or subtraction with division	51
☐ Solving for a variable inside parentheses in terms of other variables	51
☐ Additive property of inequality with signed fractions	51
☐ Writing a compound inequality given a graph on the number line	52
☐ Solving a two-step linear inequality: Problem type 2	52
☐ Multiplicative property of inequality with integers	53
☐ Solving a compound linear inequality: Graph solution, basic	54
☐ Solving a compound linear inequality: Interval notation	56
☐ Introduction to solving an absolute value equation	57
☐ Solving an absolute value equation: Problem Type 1	58
☐ Solving an absolute value equation: Problem Type 2	59
☐ Solving inequalities with no solution or all real numbers as solutions	60
☐ Translating a sentence into a multi-step inequality	61
Module 3	64
☐ Solving an absolute value inequality: Problem Type 1	65
☐ Solving an absolute value inequality: Problem Type 2	66
☐ Solving an absolute value inequality: Problem Type 3	67
☐ Writing an absolute value inequality given a graph on the number line	68
☐ Plotting a point in the coordinate plane	68
☐ Identifying solutions to a linear equation in two variables	69
☐ Graphing a line given its equation in slope-intercept form: Integer slope	70
☐ Graphing a line given its equation in slope-intercept form: Fractional slope	71
☐ Graphing a vertical or horizontal line	71
☐ Finding x - and y -intercepts given the graph of a line on a grid	72
☐ Finding x - and y -intercepts given the graph of a line given the equation: Basic	74
☐ Finding slope given two points on the line	74
☐ Finding the slope of horizontal and vertical lines	75
☐ Classifying slopes given graphs of lines	76
☐ Graphing a line through a given point with a given slope	77
☐ Graphing a line by first finding its slope and y -intercept	78
☐ Finding the slope and y -intercept of a line given its equation in the form $y = mx + b$	79
☐ Writing an equation in slope-intercept form given the slope and a point	79
☐ Writing the equations of vertical and horizontal lines through a given point	80
☐ Writing the equation of the line through two given points	81
☐ Table for a linear function	82
☐ Domain and range from ordered pairs	83
Module 4-Review	86
Module 5	87
☐ Square root of a perfect square with signs	88
☐ Domain and range from the graph of a continuous function	89
☐ Domain of a square root function: Basic	90
☐ Identifying functions from relations	91
☐ Evaluating functions: Linear and quadratic or cubic	91
☐ Vertical line test	92
☐ Variable expressions as inputs of functions: Problem type 1	93

☐ Finding outputs of a one-step function that models a real-world situation: Function notation	93
☐ Finding inputs and outputs of a function from its graph	94
☐ Identifying solutions to a system of linear equations	95
☐ Graphically solving a system of linear equations	96
☐ Solving a system of linear equations using substitution	97
☐ Solving a system of linear equations using elimination with addition	99
☐ Solving a system of linear equations using elimination with multiplication and addition	100
☐ Solving a word problem involving a sum and another basic relationship using a system of linear equations	101
☐ Solving a word problem using a system of linear equations of the form $Ax + By = C$	102
☐ Solving a value mixture problem using a system of linear equations	103
☐ Solving a distance, rate, time problem using a system of linear equations	104
☐ Graphing a function of the form $f(x) = ax^2$	105
☐ Classifying the graph of a function	105
☐ Interpreting the graphs of two functions	106
Module 6	108
☐ Understanding the product rule of exponents	109
☐ Introduction to the product rule of exponents	109
☐ Product rule with positive exponents: Univariate	110
☐ Product rule with positive exponents: Multivariate	110
☐ Understanding the power rules of exponents	111
☐ Introduction to the power of a power rule of exponents	111
☐ Introduction to the power of a product rule of exponents	112
☐ Introduction to the quotient rule of exponents	113
☐ Quotient of expressions involving exponents	114
☐ Power rules with positive exponents: Multivariate products	114
☐ Power and quotient rules with positive exponents	115
☐ Evaluating expressions with exponents of zero	116
☐ Evaluating an expression with a negative exponent: Whole number base	117
☐ Evaluating an expression with a negative exponent: Negative integer base	117
☐ Evaluating an expression with a negative exponent: Positive fraction base	118
☐ Rewriting an algebraic expression without a negative exponent	119
☐ Introduction to the product rule with negative exponents	120
☐ Product rule with negative exponents	120
☐ Quotient rule with negative exponents: Problem type 1	121
☐ Power of a power rule with negative exponents	122
Module 7	124
☐ Degree and leading coefficient of a univariate polynomial	125
☐ Simplifying a sum or difference of two univariate polynomials	125
☐ Multiplying a univariate polynomial by a monomial with a negative coefficient	126
☐ Multiplying a multivariate polynomial by a monomial	127
☐ Multiplying binomials with leading coefficients of 1	127
☐ Multiplying binomials with leading coefficients greater than 1	128
☐ Multiplying binomials with negative coefficients	128
☐ Multiplication involving binomials and trinomials in one variable	129
☐ Multiplying conjugate binomials: Univariate	130
☐ Squaring a binomial: Univariate	131
☐ Dividing a polynomial by a monomial: Univariate	132
☐ Polynomial long division: Type 1	133

☐ Polynomial long division: Type 2	134
☐ Greatest common factor of 2 numbers	135
☐ Greatest common factor of three univariate monomials	136
☐ Greatest common factor of two multivariate monomials	137
☐ Factoring out a monomial from a polynomial: Univariate	138
☐ Factoring out a binomial from a polynomial: GCF factoring, basic	138
☐ Factoring a univariate polynomial by grouping: Problem type 1	139
☐ Factoring a univariate polynomial by grouping: Problem type 2	140
Module 8-Review	142
Module 9	143
☐ Factoring a quadratic with leading coefficient 1	144
☐ Factoring a quadratic with a negative leading coefficient	144
☐ Factoring out a constant before factoring a quadratic	145
☐ Factoring a quadratic with leading coefficient greater than 1: Problem type 1	146
☐ Factoring a quadratic with leading coefficient greater than 1: Problem type 2	146
☐ Factoring a perfect square trinomial with leading coefficient 1	148
☐ Factoring a perfect square trinomial with leading coefficient greater than 1	149
☐ Factoring a product of a quadratic trinomial and a monomial	149
☐ Factoring a difference of squares in one variable: Basic	150
☐ Factoring a difference of squares in one variable: Advanced	151
☐ Solving an equation written in factored form	152
☐ Finding the roots of a quadratic equation with leading coefficient 1	152
☐ Finding the roots of a quadratic equation of the form $ax^2 + bx = 0$	153
☐ Finding the roots of a quadratic equation with leading coefficient greater than 1	154
☐ Solving a quadratic equation needing simplification	155
☐ Solving a word problem using a quadratic equation with rational roots	156
☐ Writing a quadratic equation given the roots and the leading coefficient	157
Module 10	159
☐ Evaluating a rational function: Problem type 1	160
☐ Restriction on a variable in a denominator: Quadratic	161
☐ Simplifying a ratio of factored polynomials: Linear factors	162
☐ Simplifying a ratio of polynomials using GCF factoring	163
☐ Simplifying a ratio of linear polynomials: 1, -1 , and no simplification	163
☐ Simplifying a ratio of polynomials by factoring a quadratic with leading coefficient 1	164
☐ Simplifying a ratio of polynomials: Problem type 1	165
☐ Multiplying rational expressions involving multivariate monomials	166
☐ Multiplying rational expressions made up of linear expressions	167
☐ Dividing rational expressions involving linear expressions	167
☐ Dividing rational expressions involving quadratics with leading coefficients of 1	168
☐ Introduction to the LCM of two monomials	169
☐ Writing equivalent rational expressions with monomial denominators	169
☐ Finding the LCD of rational expression with linear denominators: Relatively prime	170
☐ Adding rational expressions with common denominators and GCF factoring	171
☐ Adding rational expressions with linear denominators without common factors: Basic	172
☐ Adding rational expressions with linear denominators with common factors: Basic	173
☐ Adding rational expressions with denominators ax^n and bx^m	174
☐ Complex fraction without variables: Problem type 1	175
☐ Complex fraction without variables: Problem type 2	176

Module 11	179
□ Square root of a rational perfect square	180
□ Square root of a perfect square monomial	181
□ Complex fraction: GCF factoring	181
□ Complex fraction made of sums involving rational expressions: Problem type 1	182
□ Solving a rational equation that simplifies to linear: Denominators a , x , or ax	183
□ Solving a rational equation that simplifies to linear: Denominators ax and bx	184
□ Solving a rational equation that simplifies to linear: Denominator $x + a$	185
□ Solving a rational equation that simplifies to quadratic: Denominator x	186
□ Solving a rational equation that simplifies to quadratic: Proportional form, basic	187
□ Solving for a variable in terms of other variables in a rational equation: Problem type 1	188
□ Solving a proportion of the form $\frac{(x+a)}{b} = \frac{c}{d}$	188
□ Word problem on proportions: Problem type 1	189
□ Word problem on proportions: Problem type 2	190
□ Finding all square roots of a number	190
□ Estimating a square root	191
□ Cube root of an integer	191
□ Introduction to simplifying a radical expression with an even exponent	192
□ Table for a square root function	192
□ Word problem involving multiple rates	193
□ Graphing a square root function: Problem type 1	194
Module 12-Review	196
Module 13	197
□ Finding n^{th} roots of perfect n^{th} powers with signs	198
□ Finding the n^{th} root of perfect n^{th} power monomial	199
□ Converting between radical form and exponent form	200
□ Rational exponents: Unit fraction exponents and whole number bases	201
□ Rational exponents: Unit fraction exponents and bases involving signs	201
□ Rational exponents: Non-unit fraction exponent with a whole number base	202
□ Simplifying the square root of a whole number less than 100	203
□ Simplifying the square root of a whole number greater than 100	203
□ Rational exponents: Product rule	204
□ Rational exponents: Power of a power rule	205
□ Simplifying a radical expression with an even exponent	205
□ Simplifying a radical expression with an odd exponent	206
□ Simplifying a higher root of a whole number	207
□ Introduction to square root addition or subtraction	207
□ Square root addition or subtraction	208
□ Introduction to simplifying a sum or difference of radical expressions: Univariate	209
□ Simplifying a product involving square roots using the distributive property: Basic	209
□ Square root multiplication: Basic	210
□ Square root multiplication: Advanced	211
□ Simplifying a product of radical expressions: Univariate	212
Module 14	214
□ Simplifying a quotient of square roots	215
□ Introduction to solving a radical equation	216
□ Solving a radical equation that simplifies to a linear equation: One radical, basic	217
□ Solving a radical equation that simplifies to a linear equation: One radical, advanced	218

☐ Solving a radical equation that simplifies to a quadratic equation: One radical, basic	219
☐ Algebraic symbol manipulation with radicals	220
☐ Word problem involving radical equations: Advanced	221
☐ Using i to rewrite square roots of negative numbers	222
☐ Solving an equation of the form $x^2 = a$ using the square root property	222
☐ Solving a quadratic equation using the square root property: Exact answers, basic	223
☐ Solving a quadratic equation using the square root property: Exact answers, advanced	224
☐ Applying the quadratic formula: Exact answers	225
☐ Solving a quadratic equation with complex roots	226
☐ Domain and range from the graph of a parabola	227
☐ How the leading coefficient affects the shape of the parabola	228
☐ Finding the vertex, intercepts, and axis of symmetry from the graph of a parabola	229
☐ Finding the x -intercept(s) and the vertex of a parabola	229
☐ Graphing a parabola of the form $y = x^2 + bx + c$	231
☐ Graphing a parabola of the form $y = ax^2 + bx + c$: Integer coefficients	232
Module 15-Final Review	234
Solutions	235
Index	239
Common Properties, Graphs & Formulas	243

How to use ALEKS

Working in ALEKS with the Notebook

- Every ALEKS topic is in the Notebook.
- Not every topic in the Notebook will be in YOUR Learning Carousel.
 - If you have already mastered a topic, you will not see the topic in your Learning Carousel.
 - You do NOT need to complete the Notebook for a topic you have already mastered.
- How to work through ALEKS topics
 1. ALEKS presents you with a topic.
 2. Use the table of contents to find the topic in the Notebook.
 3. You will find one of the following icons to help direct your learning.
 - Indicates you should watch a video. You may be asked to select a different video than the first video to pop up.
 - You should open the e-book.
 - * You may need to scroll down to find the appropriate topic.
 - * Notebook entries are made to look EXACTLY like the e-book material
 - Open the dictionary to show definitions of terms.
 - Directs you to resources your instructor has added.
 - If there is no icon, the material should come directly from the Learning Page, which is the first page presented to you with a new topic.

The Learning Carousel

- To bring down the Learning Carousel, click the on the upper left side of the ALEKS Learning page.
- indicates a goal topic for the current module
- indicates a locked topic. Click the icon to see what topics must be worked to unlock it.
- No icon means it is a prerequisite topic. Use the Index to find the topic in your Notebook.

- When the Learning Carousel is pulled down, you can
 - Click the **Filters** for options to filter topics.
 - The Filter menu is shown below.

Search for topic You can type in the name of a topic to find it.

TAGS Click in the boxes to show only the topics that are

- * goal topics,
- * unlocked,
- * have videos.

Hamburger Menu

- The Hamburger Menu is in the upper left of your ALEKS screen.
- The options in the Hamburger Menu are shown below.

Home Takes you back to the home screen.

Learn Opens the next topic ALEKS has ready for you to learn.

Review Opens up topics you have learned or mastered for you to review.

Calendar Opens a calendar view of deadlines for weekly modules and exams.

Gradebook Shows your grades for ALEKS modules and exams. The complete and official gradebook is in Blackboard.

Reports Opens a menu of reports that provide additional information about your progress in ALEKS. We encourage you to take a look at these pages.

Technical Support

ALEKS Technical Support is available at https://www.aleks.com/support/contact_support or by phone at (800) 258-2374. Call Technical support if you need help with

- accessing your account.
- locating a video.
- questions displaying correctly.
- other technical issues not related to math content.

Math _____

Instructor: _____ **Email:** _____

Phone: _____ **Office:** _____

Focus Group: _____

Required Course Materials: ALEKS 18-week access and the _____
Course Notebook

All email correspondence will go to your official UND email address.

Course prerequisites and content: Properties of the real number system, factoring, linear and quadratic equations, functions, polynomial and rational expressions, inequalities, systems of equations, exponents, radicals. Graphing of basic functions. Study skills and problem solving techniques will be incorporated throughout the course. Does not satisfy any requirements for graduation, nor does it transfer. A grade of S is required in this course to be eligible to take Math 103 or Math 107.

The Math Active Learning Lab (MALL): Research shows that _____, not by listening to someone talk about or present the subject. The primary reason many students do not succeed in traditional math courses is that they do not do the problems or spend enough time engaged with the material.

The MALL is a research-based approach designed to support student engagement with math. Most of your time in this course will be spent doing math, and your instructor will support your learning by facilitating in-class assignments and providing mini-lectures on the more challenging topics. Instructors and tutors are available during the required MALL time to provide just-in-time support.

In a traditional math class, all students are expected to learn at the same pace. In the MALL, the ALEKS learning system allows you to work at your own pace, skip topics you have already mastered, and provides feedback as you are working.

COVID-19: All members of the University community have a role in creating and maintaining a COVID-19 resilient campus. There are several expectations that all community members, including students, are asked to follow for the safety of all:

- maintain physical _____ of at least 6 feet while in UND facilities,
 - wear _____ coverings during interactions with others and in the classroom,
 - wash their hands often and use hand sanitizer,
 - properly clean spaces that they utilize, and
 - if experiencing any symptoms, _____ and call their health care provider.
-
- Students electing not to comply with any of the COVID related requirements will not be permitted in the _____, and may be subject to disciplinary action.

All members of the University community are expected to model positive _____ both on- and off-campus. Information regarding the pandemic and UND's efforts to create a COVID resilient campus is available on the COVID-19 blog (<http://blogs.und.edu/coronavirus/>). Please subscribe to stay up to date on COVID related information.

Students who test positive for COVID-19 or are identified as a close contact are expected to _____ self-isolate/quarantine. If you have tested positive for COVID-19 or have been placed in quarantine due to being identified as a close contact or travel we strongly recommend that you report the information to the Office of Student Rights and Responsibilities at 701.777.2664 or online at <https://veoci.com/veoci/p/w/ss2x4cq9238u>. Doing so will ensure students have the support they need to continue with their academic goals and to protect others.

Due to the evolving circumstances of the COVID-19 pandemic, all information in this syllabus may need to be _____ to meet the needs of remote instruction. Every effort will be made to operate in a manner consistent with the expectations outlined in this document.

Course Components

Focus Group

- Assignments given during the Focus Group meetings will be completed in small groups.
 - On-time attendance is _____ to earn full-credit on the assignment.
 - Unless required for the Focus Group activity, cell-phone or computer use will result in a zero for the day.
- Students who do not attend the _____ meeting, or contact the instructor the first week, will be **DROPPED FROM THE COURSE**.
- Students who do not _____ their Initial Knowledge Check within two full days of their first class meeting will be **DROPPED FROM THE COURSE**.
- Once a week you will meet in class, the other day you will work in ALEKS in the MALL or remotely.
- Focus Group Absences
 - If due to a serious emergency, absences will usually be excused. Documentation _____.
 - University sanctioned absences must be documented _____ prior to the absence.
 - Travel plans _____ cause for an excused absence.
 - All focus group assignments have a _____ to account for any unexcused absences.
 - Absences will be addressed on a case-by-case basis.

ALEKS

- Weekly module to be completed by _____ at 11:59 pm.
- Can work anywhere you have internet access.
- Deadlines _____ be extended because of home computer or home internet issues.

MALL Time

- Spend at least 2.5 hours in the MALL working in ALEKS from _____ to _____
- MALL time must be completed in O’Kelly 33 (face-to-face) or virutally through Zoom.
- MALL time is class time, you should be working only on _____.
- Credit for MALL time is based _____ on front desk check-in/out.
- Check-in with your UND ID when entering **and** check-out when exiting the MALL.
 - Failure to check-in/out results in __ minutes recorded.
 - Check-in/out with another student’s ID is academic dishonesty.
- Minutes _____ from one week to another.
- Focus Group time _____ toward your MALL time.
- Food is NOT allowed in the MALL.
- The MALL is the place to get your math questions answered!
- MALL staff are there _____.

Notebook

- Graded _____ in Focus Group.
- _____ for MALL time and Focus Group.

Topic Goal Extra Credit

- Complete 10 topics in ALEKS by _____ at 11:59 pm.
- Earn a Focus Group bonus point.

Exams

- There will be __ exams.
- Each exam will have 125 pts
 - ALEKS exam: 100 pts
 - * Must be completed in the MALL exam area
 - * Must be completed by 9:00 pm the _____ the written exam.
 - * UND ID is required to take your ALEKS exam.
 - * All scratch work must be submitted to _____ as a PDF within 30 min of test completion.
 - * You may not leave your table during an exam without permission.
 - * Cell phones must be placed face _____ on the table.
 - Written exam: 25 pts
 - * will be given during the Focus Group meeting.

Exam 1: _____ Exam 2: _____ Exam 3: _____

Final Exam

- The final exam will be a comprehensive ALEKS exam.
- All scratch work must be submitted to Blackboard within 30 min of test completion.
- The final ALEKS exam must be completed by Wednesday, December 16 at 7:30 pm.

Grading

- Your course grade will be a weighted average of the following:

Exams	_____%
Final Exam	_____%
MALL Time	10%
Focus Group Activities	10%
Module Completion	15%

- You must earn 70% or higher to get an S.

Try Score

- Your Try Score reflects your effort in this course.
- The Try Score is composed of:
 - focus group participation,
 - notebook completion,
 - MALL time and
 - module completion.
- This is _____ included in your course grade, but will be shared with your academic advisor.

Finishing the Course Early

- Given the individualized nature of this course it is possible to complete the course _____.
- Each time an exam is given, _____ students have the option to take the final in place of the scheduled exam.
- To qualify to take the final early
 - the week before the written exam, arrange with the MALL office to take a proctored Knowledge Check
 - _____ at least 90% of the in the course on this proctored ALEKS Knowledge Check

Academic Honesty

- All students in attendance at the University of North Dakota are expected to be honorable and to observe standards of conduct appropriate to a community of scholars.
- Academic misconduct includes
 - all acts of dishonesty in any academically related matter.
 - any knowing or intentional help or attempt to help, or conspiracy to help, another student.
 - use of _____, books, calculators, _____ or any electronic devices on exams.
- A student who attempts to obtain credit for work that is not their own (whether that be on a homework assignment, exam, etc.) will receive _____ for that item of work, and at the professor's discretion, may also receive a failing grade in the course.
- For more information read the Code of Student Life at <https://und.policystat.com/policy/6747183/latest/>.

Accommodations

- Disability
 - Contact me to request disability accommodations, discuss medical information, or plan for an emergency evacuation.
 - To get confidential guidance and support for disability accommodation requests, students are expected to register with DSS at <http://und.edu/disability-services/>, 190 McCannel Hall, or 701.777.3425.
- COVID-19
 - Due to COVID-19 students may need to request course adjustments, flexibility in delivery of content, and increased absenteeism.
 - Students with concerns regarding physically attending class during COVID-19 are encouraged to do the following:
 - * Talk with your _____ to determine appropriate accommodations, as soon as possible
 - * Students with a known disability should contact Disability Student Services (DSS).

Starfish

- Important information is available to you through Starfish, which is an online system used to help students be successful.
- When an instructor observes student behaviors or concerns that may impede academic success, the instructor may raise a flag that notifies the student of the concern and/or refer the student to their academic advisor or UND resource.
- Please pay attention to these emails and take the recommended actions. They are sent to help you be successful!
- Starfish also allows you to
 - schedule appointments with various offices and individuals across campus.
 - request help on a variety of topics
 - search and locate information on offices and services at UND
- You can log into Starfish by clicking on Logins on the UND homepage and then selecting Starfish. A link to Starfish is also available in Blackboard once you have signed in.

Notice of Nondiscrimination

- It is the policy of the University of North Dakota that no person shall be discriminated against because of race, religion, age, color, gender, disability, national origin, creed, sexual orientation, gender identity, genetic information, marital status, veteran's status, or political belief or affiliation and the equal opportunity and access to facilities shall be available to all.
- Concerns regarding Title IX, Title VI, Title VII, ADA, and Section 504 may be addressed to:
 - Donna Smith, Director of Equal Employment Opportunity/Affirmative Action and Title IX Coordinator, 401 Twamley Hall, 701.777.4171
 - UND.affirmativeactionoffice@UND.edu
 - Office for Civil Rights, U.S. Dept. of Education, 500 West Madison, Suite 1475, Chicago, IL 60611

Resolution of Problems

Should a problem occur, you should speak to your instructor first. If the problem is not resolved, meet with Dr. Michele Iiams, MALL Director. If the problem continues to be unresolved, go to Dr. Gerri Dunnigan, Mathematics Department Chair, and next to the college Dean. Should the problem persist, you have the right to go to the Provost next, and then to the President.

How to Seek Help When in Distress

- We know that while college is a wonderful time for most students, some students may struggle.
- You may experience students in distress on campus, in your classroom, in your home, and within residence halls.
- Distressed students may initially seek assistance from faculty, staff members, their parents, and other students.
- In addition to the support we can provide to each other, there are also professional support services available to students through the Dean of Students and University Counseling Center.
 - Both staffs are available to consult with you about getting help or providing a friend with the help that he or she may need.
 - For more additional information, please visit the UND Cares program Webpage at <https://und.edu/student-life/student-rights-responsibilities/>.

Time Management

Good time management, good study skills and good organization will help you be successful in this course (and all of your classes). Answer the following questions.

1. To motivate yourself to complete a course, it is helpful to have clear reasons for taking the course. List your goals for taking this course.

2. Taking 12-15 credit-hours is the equivalent of a full-time job. Often students try to work too many hours while taking classes.

NOTE: Students need to work to pay tuition, rent, buy food, etc., but working too many extra hours for things that are not needed can really impact their success. There is a balance between working to earn money now and having to spend more money later to retake courses.

- (a) Write down the number of credit-hours you are taking this term and the number of hours you work per week.

- Number of credit-hours _____
- Number of hours worked per week _____

- (b) The table gives the recommended limit to the number of hours you should work for the number of credit-hours you are taking.

- How do your numbers from part (a) compare to those in the table?

Number of Credit-Hours	Maximum Number of Hours of Work per Week
3	40
6	30
9	20
12	10
15	0

- (c) Keep in mind that other responsibilities in your life, such as your family, might also make it necessary to limit your hours at work even more. What other responsibilities do you have?

- (d) It is often suggested that you devote 2 hours of study and homework time outside of class for each credit-hour you take. For example:

$\begin{array}{r} 12 \text{ credit-hours} \\ 24 \text{ study hours} \\ \hline 36 \text{ total hours} \end{array}$	$\begin{array}{r} 15 \text{ credit-hours} \\ 30 \text{ study hours} \\ \hline 45 \text{ total hours} \end{array}$
---	---

- Based on the number of credit-hours you are taking, how many study hours should you plan for?

_____ credit hours $\times$ 2 = _____ study hours

- What is the total number of hours (class time plus study time) that you should devote to school?

_____ credit hours + _____ study hours = _____ total hours

- Your MALL course is a 3-credit course. This means you might need to spend up to 9 hours each week in class, working in ALEKS, or studying.
- At least 2 of these hours should be completed in the MALL.

On the next page, write down the times each day (for the next week) that you

- have scheduled classes,
- are scheduled to work
- other non-negotiable commitments (family, organization meetings, etc.)
- times that you plan to work in the MALL
- times that you plan to study outside of the MALL

Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
8:00 - 8:30							
8:30 - 9:00							
9:00 - 9:30							
9:30 - 10:00							
10:00 - 10:30							
10:30 - 11:00							
11:00 - 11:30							
11:30 - 12:00							
12:00 - 12:30							
12:30 - 1:00							
1:00 - 1:30							
1:30 - 2:00							
2:00 - 1:30							
2:30 - 3:00							
3:00 - 3:30							
3:30 - 4:00							
4:00 - 4:30							
4:30 - 5:00							
5:00 - 5:30							
5:30 - 6:00							
6:00 - 6:30							
6:30 - 7:00							
7:00 - 7:30							
7:30 - 8:00							
8:00 - 8:30							
8:30 - 9:00							
9:00 - 9:30							
9:30 - 10:00							
10:00 - 10:30							
10:30 - 11:00							

Test Analysis

Have you ever thought of your graded test as a learning experience? There is a lot you can learn about yourself, your study habits, and your test-taking skills by examining your graded test after you get it back.

- Did you do as well as you thought you could?
- Or is there room for improvement?

You may think, “the test was too hard” or “the teacher didn’t give us enough time”, but, chances are, your instructor has been giving a similar test under similar conditions to many students before you. So let’s see what **YOU** can do to earn a higher score on your next test.

Look at your graded test and analyze if each point loss was due to your having been **unprepared** for that problem, a **concept error**, or a **careless error**.

- Being **underprepared** for a problem means you didn’t know how to do the problem because you hadn’t done the homework that would have prepared you for it. Often an error made is considered an underprepared error if you look at the problem and have no idea where to begin.
- A **concept error** is one where you really didn’t understand the concept behind the problem. No matter how much time was available for a problem like this, you wouldn’t have been able to do it correctly because you have no conceptual understanding of the problem. *This is not a procedural error: you can apply a procedure and still not understand the concept.* Students demonstrate conceptual understanding in mathematics when they provide evidence that they can recognize, label, and generate examples of concepts; use and interrelate models, diagrams, manipulatives, and varied representations of concepts; identify and apply principles; know and apply facts and definitions; compare, contrast, and integrate related concepts and principles; recognize, interpret, and apply the signs, symbols, and terms used to represent concepts. Conceptual understanding reflects a student’s ability to reason in settings involving the careful application of concept definitions, relations, or representations of either.
- A **careless error** is one where you understood the problem and knew how to solve it, but you made a mistake that could have been avoided. Maybe you copied the problem or your handwriting incorrectly, made a relatively minor mistake in calculation, or some similar error.

1. In the chart below, put the **number of points** you missed on each problem under the correct heading. Then find the total in each column.

Problem	unprepared	concept error	careless error
	Total points	Total points	Total points

2. In which column did you have the most missed points? What does that tell you about yourself?

3. What can you learn from this exercise?

Being Unprepared

Consider the points you lost because you were **unprepared**. Why did you take a test without being fully prepared? Often, activities and responsibilities in life interfere with good intentions about being diligent in attending class, completing the notebook, completing MALL time, and completing the module. It may be time to:

- **re-examine your weekly schedule** and make sure you are devoting a sufficient amount of time to this class. Lay out a time management grid of your schedule making sure to schedule your MALL time and math study time throughout the week.
- **re-commit yourself to succeeding in this class.** Think about your college and career goals and remind yourself of how this course helps you get one step closer to achieving them.

4. List two steps you will take to remedy being unprepared.

Concept Errors

Now consider the **concept errors** point loss. A high total in this column tells you that you didn't understand the concepts very well. You may understand a math concept for the hour you're working on problems, but forget it by the next day; possibly because you didn't do enough homework.

- **Take Knowledge Checks when they appear.** Knowledge Checks (KCs) are the way ALEKS helps you identify topics you are not retaining. Take each KC as if it were a QUIZ (no notebooks, calculators, friends, other websites, etc.) AND to the BEST OF YOUR ABILITY. Topics that you need to revisit will appear again in later modules as they are needed.
- **Get the help you need immediately!** Math concepts build on each other. Each new idea is based on many previous concepts. Make sure you get the help you need immediately, as soon as you find yourself beginning to feel lost, so that the confusion doesn't compound itself - otherwise it can become like a snowball, getting bigger and bigger as it rolls through the snow.

If your total loss due to concept errors is fairly large, find out where you can get the help you need. A high concept error total is cause for concern and must be addressed immediately for you to succeed.

5. Which of the following can help you when you are struggling with math?

- (a) your instructor
- (b) MALL tutors
- (c) Reworking and asking questions about previous Focus Group assignments
- (d) Completing your Notebook pages
- (e) All of the above

Careless Errors

Next look at **careless error** point loss. Careless errors are often caused by hurrying during a test or by lack of concentration due to test-anxiety or over-confidence. Here are some strategies that have worked for other students:

- **Do the easiest problems first.** When you first start a test, look it over and note which problems will be easiest for you. Do all those problems first to ensure you don't leave an easy problem blank just because it is at the end of the test. Finishing problems you find easy will help build your confidence! Then go through the rest of the test from beginning to end.
- **Work carefully and neatly.** As you do each problem, try to focus on one step at a time.
- **Review each problem to look for careless errors** when you finish the test. Find and correct common careless errors like arithmetic mistakes and sign errors before you turn in your test.
- Whenever possible, **check your answer.**

A lot of points can be gained by slowing down and being careful.

6. What are things you will do next time to prevent careless errors?

7. Now take half of your careless errors point total and add it back to your test total. What could your test grade have been? Would it have changed the letter grade?

Module 1

Contents

☐ Word problem with addition or subtraction of integers	26
☐ Least common multiple of 2 numbers	26
☐ Addition and subtraction of 3 fractions involving signs	28
☐ Signed fraction division	29
☐ Division involving zero	30
☐ Exponents and integers: Problem type 1	31
☐ Exponents and integers: Problem type 2	31
☐ Exponents and signed fractions	32
☐ Order of operations with integers and exponents	32
☐ Properties of real numbers	33
☐ Distributive property: Integer coefficients	34
☐ Using distribution with double negation and combining like terms to simplify: Multivariate . . .	34
☐ Additive property of equality with signed fractions	35
☐ Multiplicative property of equality with signed fractions	36
☐ Solving a two-step equation with integers	37
☐ Solving a two-step equation with signed fractions	37
☐ Solving a linear equation with several occurrences of the variable: Variables on both sides and distribution	38
☐ Translating a sentence into a multi-step equation	39
☐ Writing a multi-step equation for a real-world situation	40
☐ Writing a one-step expression for a real-world situation	41
☐ Solving a word problem with two unknowns using a linear equation	42

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Word problem with addition or subtraction of integers

Learning Page Carefully read through the example on the Learning Page.

YOU TRY IT: The table gives the average high temperature for a week in January in Newfoundland.

1. How much higher was the average temperature on Sunday than on Wednesday?

Day	High Temp (°C)
Mon	-2
Tues	-6
Wed	-7
Thurs	0
Fri	1
Sat	8
Sun	10

Least common multiple of 2 numbers

Open the Instructor Added Resource which will direct you to a video to complete the following.

Write the least common multiple of the numbers given.

- a. Least common multiple of _____ and _____: We write $\text{lcm}(\text{_____}) = \text{_____}$.

Explain why this is true.

- b. Least common multiple of _____ and _____: We write $\text{lcm}(\text{_____}) = \text{_____}$.

Prime Factorization Method

Prime factorization of _____:

Prime factorization of _____:

$$\text{lcm}(24, 18) = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}.$$

Underline the factors needed for 24.**Circle** the factors needed for 18.**List the Multiples Method**

Multiples of _____ : _____

Multiples of _____ : _____

Circle the least common multiple of 24 and 18.

EXAMPLE: Find the LCM of 10 and 8.

Listing Multiples

- List the multiples of the largest number:
Multiples of 10 are 10, 20, 30, 40, 50, 60, 70, 80, 90, ...
- Find the first multiple that is also divisible by the smaller number: We see 40 and 80 are common multiples of 10 AND 8.
- Thus, the **smallest (least)** common multiple of both 10 and 8 is 40.

Prime factorization

- Find the prime factorization of both numbers: $8 = 2 \times 2 \times 2 = 2^3$ and $10 = 2 \times 5$.
- The LCM must include the greatest number of each prime factor: The LCM of 10 and 8 must include 2^3 and 5^1 as factors.
- This makes the LCM $2^3 \cdot 5 = 8 \cdot 5 = 40$.

YOU TRY IT:

2. Find the LCM of 18 and 14

3. Find the LCM of 13 and 4

Addition and subtraction of 3 fractions involving signs

Watch *Video 6: Practice with Subtraction of Real Numbers* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

PROCEDURE Subtracting Real Numbers

If a and b are real numbers, then _____.

Complete ONLY part a. Subtract.

a.

EXAMPLE:

Add or subtract. $\frac{1}{8} - \frac{3}{16} - \left(-\frac{3}{4}\right)$

First we find the least common denominator.

Here the LCD is 16.

$$\begin{aligned}\frac{1}{8} - \frac{3}{16} - \left(-\frac{3}{4}\right) &= \frac{2}{2} \cdot \frac{1}{8} - \frac{3}{16} - \frac{4}{4} \cdot \left(-\frac{3}{4}\right) \\ &= \frac{2}{16} - \frac{3}{16} - \left(-\frac{12}{16}\right) \\ &= \frac{2 - 3 - (-12)}{16} \\ &= \frac{2 - 3 + 12}{16} = \frac{11}{16}\end{aligned}$$

YOU TRY IT:

Add or subtract.

4. $\frac{3}{7} - \frac{2}{3} - \frac{2}{21}$

Signed fraction division

Watch *Video 9: Dividing Real Numbers Involving Fractions* to complete the following.

Simplify.

a.

b.

EXAMPLE: Divide $-\frac{8}{9} \div \frac{3}{7}$.

We multiply by the reciprocal.

$$\begin{aligned}-\frac{8}{9} \div \frac{3}{7} &= -\frac{8}{9} \cdot \frac{7}{3} \\ &= \frac{-8 \cdot 7}{9 \cdot 3} \\ &= -\frac{56}{27}\end{aligned}$$

YOU TRY IT:

5. Divide $-\frac{9}{2} \div \frac{6}{7}$.

Division involving zero

Learning Page

We will use the following facts for division involving 0.

Fact 1: 0 _____ by any _____ (other than _____) equals _____

Fact 2: Any number _____ by _____ is _____

Click on the icon to complete the following.

Understanding division with 0

Consider, for example, _____.

To get the answer, we ask “What number _____ by 4 gives _____?”

The answer is _____. That is, since _____, we get that _____.

Next, consider $0 \div 4$.

To get the answer, we ask “What number _____ by _____ gives 0?”

The answer is _____. That is, since _____ we get that _____.

Finally, consider $4 \div 0$

To get the answer we ask “What number multiplied by _____ gives _____?”

But there is _____, because _____ any number by _____ gives 0.

Thus _____ is _____. We get the same result with any _____ number, not just 4.

So, _____ any _____ number by _____ is _____.

YOU TRY IT: Evaluate each expression.

6. $\frac{13}{0} =$

7. $\frac{0}{13} =$

Exponents and integers: Problem type 1

Watch *Video 10: Simplifying Expressions Involving Exponents* to complete the following.

DEFINITION Definition of b^n

Suppose that b is a _____ and n is a _____.
_____. Then,

$$b^n = \underline{\hspace{2cm}}$$

Simplify.

a.

b.

c.

d.

Exponents and integers: Problem type 2

Watch the video *Exercise: Evaluating an exponential expression* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Evaluate the expression.

YOU TRY IT: Simplify.

8. $(-6)^2$

9. -6^2

Exponents and signed fractions

If you not already done so, watch *Video 10: Simplifying Expressions Involving Exponents* and take notes on the previous page under the topic **Exponents and integers: Problem type 1** or watch the video again for a review.

YOU TRY IT: Simplify.

10. $-(-5)^3$

11. $(-\frac{1}{5})^3$

Order of operations with integers and exponents

Learning Page We must follow the rules for **order of operations**. Here is that order.

1.

2.

3.

4.

YOU TRY IT: Simplify.

12. $4^2 - (5 - 2)^2 \cdot 3$

13. $\frac{1^2 - (-3)^2 + 2}{1 - 2^2}$

Properties of real numbers

Learning Page Complete the following chart. For these properties, we suppose that x, y , and z are real numbers.

	Properties of Addition	Properties of Multiplication
Commutative		
Associative		
Identity		
Inverse		
Distributive Property and		
Multiplication Property of Zero and		

YOU TRY IT: State the Property of Real Numbers that is used.

14. $3 + (6 + x) = (3 + 6) + x$

16. $7 \cdot x = x \cdot 7$

15. $4 \cdot (y + 3) = 4 \cdot y + 4 \cdot 3$

Distributive property: Integer coefficients

Watch *Video 5: Practice Applying the Distributive Property* to complete the following.

Apply the distributive property of multiplication over addition.

1.

2.

3.

4.

YOU TRY IT: Simplify.

17. $-3(4x - 5)$

18. $(3x + 2)7$

Using distribution with double negation and combining like terms to simplify: Multivariate

Watch *Video 9: Simplifying an Expression with Nested Parentheses* to complete the following.

Simplify the expressions by clearing parentheses and combining like terms.

1.

2.

YOU TRY IT: Simplify the expressions by clearing parentheses and combining like terms.

19. $-3(4x - 5y) + 2(7x + y)$

20. $2(3x + 4y) - (x + 5y) - 3x$

Additive property of equality with signed fractions

Open the e-book to complete the following.

Addition and Subtraction Properties of Equality

Let a , b , and c represent real numbers.

Addition property of equality: If $a = b$, then _____.

Subtraction property of equality: If $a = b$, then _____.

EXAMPLE: Solve $x + \frac{4}{5} = \frac{2}{3}$ for x .

Subtract $\frac{4}{5}$ from both sides of the equation.

$$\begin{aligned}x + \frac{4}{5} &= \frac{2}{3} \\x + \frac{4}{5} - \frac{4}{5} &= \frac{2}{3} - \frac{4}{5} \\x + 0 &= \frac{10}{15} - \frac{12}{15} \\x &= \frac{10 - 12}{15} \\x &= -\frac{2}{15}\end{aligned}$$

Check:

$$\begin{aligned}-\frac{2}{15} + \frac{4}{5} &\stackrel{?}{=} \frac{2}{3} \\-\frac{2}{15} + \frac{12}{15} &\stackrel{?}{=} \frac{2}{3} \\\frac{10}{15} &\stackrel{?}{=} \frac{2}{3} \\\frac{10}{15} &= \frac{2}{3} \checkmark\end{aligned}$$

YOU TRY IT: Solve for y .

21. $y - \frac{3}{5} = \frac{2}{7}$

Check:

Multiplicative property of equality with signed fractions

Watch *Video 3: Multiplication and Division Properties of Equality* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

PROPERTY Multiplication and Division Properties of Equality

Let a , b , and c represent real numbers. Then

- **Multiplication property of equality:** If $a = b$ then _____
- **Division property of equality:** If $a = b$, then _____ provided _____

Solve.

1.

2.

3.

Check:

Check:

Check:

YOU TRY IT:

Check:

22. Solve $\frac{4}{3}y = -5$ for y .

Solving a two-step equation with integers

Watch *Video 4: Solving a Linear Equation Requiring Multiple Steps* and complete the following.

Solve the equation.

Check:

YOU TRY IT: Solve.

23. $-3y + 4 = 10$

24. $\frac{x}{3} - 5 = 2$

Solving a two-step equation with signed fractions

Watch *Video 6: Solving an Equation by First Clearing Fractions* to complete the following.

Solve the equation.

YOU TRY IT: Solve for x .

25. $\frac{2}{7}x + \frac{1}{14} = 2$

Solving a linear equation with several occurrences of the variable: Variables on both sides and distribution

Watch *Video 5: Guidelines for Solving a Linear Equation in One Variable* and complete the following.

PROCEDURE Solving Linear Equations in One Variable

1. Simplify _____ of the equation.
2. Collect all _____ on _____ of the equation.
3. Collect all _____ on the _____ of the equation.
4. Use the multiplication or division property of equality to obtain a _____ for the variable.
5. Check the potential _____ in the _____ equation.

Solve the equation.

YOU TRY IT:

26. Solve. $1 - 2x - 4 = x - 5(x - 7) + 4$

Watch *Video 6: Solving a Linear Equation in One Variable* to check your work.

Translating a sentence into a multi-step equation

Open the Instructor Added Resource which will direct you to a video to complete the following.

Translate the sentence into an equation.

a. Seven times the sum _____ is _____.

Equation: _____

b. The _____ of a number _____ is equal to 8.

Equation: _____

c. Four _____ is equal to 6.

Equation: _____

EXAMPLE:

Twice the difference of x and 3 is 18.

- “Twice” means 2 times
- “difference of x and 3” is $(x - 3)$.
- “is 18” means $= 18$

The equation is $2(x - 3) = 18$.

EXAMPLE:

3 is the same as 5 less than the quotient of 16 and a number m .

- “is the same as 3” means $3 =$.
- the “quotient of 16 and a number m ” is written $\frac{16}{m}$
- “5 less than” is $\frac{16}{m} - 5$

The equation is $3 = \frac{16}{m} - 5$ or $\frac{16}{m} - 5 = 3$

YOU TRY IT:

27. 7 more than the quotient of a number d and 6 is 9.

Writing a multi-step equation for a real-world situation

Watch *Video 3: An Application with Consecutive Integers* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

The sum of _____ consecutive _____ integers is _____. Find the integers.

Let _____ be _____

_____ is _____

_____ is third(_____)

The integers are _____.

Writing a one-step expression for a real-world situation

Open the Instructor Added Resource which will direct you to a video to complete the following.

Write the algebraic expression for each situation.

1. Treyvan ran a race. He ran 6 miles an hour, and the race took him t hours to complete.

Write the expression for the question: How _____?

Expression: _____ miles.

2. The Super Swing golf team won \$5989 playing in golf tournaments last year. The winnings were split evenly among the p players.

Write the expression for the question: How _____?

Expression: _____ dollars.

3. Emerson made 72 chocolate chip cookies and w raisin cookies.

Write the expression for the question: How _____?

Expression: _____.

4. Jim received a prize of x dollars from a chess tournament. The tournament cost him 50 dollars to enter.

Write the expression for the question: What were _____?

Expression: _____ dollars.

EXAMPLE:

Last week Missy spent 84 hours gaming. This week she spent g hours gaming. Using g write an expression for how many more hours Missy spent gaming last week than this week.

Missy spent $84 - g$ more hours gaming last week than this week.

YOU TRY IT:

28. Fred watched only 2 episodes of "Game of Thrones" and George binge watched t episodes. Using t write an expression for how many more episodes George watched than Fred.

Solving a word problem with two unknowns using a linear equation

Watch the video *Introduction to Problem Solving* to complete the following.

Step 1

Step 2

Step 3

Step 4

Step 5

Step 6

Let _____ be _____

_____ is _____ number

_____ number – _____ number = 24

The smaller number is _____.

The larger number is _____.

Notes from Focus Group:

Notes from Focus Group:

Module 2

Contents

☐ Writing an inequality for a real-world situation	46
☐ Writing an inequality given a graph on the number line	46
☐ Graphing a linear inequality on the number line	47
☐ Graphing a compound inequality on the number line	48
☐ Set-builder and interval notation	49
☐ Evaluating a quadratic expression: Integers	50
☐ Solving for a variable in terms of other variables using addition or subtraction: Advanced	50
☐ Solving for a variable in terms of other variables using addition or subtraction with division . .	51
☐ Solving for a variable inside parentheses in terms of other variables	51
☐ Additive property of inequality with signed fractions	51
☐ Writing a compound inequality given a graph on the number line	52
☐ Solving a two-step linear inequality: Problem type 2	52
☐ Multiplicative property of inequality with integers	53
☐ Solving a compound linear inequality: Graph solution, basic	54
☐ Solving a compound linear inequality: Interval notation	56
☐ Introduction to solving an absolute value equation	57
☐ Solving an absolute value equation: Problem Type 1	58
☐ Solving an absolute value equation: Problem Type 2	59
☐ Solving inequalities with no solution or all real numbers as solutions	60
☐ Translating a sentence into a multi-step inequality	61

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Writing an inequality for a real-world situation

Watch *Video 7: Translations Involving Inequalities* to complete the following.

Write the expressions as mathematical inequalities.

1. The age, _____, to be eligible for a certain retirement plan is at _____ years.
2. A doctor recommends that a person's daily salt intake, s , is at _____ mg.
3. The total weight, _____, in an elevator must not _____ lb.
4. The average number of calories, c , that Jen takes in each day is _____, inclusive.

Writing an inequality given a graph on the number line

Learning Page

Click on the **More** to complete the following.

Below are four types of inequalities and their graphs.

$x > a$	
$x < a$	

EXAMPLE:

Write an inequality for the graph shown below.

The shaded regions includes all numbers to the right of 2. The closed dot at 2 indicates that 2 is also shaded. This represents all values greater than or equal to 2 $\Rightarrow x \geq 2$.

YOU TRY IT:

29. Write an inequality for the graph shown below.

Graphing a linear inequality on the number line

Open the e-book to complete the following.

The set $\{x|x \geq 3\}$ represents all real numbers _____ than or equal to 3.

This set can be illustrated graphically on the number line. Graph the inequality in two ways below.

By convention, a _____ circle $\bullet$ or a _____ bracket $[$ is used to indicate that an endpoint is _____ in the set.

The set $\{x|x > 3\}$ represents all real numbers _____ greater than or equal to 3.

This set can be illustrated graphically on the number line. Graph the inequality in two ways below.

By convention, an _____ circle $\circ$ or a _____ (is used to indicate that an endpoint is _____ included in the set.

EXAMPLE: Graph $x < 3$ on a number line.

- To graph $x < 3$, we shade all numbers less than or equal to 3.
- This is all numbers to the left of 3 on the number line.
- To show that 3 is **not** included in the graph, we use an open dot, $\circ$.

YOU TRY IT:

30. Graph $b > -1$ on a number line.

Graphing a compound inequality on the number line

Open the Dictionary to complete the following.

Compound Inequality

Two inequalities joined by the word _____ or the the word _____ form a _____.

Solutions to compound inequalities:

- If the two inequalities are joined by _____, the solution is made up of values that

_____.

$\circ x \geq 0$ **and** $x < 3$

The solution is made up of all the numbers _____.

- If the two inequalities are joined by _____, then the solution is made up of values that

_____.

$\circ x \leq 0$ **or** $x > 3$

The solution is made up of all the numbers _____.

_____.

EXAMPLE:Graph $x > 1$ or $x < 4$ on a number line.

The solution is made up of all the numbers.

For any number x , **at least one** of these two inequalities will be true.**EXAMPLE:**Graph $x < 3$ and $x > 5$ on a number line.

The solution is the empty set.

No number can be **both** smaller than 3 **and** greater than 5.**YOU TRY IT:**31. Graph $b \leq 1$ or $b \geq 2$ on a number line. 32. Graph $b \leq -2$ or $b \geq -3$ on a number line. **Set-builder and interval notation** Watch *Video 5: Introduction to Interval Notation* to complete the following.

{ }

{ }

Use _____ to exclude an endpoint.

Use _____ to include an endpoint.

NOTE: On the number lineThe _____ and _____ both indicate that a point **IS NOT** included in a set.The _____ and _____ both indicate that a point **IS** included in a set.

Evaluating a quadratic expression: Integers

Learning Page Carefully read through the example on the Learning Page.

EXAMPLE:

Evaluate $y^2 - 5y + 4$ when $y = -3$.

We substitute -3 for y , then follow the order of operations.

$$\begin{aligned}y^2 - 5y + 4 &= (-3)^2 - 5(-3) + 4 \\&= 9 - 5(-3) + 4 \\&= 9 + 15 + 4 \\&= 28\end{aligned}$$

YOU TRY IT:

33. Evaluate $b^2 + 7b - 5$ when $b = 2$.

Solving for a variable in terms of other variables using addition or subtraction: Advanced

Watch *Video 8: Solving an Equation for a Given Variable* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve for P .

YOU TRY IT:

34. Solve for x . $A + y - x = 12$

Solving for a variable in terms of other variables using addition or subtraction with division

Watch Video 9: Writing an equation $Ax + By = C$ in the Form $y = mx + b$ to complete the following.

Solve for y .

Solving for a variable inside parentheses in terms of other variables

Learning Page Carefully read through the example on the Learning Page.

YOU TRY IT: Solve.

35. $A = 7(x + 4)$

Additive property of inequality with signed fractions

Open the e-book to complete the following.

Addition and Subtraction Properties of Inequality

Let a , b , and c represent real numbers.

*Addition property of Inequality: If $a < b$, then _____.

*Subtraction property of Inequality: If $a < b$, then _____.

*These properties may also be stated for $a \leq b$, $a > b$, and $a \geq b$.

YOU TRY IT: Solve.

36. $x + 4 < 9$

37. $-\frac{3}{4} + x \geq \frac{1}{8}$

Writing a compound inequality given a graph on the number line

Open the Dictionary and select **Compound Inequality**. If you have not already done so, take notes under the topic **Graphing a compound inequality on the number line**.

EXAMPLE:

Write a compound inequality for the graph shown below.

The shaded regions include all numbers less than -1 or all numbers greater than or equal to $2 \implies x < -1$ or $x \geq 2$.

YOU TRY IT:

38. Write a compound inequality for the graph shown below.

Solving a two-step linear inequality: Problem type 2

If you have not already done so, watch *Video 5: Multiplication and Division Properties of Inequality* and take notes under the next topic **Multiplicative property of inequality with integers**.

EXAMPLE: Solve $15 < 21 - 2x$.

$15 - 21 < 21 - 2x - 21$ isolate the variable term

$$-6 < -2x$$

$$\frac{-6}{-2} > \frac{-2x}{-2} \quad \text{divide both sides by } -2 \text{ and reverse the inequality}$$

$$3 > x$$

$$(-\infty, 3)$$

YOU TRY IT:

39. Solve $12 \geq 6 + 3y$

Multiplicative property of inequality with integers

Watch *Video 5: Multiplication and Division Properties of Inequality* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

PROPERTY Multiplication and Division Properties of Inequality

Let a , b , and c represent real numbers.

*If c is **positive** and $a < b$, then _____ and _____.

*If c is **negative** and $a < b$, then _____ and _____.

*These properties may also be stated for $a \leq b$, $a > b$, and $a \geq b$.

If you multiply or divide both sides of an inequality by a _____, you must _____ the inequality sign.

Solve the inequality. Express the solution set in set-builder notation and in interval notation.

YOU TRY IT: Solve.

40. $\frac{1}{7}x < -9$

41. $-\frac{3}{4}x \geq 8$

Solving a compound linear inequality: Graph solution, basic

Watch *Video 7: Solving an Inequality of the Form $a < x < b$* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

DEFINITION Inequalities of the form $a < x < b$.

An inequality of the form _____ is equivalent to the compound inequality

_____.

$$a < x < b$$

$$a \text{ _____ AND } x \text{ _____}$$

A _____ inequality is a convenient way of writing a _____

_____.

Solve the inequality.

Show the “easier” way to solve this inequality:

Continued on the next page.

Watch *Video 9: Solving a Compound Inequality Joined by "Or"* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

PROCEDURE Solving Compound Inequalities

- The solution to two inequalities joined by the word **AND** is the _____ of their solution sets.
- The solution to two inequalities joined by the word **OR** is the _____ of their solution sets.

Solve the compound inequality.

YOU TRY IT:

42. Solve $-3x - 5 < 4$ and $4 - x \geq 6$.

43. Solve $-3x - 5 \geq 4$ or $4 - x < 6$.

Solving a compound linear inequality: Interval notation

Watch the video *Mixed Exercises: Compound Inequalities* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve the inequality. Write the answer in interval notation.

1.

2.

Introduction to solving an absolute value equation

Watch *Video 1: Introduction to Absolute Value Equations* to complete the following.

Solve the equation.

1.

"We can interpret the absolute value of x as the _____ on the _____ . So geometrically, if the _____, then x must either be at a _____ or _____."

Definition **Absolute Value**

$$|x| = \begin{cases} x & \text{if } \underline{\hspace{2cm}} \\ -x & \text{if } \underline{\hspace{2cm}} \end{cases}$$

$$|x| = \underline{\hspace{2cm}} \Rightarrow \begin{cases} \underline{\hspace{2cm}} & \Rightarrow x = \underline{\hspace{2cm}} \\ \underline{\hspace{2cm}} & \Rightarrow x = \underline{\hspace{2cm}} \end{cases}$$

$\{\underline{\hspace{2cm}}\}$

PROCEDURE **Solutions to Absolute Value Equations**

If a is a _____ real number, then the equation $|x| = a$ is equivalent to _____ or _____.

Solve the equation.

1.

2.

3.

YOU TRY IT:

44. Solve $|x| = 3$

45. Solve $|x| = -7$

Solving an absolute value equation: Problem Type 1

Watch the video *Exercise: Solving Absolute Value Equations* to complete the following.

Solve the absolute value equation.

YOU TRY IT:

46. Solve $|x| + 4 = 11$.

Solving an absolute value equation: Problem Type 2

Watch *Video 2: Solving an Absolute Value equation* to complete the following.

PROCEDURE**Solving an Equation Involving One Absolute Value**

1. Isolate the _____.
2. The equation is now in the form $|x| = a$.
 - If _____ then there is _____.
 - If _____ then write the absolute value equation as an _____
_____ of equations _____.
3. Solve the pair of equations from step 2 and write the solution set.

Solve. _____

Solving inequalities with no solution or all real numbers as solutions

Open the Instructor Added Resource which will direct you to a video to complete the following.

Solve the inequalities.

a.

•

b.

•

•

•

•

c.

•

•

•

YOU TRY IT: Determine whether the inequality has no solution or all real numbers as solutions.

47.

$$3(4 - x) + 20 \geq -3(x + 7)$$

Translating a sentence into a multi-step inequality

Learning Page

Click on the first to complete the following.

Here are some words to look for when translating phrases into algebraic expressions.

Key Words	Operation

Click on the second to complete the following.

Key Words	Symbol

Notes from Focus Group:

Notes from Focus Group:

Module 3

Contents

☐ Solving an absolute value inequality: Problem Type 1	65
☐ Solving an absolute value inequality: Problem Type 2	66
☐ Solving an absolute value inequality: Problem Type 3	67
☐ Writing an absolute value inequality given a graph on the number line	68
☐ Plotting a point in the coordinate plane	68
☐ Identifying solutions to a linear equation in two variables	69
☐ Graphing a line given its equation in slope-intercept form: Integer slope	70
☐ Graphing a line given its equation in slope-intercept form: Fractional slope	71
☐ Graphing a vertical or horizontal line	71
☐ Finding x - and y -intercepts given the graph of a line on a grid	72
☐ Finding x - and y -intercepts given the graph of a line given the equation: Basic	74
☐ Finding slope given two points on the line	74
☐ Finding the slope of horizontal and vertical lines	75
☐ Classifying slopes given graphs of lines	76
☐ Graphing a line through a given point with a given slope	77
☐ Graphing a line by first finding its slope and y -intercept	78
☐ Finding the slope and y -intercept of a line given its equation in the form $y = mx + b$	79
☐ Writing an equation in slope-intercept form given the slope and a point	79
☐ Writing the equations of vertical and horizontal lines through a given point	80
☐ Writing the equation of the line through two given points	81
☐ Table for a linear function	82
☐ Domain and range from ordered pairs	83

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Solving an absolute value inequality: Problem Type 1

Watch *Video 1: Introduction to Absolute Value Inequalities* to complete the following.

Write the solution set.

1.

2.

3.

DEFINITION Absolute Value Inequality

Suppose that a represents a nonnegative real number. Then,

1. The inequality $|x| < a$ is equivalent to the compound inequality: _____

2. The inequality $|x| > a$ is equivalent to the compound inequality: _____

*Both cases can also be stated using the inequality symbols $\leq$ and $\geq$.

YOU TRY IT:

48. Graph the solution to $|x| \leq 4$ on the number line.

Solving an absolute value inequality: Problem Type 2

Learning Page We start by isolating the _____.

The absolute value of a quantity is its _____ on the _____.

This gives us the following rules when solving absolute value inequalities. Assume $c > 0$.

- $|u| < c$ is equivalent to _____.
- $|u| \leq c$ is equivalent to _____.
- $u > c$ is equivalent to _____.
- $u \geq c$ is equivalent to _____.

- Let's consider an example: _____.

This inequality is true, for example, when u equals _____, _____, or _____.

This inequality is _____ true, for example, when u equals _____, _____, or _____.

In fact, this inequality is true _____ when u is _____.

So _____ is equivalent to _____.

- Let's consider another example: _____.

This inequality is true, for example, when u equals _____, _____, or _____.

This inequality is _____ true, for example, when u equals _____, _____, or _____.

In fact, this inequality is true exactly when u is _____.

So _____ is equivalent to _____.

Solving an absolute value inequality: Problem Type 3

Watch *Video 2: Solving an Absolute Value Inequality* to complete the following.

PROCEDURE Solving Absolute Value Inequalities

Suppose that a represents a _____ real number.

1. Isolate the _____.
2. Write the absolute value inequality as an equivalent compound inequality.
 - *The inequality $|x| < a$ is equivalent to: _____.
 - *The inequality $|x| > a$ is equivalent to: _____.
3. Solve the inequality from step 2 and write the solution set.

*Both cases can also be stated using the inequality symbols $\leq$ and $\geq$.

Write the solution set.

EXAMPLE:

$$|x + 3| - 7 \geq -5$$

$$|x + 3| \geq 2 \quad \text{isolate the absolute value}$$

$$x + 3 \leq -2 \quad \text{OR} \quad x + 3 \geq 2 \quad \text{write equivalent compound inequality}$$

$$x \leq -5 \quad \text{OR} \quad x \geq -1$$

$$(-\infty, -5] \cup [-1, \infty)$$

YOU TRY IT:

49. Graph the solution set to $4 \leq 2|x + 1| - 4$.

Writing an absolute value inequality given a graph on the number line

Learning Page The **absolute value** of a number is its _____ on the

_____.

EXAMPLE:

Write an absolute value inequality for the graph below. Use x for your variable.

Our graph is made up of all numbers x whose distance from 0 is greater than 4. We write this as

$$|x| > 4$$

YOU TRY IT:

50. Write an absolute value inequality for the graph below. Use x for your variable.

Plotting a point in the coordinate plane

Watch the video *Plotting Points* to complete the following.

Plot the points.

a.

b.

c.

Pause the video and try these yourself.

d.

e.

f.

Play the video and check your answers.

Identifying solutions to a linear equation in two variables

Watch *Video 4: Solutions to Linear Equations in Two Variables* to complete the following.

DEFINITION Linear Equation in Two Variables

Let A , B , and C be real numbers such that A and B are _____.

A **linear equation in two variables** is an equation that can be written in the form:

A **solution** to a linear equation in two variables is an _____ that satisfies the equation.

Determine if the ordered pair is a solution to the equation $4x - 2y = 6$.

a.

b.

c.

YOU TRY IT:

Determine if the ordered pair is a solution to the equation $3x + 5y = -7$.

51. $(3, -2)$

52. $(-4, 6)$

53. $(1, -2)$

Graphing a line given its equation in slope-intercept form: Integer slope

Watch *Video 7: Graphing a linear equation by Using a Table of Points* to complete the following.

Graph the equation

x	y

YOU TRY IT:

54. Sketch the graph of $y = 2x + 4$.

Graphing a line given its equation in slope-intercept form: Fractional slope

If you have not already done so, watch *Video 7: Graphing a linear equation by Using a Table of Points* and take notes under the previous topic **Graphing a line given its equation in slope-intercept form: Integer slope**.

YOU TRY IT: Graph the equation $y = \frac{1}{3}x - 4$ by first completing the table.

55.

x	y

Graphing a vertical or horizontal line

Watch *Video 13: Graphing Horizontal and Vertical Lines* to complete the following.

Graph the equations.

1.

x	y

2.

x	y

YOU TRY IT:56. Graph $x = 3$. 57. Graph $y = 2$. **Finding x - and y -intercepts given the graph of a line on a grid** Watch *Video 8: Introduction to x and y -Intercepts* to complete the following.

1.

DEFINITION x - and y -Intercepts

An **x -intercept** is a point _____
 where a graph intersects the _____.

A **y -intercept** is a point _____
 where a graph intersects the _____.

Continued on the next page

2.

x -intercept: y -intercept:

3.

x -intercept: y -intercept:

From the graphs in #4 and #5 we learn that a

- horizontal line has a _____ but no _____.
- vertical line has an _____ but no _____.

YOU TRY IT:

58. Find the x and y -intercepts of the graph.

Finding x - and y -intercepts given the graph of a line given the equation: Basic

Watch *Video 9: Finding the x - and y -Intercepts of a Line Given an Equation of the Line* to complete the following.

PROCEDURE

Determining the x - and y -Intercepts from an Equation.

To find the x -intercept(s), substitute _____ in for _____ and _____ for _____. _____

To find the y -intercept(s), _____ in for _____ and solve for _____. _____

Determine the x - and y -intercepts and graph the equation. _____

x	y

Finding slope given two points on the line

Watch *Video 3: Introduction to the Slope Formula* to complete the following.

Find the slope of the line through the points _____ and _____.

Slope formula:

Does it matter which point is labeled as point 1 and which is labeled as point 2? _____.

YOU TRY IT:

59. Find the slope of the line containing $(-1, 4)$ and $(3, 7)$.

Finding the slope of horizontal and vertical lines

Watch the video **Video 7: Determining the Slope of a Vertical Line** to complete the following.

Determine the slope of the line containing the points _____ and _____.

$$m = \frac{y_1 - y_2}{x_1 - x_2} =$$

Watch the video **Video 8: Determining the Slope of a Horizontal Line** to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Determine the slope of the line containing the points _____ and _____.

$$m = \frac{y_1 - y_2}{x_1 - x_2} =$$

EXAMPLE:

Determine the slope of the line containing the points $(-1, -3)$ and $(5, -3)$.

$$m = \frac{y_1 - y_2}{x_1 - x_2} = \frac{-3 - (-3)}{-1 - 5} = \frac{0}{-6} = 0$$

The slope is 0.

YOU TRY IT:

60. Determine the slope of the line containing the points $(3, -2)$ and $(3, -5)$.

Classifying slopes given graphs of lines

Watch *Video 2: Orientation of a Line and the Sign of the Slope* to complete the following.

Show the change in y and the change in x on each graph.

positive slope

$$m = \frac{\text{change in } y}{\text{change in } x} =$$

negative slope

$$m = \frac{\text{change in } y}{\text{change in } x} = 0$$

zero slope

$$m = \frac{\text{change in } y}{\text{change in } x} =$$

undefined slope

$$m = \frac{\text{change in } y}{\text{change in } x} =$$

Graphing a line through a given point with a given slope

Learning Page Graph the line with slope _____ passing through the point _____.

The slope is _____. So we have the following.

$$\text{slope} = \frac{\text{rise}}{\text{run}} = \underline{\hspace{2cm}}$$

The line passes through the point _____.

We start at _____ and use the _____ to
find a _____ on the line.

The _____ is _____, so we _____
_____ to the _____.

(This corresponds to moving _____ units to the
_____.)

The _____, so we add _____ to the
_____.

(This corresponds to moving _____ unit
_____.)

We use _____ and _____ to
graph the line.

YOU TRY IT:

61. Graph the line with slope $\frac{1}{3}$ passing through the point $(0, 1)$.

Graphing a line by first finding its slope and y-intercept

Watch the video *Exercise: Graphing a Line by Using a Slope and y-Intercept* to complete the following.

Write the equation in slope-intercept form (if possible). then graph each line, using the slope and y-intercept.

Graph the equation _____

$m =$

y -intercept =

YOU TRY IT:

62. Graph the line $6x + 2y = 4$.

$m =$

y -intercept =

Finding the slope and y -intercept of a line given its equation in the form $y = mx + b$

Watch *Video 3: Graphing a Line From its Slope and y -Intercept* to complete the following.

Graph the equation by using the slope and y -intercept.

$y =$ _____

Slope: _____

y -intercept: _____

YOU TRY IT:

63. Find the slope and y -intercept of the line $y = -2x + 4$.

Writing an equation in slope-intercept form given the slope and a point

Watch *Video 5: Using Slope-Intercept Form to Determine an Equation of a Line Given a Point on the Line and the Slope*

1. Use the slope-intercept form to write an equation of a line passing through the point _____ and having a slope of _____. Write the answer in slope-intercept form and in standard form.

$y = mx + b$

EXAMPLE: Use the slope-intercept form to write an equation of a line passing through the point $(3, 8)$ and having a slope of $\frac{1}{3}$. Write the answer in slope-intercept form and standard form. Start with $y = mx + b$ and substitute $m = \frac{1}{3}$.

$$y = \frac{1}{3}x + b$$

$$8 = \frac{1}{3}(3) + b \quad \text{Plug in } (3, 8) \text{ for } x \text{ and } y$$

$$8 = 1 + b$$

$$7 = b \quad \text{Solve for } b$$

$$y = \frac{1}{3}x + 7 \quad \text{Substitute } m \text{ and } b$$

To change the answer to standard form, subtract $\frac{1}{3}x$ to both sides to obtain: $y - \frac{1}{3}x = 7$. Now multiply both sides of the equation by 3

to get: $x - 3y = -21$.

YOU TRY IT:

64. Use the slope-intercept form to write and equation of a line passing through the point $(-2, -5)$ and having a slope of 3. Write the answer in slope-intercept form and standard form.

Writing the equations of vertical and horizontal lines through a given point

Watch *Video 11: Determining an Equation of a Horizontal or Vertical Line* to complete the following.

- Determine an equation of the line passing through the point _____ and parallel to the line defined by _____.

- Determine an equation of the line passing through the point _____ and perpendicular to the _____.

YOU TRY IT:

65. Write the equations for the horizontal and vertical lines passing through the point $(3, 7)$.

Writing the equation of the line through two given points

Watch *Video 7: Writing an Equation of a Line Given Two Points on the Line* to complete the following.

1. Write an equation of the line passing through the points _____ and _____. Write the answer in slope-intercept form.

Use the point-slope form.

2. Write an equation of the line passing through the points _____ and _____. Write the answer in slope-intercept form.

Use the slope-intercept form.

YOU TRY IT:

66. Write an equation of the line passing through the points $(-2, -1)$ and $(3, -4)$.

Table for a linear function

Watch the video *Function Notation* to complete the following.

$y =$ _____ can also be written as _____ $= 2x$.

We read $f(x) =$ _____ as _____ or

_____.

Given the function defined by _____, determine the function values.

a. $f(-2) =$

b. $f(-1) =$

c.

d.

e.

YOU TRY IT:

67. Complete the function table for

$$f(x) = 2x + 1.$$

x	$f(x)$
-2	
-1	
0	
1	
2	

Domain and range from ordered pairs

Watch *Video 1: Introduction to Relations, Domain, and Range* to complete the following.

DEFINITION

A **relation in x and y** is a _____ of the form (x, y) .

- The set of _____ is called the _____ of the relation.
- The set of _____ is called the _____ of the relation.

1. The table shows a relation between the number of minutes played and the number of points scored for a college basketball player.

- (a) Write the relation given in the table as a set of ordered pairs.

Minutes played x	Points scored $f(x)$
	18
24	
30	
	26
30	22

- (b) Determine the domain and range of the relation.

Domain:

Range:

YOU TRY IT:

68. Find the domain and range of the relation $S = \{(2, 3), (-5, 1), (0, 3), (5, -4)\}$.

Notes from Focus Group:

Notes from Focus Group:

Module 4-Review

To help you review for your upcoming exam, this module contains all of the topics from the modules since the last exam. Topics that you have already mastered will not appear in your carousel.

- ☐ Complete this module before you take the ALEKS exam.
- ☐ Each exam has two parts.
 - The ALEKS exam (100 pts)
 - The ALEKS exam must be taken in the MALL.
 - The ALEKS exam is a Comprehensive Knowledge Check.
 - Your score is the number of topics you have mastered out of the number of topics you should have mastered by this point.
 - If you lose topics on your ALEKS exam, your Review Module completion grade will not change.
 - Your scratch work for the ALEKS exam must be numbered and turned in through Blackboard.
 - The Written exam (25 pts)
 - Take your written exam in class the day of your focus group.
 - To study for the written exam:
 - Rework your old Focus Group assignments.
 - Rework any topics in ALEKS you may have lost on the ALEKS exam.

	Score
ALEKS Exam	
Written Exam	

Module 5

Contents

☐ Square root of a perfect square with signs	88
☐ Domain and range from the graph of a continuous function	89
☐ Domain of a square root function: Basic	90
☐ Identifying functions from relations	91
☐ Evaluating functions: Linear and quadratic or cubic	91
☐ Vertical line test	92
☐ Variable expressions as inputs of functions: Problem type 1	93
☐ Finding outputs of a one-step function that models a real-world situation: Function notation . . .	93
☐ Finding inputs and outputs of a function from its graph	94
☐ Identifying solutions to a system of linear equations	95
☐ Graphically solving a system of linear equations	96
☐ Solving a system of linear equations using substitution	97
☐ Solving a system of linear equations using elimination with addition	99
☐ Solving a system of linear equations using elimination with multiplication and addition	100
☐ Solving a word problem involving a sum and another basic relationship using a system of linear equations	101
☐ Solving a word problem using a system of linear equations of the form $Ax + By = C$	102
☐ Solving a value mixture problem using a system of linear equations	103
☐ Solving a distance, rate, time problem using a system of linear equations	104
☐ Graphing a function of the form $f(x) = ax^2$	105
☐ Classifying the graph of a function	105
☐ Interpreting the graphs of two functions	106

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Square root of a perfect square with signs

Watch *Video 2: Defining Square Roots Using Radical Notation* to complete the following.

Simplify the expressions.

1.

2.

3.

4.

5.

If a is a positive real number, then

- $\sqrt{a}$ is the _____ square root of a (also called the _____)
- $-\sqrt{a}$ is the _____ (or opposite) square root of a (also called the _____)
- $\sqrt{0} = \underline{\hspace{2cm}}$

Note: In the expression $\sqrt{a}$, the symbol, $\sqrt{}$ is called a _____. The value of a is called the _____.

Domain and range from the graph of a continuous function

Watch the video *Determining Domain and Range of a Relation Containing an Infinite Number of Points* to complete the following.

Determine the domain and range of each relation.

a. Sketch the graph from the video.

Domain:

Range:

b. Sketch the graph from the video.

Domain:

Range:

YOU TRY IT:

69. Find the domain and range.

Domain of a square root function: Basic

Open the e-book to complete **Example 6** Part c.

Write the domain in interval notation.

$$k(t) = \underline{\hspace{2cm}}$$

Solution:

The function defined by $\underline{\hspace{2cm}}$ will not be a $\underline{\hspace{2cm}}$ number when the $\underline{\hspace{2cm}}$ is $\underline{\hspace{2cm}}$. The domain is the set of all $\underline{\hspace{2cm}}$ that make the radicand $\underline{\hspace{2cm}}$.

$$\underline{\hspace{2cm}} \geq 0$$

$$t \geq \underline{\hspace{2cm}}$$

Interval notation: $\underline{\hspace{2cm}}$

EXAMPLE:

Find the domain of the function.

$$h(x) = \sqrt{x} + 100$$

We need all values of x that make the radical, $\sqrt{x}$, a real number.

The $\sqrt{x}$ will be a real number whenever, $x \geq 0$.

Therefore the domain of the function $h(x)$ is the interval $[0, \infty)$.

YOU TRY IT: Find the domain of the function.

70. $g(x) = \sqrt{x + 100}$

71. $p(x) = \sqrt{100 - x}$

Identifying functions from relations

Watch *Video 1: Definition of a Function* to complete the following.

DEFINITION

Given a relation in x and y , we say that y is a **function** of x if for each element x in the

_____, there is _____ corresponding y value in the

_____.

For each relation, determine if the relation defines y as a function of x .

a. {_____}

b. {_____}

YOU TRY IT:

For each relation, determine whether or not it is a function.

72. $\{(2, 3), (-5, 1), (0, 3), (5, -4)\}$.

73. $\{(1, -2), (-7, 3), (1, 5), (0, 8)\}$.

Evaluating functions: Linear and quadratic or cubic

Watch the video *Exercise: Evaluating a function* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Consider the functions defined by $f(x) = \rule{1.5cm}{0.4pt}$, $g(x) = \rule{1.5cm}{0.4pt}$,

$\rule{1.5cm}{0.4pt}$, and $\rule{1.5cm}{0.4pt}$. Find the following.

EXAMPLE: Given $h(x) = 4 - 5x^3$, find $h(-2)$.

Substitute -2 in for x in the function $h(x)$.

$$\begin{aligned} h(-2) &= 4 - 5(-2)^3 \\ &= 4 - 5(-8) \\ &= 4 + 40 = 44 \end{aligned}$$

Therefore, $h(-2) = 44$

YOU TRY IT:

74. Given $f(x) = -2x^2 + 3x - 4$, find $f(-3)$.

Vertical line test

Watch *Video 3: Vertical Line Test* to complete the following.

Determine if the relation is a function.

a.

Yes or No?

PROCEDURE

Vertical Line Test

Given a relation in x and y , the graph defines _____ if no
vertical line intersects the graph in _____.

b.

Yes or No?

c.

Yes or No?

Variable expressions as inputs of functions: Problem type 1

Watch *Video 5: Evaluating Functions* to complete the following.

Evaluate the functions for the given values of x .

$$g(x) = \underline{\hspace{2cm}}$$

$$h(x) = \underline{\hspace{2cm}}$$

a. $g(t) =$

b. $h(x + 3) =$

c. $g(-a) =$

d. $h(-5) =$

Finding outputs of a one-step function that models a real-world situation: Function notation

Learning Page Carefully read through the example on the Learning Page.

EXAMPLE: A one-day admission ticket to Valleyfair amusement park is \$37. The cost, C (in dollars), of admission for a group of n people is given by the function

$$C(n) = 37n.$$

What is the cost of admission for a group of 5 people?

We need to find the cost of admission $C(n)$, where the number of people, n , is 5.

We let $n = 5$ and write $C(5) = 37 \cdot 5 = \$185$.

The cost of admission to Valleyfair for a group of 5 people is \$185

YOU TRY IT:

Lettie and 6 of her friends are sharing the cost of pizza Rhombus Guys Pizza. If p is the total cost of pizza, the amount to be paid by each person, $A(p)$ (in dollars) is given by the function

$$A(p) = \frac{p}{7}.$$

If the total cost of the pizza is \$80 how much does each person owe?

Finding inputs and outputs of a function from its graph

Watch *Video 6: Estimating Function Values from a Graph* to complete the following.

1. Find $f(-2)$.

Pause the video and try these yourself.

2. Find $f(1)$.

3. Find $f(5)$.

Play the video to check your answers and complete the following.

4. For what values of x is _____?

Pause the video and try this yourself.

5. For what values of x is _____?

Play the video to check your answers and complete the following.

6. Write the domain of f .

7. Write the range of f .

Sketch the graph of $y = f(x)$ from the video.

EXAMPLE:

The graph of $f(x)$ is given below.

- a. Use the graph to find $f(2)$.

We see the point $(2, 3)$ on the graph, so $f(2) = 3$.

- b. Use the graph to find one value of x for which $f(x) = -1$.

From the graph we see that $f(0) = -1$ so $x = 0$. There are two other values of x where $f(x) = -1$.

YOU TRY IT:

The graph of $g(x)$ is given below.

75. Use the graph to find $g(1)$.

76. Use the graph to find one value of x for which $g(x) = 1$.

Identifying solutions to a system of linear equations

Watch *Video 1: Determining if an Ordered Pair is a Solution to a System of Linear Equations* to complete the following.

Determine if the given ordered pair is a solution to the system.

Pause the video and try this yourself.

- b. $(-2, 6)$

- a. $(3, 1)$

Play the video to check your answer.

EXAMPLE:

Determine if $(3, 7)$ is a solution to the system

$$3x - y = 2$$

$$y = x + 2$$

Equation 1:

Equation 2:

$$3(3) - 7 \stackrel{?}{=} 2$$

$$9 - 7 = 2 \text{ TRUE}$$

$$7 \stackrel{?}{=} 3 + 2$$

$$7 = 5 \text{ FALSE}$$

Because the ordered pair $(3, 7)$ does not satisfy *both* equations, the ordered pair is NOT a solution to the system.

YOU TRY IT:

77. Determine if $(2, 4)$ is a solution to the system

$$3x - y = 2$$

$$y = x + 2$$

Graphically solving a system of linear equations

Watch *Video 2: Solving a System of Linear Equations by Using the Graphing Method* to complete the following.

Graph the system of equations and determine the solution set.

EXAMPLE: Graph the system of equations and determine the solution set.

$$x + 2y = 8$$

$$y = x + 1$$

Graph each equation and determine the point(s) of intersection.

Equation 1: Slope-intercept form: $y = -\frac{1}{2}x + 4$

Equation 2: Slope-intercept form: $y = x + 1$

The solution set is $(2, 3)$.

YOU TRY IT:

78. Graph the system of equations and determine the solution set.

$$x - 3y = 9$$

$$2x - y = -2$$

The solution set is _____.

Solving a system of linear equations using substitution

Watch *Video 1: Solving a System of Equations by Using the Substitution Method* to complete the following.

Solve the system by using the substitution method.

Step 1: Isolate one of the _____ from one of the equations.

Step 2: Substitute the _____ found in step 1 into the other equation.

Step 3: Solve the resulting _____.

Step 4: Substitute the _____ of the variable found in step 3 into one of the other equations. Then solve for the remaining variable.

Step 5: Check the solution in _____ original equations.

EXAMPLE:

Solve the system by using the substitution method.

$$-10x + 2y = 0$$

$$-3x + y = 2$$

Step 1: The y - variable in the second equation is the easiest variable to isolate because its coefficient is 1.

$$-10x + 2y = 0$$

$$-3x + y = 2 \Rightarrow y = 3x + 2$$

Step 2: Substitute the quantity $3x + 2$ for y in the other equation.

$$-10x + 2(3x + 2) = 0$$

Step 3: Solve for x .

$$-10x + 2(3x + 2) = 0 \quad \text{Simplify}$$

$$-4x = -4 \quad \text{Divide by } -2$$

$$x = 1$$

Step 4: Substitute the known value for x into one of the original equations to solve for y .

$$-3x + y = 2$$

$$-3(1) + y = 2$$

$$y = 5$$

Step 5: Check the ordered pair $(1, 5)$ in both original equations.

$$-10(1) + 2(5) = 0$$

$$-10 + 10 = 0$$

$$0 = 0$$

$$-3(1) + (5) = 2$$

$$-3 + 5 = 2$$

$$-2 = 2$$

The ordered pair $(1, 5)$ checks in both equations.

Therefore, the solution to the system is $\{(1, 5)\}$

YOU TRY IT:

79. Solve the system by using the substitution method.

$$4x + 5y = -3$$

$$x - 2y = -4$$

Solving a system of linear equations using elimination with addition

Watch *Video 1: Solving a System of Linear Equations by Using the Addition Method* to complete the following.

NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve the system by using the addition method.

Step 1: Write both equations in _____ form $Ax + By = C$.

Step 2: Clear _____ or decimals (optional).

Step 3: Multiply one or both equations by nonzero _____ to create opposite coefficients for one of the variables.

Step 4: Add the equations from _____.

Step 5: Solve for the _____ variable.

Step 6: Substitute the _____ value into one of the _____ equations.

Step 7: Check the ordered pair in _____ original equations.

YOU TRY IT:

80. Solve the system of equations using elimination.

$$-2x + 5y = 14$$

$$7x + 6y = -2$$

Solving a system of linear equations using elimination with multiplication and addition

Watch *Video 2: Solving a System of Equations by Using the Addition Method* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve the system by using the addition method.

Solving a word problem involving a sum and another basic relationship using a system of linear equations

Watch the video *Applications of Systems of Linear Equations Involving Geometry* to complete the following.

In a right triangle, one acute angle measures _____. If the sum of the measures of the two acute angles must equal 90° , find the measures of the acute angles.

YOU TRY IT:

81. An isosceles triangle has two angles of the same measure. If the angle represented by y measures 3° less than the angle x , find the measures of all angles of the triangle.

Solving a word problem using a system of linear equations of the form $Ax + By = C$

Watch *Video 1: An Application of Systems of Linear Equations (Popcorn and Drink Sales)* to complete the following.

At a movie theater, Maria bought _____ large popcorns and _____ drinks for _____. Annie bought _____ large popcorns and _____ drinks for _____. Determine the cost of _____.

Let _____ represent _____.

Let _____ represent _____.

YOU TRY IT:

82. Tim and Traci bought school supplies. Tim spent \$10.65 on 4 notepads and 5 markers. Traci spent \$7.50 on 3 notepads and 3 markers. What is the cost of 1 notepad and what is the cost of 1 marker?

Solving a value mixture problem using a system of linear equations

Watch the video *Applications of Systems of Linear Equations: Mixed Exercises* to complete the following.

A basketball player scored _____ points by shooting two-point and three-point baskets. If she made a total of _____ baskets, how many of each type did she make?

$x =$ _____

$y =$ _____

_____ two-point baskets and _____ three-point baskets

Solving a distance, rate, time problem using a system of linear equations

Watch *Video 5: Solving an Application Using Uniform Motion with a System of Linear Equations* to complete the following.

Suppose a plane leaves Fargo, North Dakota headed for Orlando, FL, _____ miles away. Going to Orlando, the plane encounters a "tailwind" and get to Orlando in _____ hours. Returning to Fargo, the samewind is now an opposing "headwind" and the plane takes _____ hours to return. Find the speed of the airplane in still air and the speed of the wind.

Let _____ represent the _____.

Let _____ represent the _____.

	Distance	Rate	Time
With a tailwind			
Against a tailwind			

Graphing a function of the form $f(x) = ax^2$

Watch Video 2: Graphing a function by Making a Table of Points to complete the following.

Graph the function _____.

x	$f(x)$

Classifying the graph of a function

Learning Page

To describe the graphs of these functions, there are two important properties to consider:

1. The graph of any function of the form _____ is a _____.
2. The graph of any function of the form _____, with $a \neq 0$ is a _____.
 If a is _____, the parabola opens _____, and if _____,
 the parabola opens _____.

Interpreting the graphs of two functions

Open the Instructor Added Resource which will direct you to a video to complete the following.

The water company has a different monthly pricing plan for residential customers than for business customers. For each pricing plan, cost (in dollars) depends on water used (in hundreds of cubic feet, HCF). Draw in the Residential Plan graph using a solid line and the Business Plan graph using a dashed line. Answer all questions using complete sentences using the context of the problem.

1. If the monthly water usage is 22 HCF which plan costs less?

How much less does it cost than the other plan?

2. For what amount of monthly water usage do the plans cost the same?

If the monthly water usage is less than this amount, which plan costs less?

Notes from Focus Group:

Notes from Focus Group:

Module 6

Contents

☐ Understanding the product rule of exponents	109
☐ Introduction to the product rule of exponents	109
☐ Product rule with positive exponents: Univariate	110
☐ Product rule with positive exponents: Multivariate	110
☐ Understanding the power rules of exponents	111
☐ Introduction to the power of a power rule of exponents	111
☐ Introduction to the power of a product rule of exponents	112
☐ Introduction to the quotient rule of exponents	113
☐ Quotient of expressions involving exponents	114
☐ Power rules with positive exponents: Multivariate products	114
☐ Power and quotient rules with positive exponents	115
☐ Evaluating expressions with exponents of zero	116
☐ Evaluating an expression with a negative exponent: Whole number base	117
☐ Evaluating an expression with a negative exponent: Negative integer base	117
☐ Evaluating an expression with a negative exponent: Positive fraction base	118
☐ Rewriting an algebraic expression without a negative exponent	119
☐ Introduction to the product rule with negative exponents	120
☐ Product rule with negative exponents	120
☐ Quotient rule with negative exponents: Problem type 1	121
☐ Power of a power rule with negative exponents	122

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Understanding the product rule of exponents

Learning Page The exponents tell us _____ variables to _____.

Introduction to the product rule of exponents

Learning Page Simplify $x^6 \cdot x^5$

Method 1:

Using the definition of **exponent**, we can rewrite this product until we have a single power of x .

$$x^6 \cdot x^5 = \overbrace{}^{x^6} \cdot \overbrace{x \cdot x \cdot x \cdot x \cdot x}^{} = $$

Method 2:

The method above suggests a rule called the **product rule of exponents**. It says that for any integers _____ and any _____ we have the following.

$$a^m \cdot a^n = $$

So, when _____ powers with the _____, we _____.

Using the rule with the current problem, we get the following.

$$x^6 \cdot x^5 = x^{6+5} = x^{11}$$

EXAMPLE: Simplify $m^2 \cdot m \cdot m^4$

Method 1:

$$m^2 \cdot m \cdot m^4 = \overbrace{m \cdot m}^{m^2} \cdot \overbrace{m}^{m^1} \cdot \overbrace{m \cdot m \cdot m \cdot m}^{m^4} = m^7$$

Method 2: $m^2 \cdot m \cdot m^4 = m^{2+1+4}$

YOU TRY IT:

83. Simplify $p^5 \cdot p^3 \cdot p$.

Product rule with positive exponents: Univariate

Watch *Video 1: Multiplying Monomials* to complete the following.

Multiply the monomials.

1.

2.

3.

EXAMPLE:

Simplify $-7w^3 \cdot 2w^6$.

Since multiplication is commutative we can re-order the factors.

$$\begin{aligned} -7w^3 \cdot 2w^6 &= -7 \cdot 2 \cdot w^3 \cdot w^6 \\ &= -14 \cdot w^{3+6} \\ &= -14w^9 \end{aligned}$$

YOU TRY IT:

84. Simplify $4x^3 \cdot (-2x^5)$.

Product rule with positive exponents: Multivariate

If you have not already done so, watch *Video 1: Multiplying Monomials* and take notes under the previous topic **Product rule with positive exponents: Univariate**.

EXAMPLE:

Simplify $4y^2 \cdot 4x^5 \cdot (-1x^6y^6)$.

Since multiplication is commutative we can re-order the factors.

$$\begin{aligned} 4y^2 \cdot 4x^5 \cdot (-1x^6y^6) &= 4 \cdot 4 \cdot (-1) \cdot x^5 \cdot x^6 \cdot y^2 \cdot y^6 \\ &= -16 \cdot x^{5+6} \cdot y^{2+6} \\ &= -16x^{11}y^8 \end{aligned}$$

YOU TRY IT:

85. Simplify $3y^7 \cdot 4x^3y^4 \cdot x^5$.

Understanding the power rules of exponents

Learning Page Carefully read through the example on the Learning Page.

Introduction to the power of a power rule of exponents

Open the Instructor Added Resource which will direct you to a video to complete the following.

Simplify _____.

Method 1:

Power of a power rule of exponents

For any integer n and any numbers a and b , we have the following.

$$(a^m)^n = \underline{\hspace{2cm}}$$

Method 2:

YOU TRY IT:

86. Simplify $(x^5)^6$.

Introduction to the power of a product rule of exponents

Open the Instructor Added Resource which will direct you to a video to complete the following.

Simplify _____.

Method 1:

Power of a product rule of exponents

For any integer n and any numbers a and b , we have the following.

$$(ab)^n = \underline{\hspace{2cm}}$$

Method 2:

YOU TRY IT:

87. Use the power of a product rule to simplify $(3p)^4$.

Introduction to the quotient rule of exponents

Open the Instructor Added Resource which will direct you to a video to complete the following.

Simplify _____.

Quotient Rule of Exponents

$$\frac{a^m}{a^n} = \underline{\hspace{2cm}}$$

where m and n are _____ and a is any _____.

When _____ powers with the _____, we
_____ the exponents.

Or using the **Quotient Rule of Exponents**:

YOU TRY IT: Simplify.

88. $\frac{y^9}{y^3}$

89. $\frac{y^3}{y^9}$

Quotient of expressions involving exponents

Learning Page Carefully read the example on the Learning Page.

EXAMPLE:

Simplify $\frac{x^8y^6}{x^3y^4}$.

$$\begin{aligned}\frac{x^8y^6}{x^3y^4} &= \frac{x^8}{x^3} \cdot \frac{y^6}{y^4} \\ &= x^{8-3}y^{6-4} \\ &= x^5y^2\end{aligned}$$

YOU TRY IT:

90. Simplify $\frac{a^5b^6}{a^7b^4}$.

Power rules with positive exponents: Multivariate products

Watch *Video 2: Summary of Properties of Exponents* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Name	Property/Definition	Example
Product	$b^m b^n = b^{m+n}$	
Quotient	$\frac{b^m}{b^n} = b^{m-n}$	
Power of a power	$(b^m)^n = b^{mn}$	
Power of a product	$(ab)^m = a^m b^m$	
Power of a quotient	$\left(\frac{a}{b}\right)^m = \frac{a^m}{b^m}$	
Zero exponent	Definition: $b^0 = 1$ for $b \neq 0$	
Negative exponent	Definition: $b^{-n} = \left(\frac{1}{b}\right)^n = \frac{1}{b^n}$ for $b \neq 0$	

EXAMPLE: Simplify $(-5x^2y)^3$.

Using the **power of a product** rule we get

$$\begin{aligned} (-5x^2y)^3 &= (-5)^3(x^2)^3(y^1)^3 \\ &= -125x^6y^3 \end{aligned}$$

YOU TRY IT:

91. Simplify $(-3xy^4)^2$.

Power and quotient rules with positive exponents

Open the Instructor Added Resource which will direct you to a video to complete the following.

Simplify. Write your answer using only positive exponents.

1.

2.

YOU TRY IT: Simplify. Write your answer using only positive exponents.

92. $\left(\frac{-16xy^5}{8x^3y}\right)^3$

93. $\frac{(5xy^2)^3}{(-10xy^3)^2}$

Evaluating expressions with exponents of zero

Watch the video *Definition of b to the Zero Power* to complete the following.

DEFINITION**Definition of b^0**

Let b be a nonzero real number. Then $b^0 = 1$

Simplify.

1.

2.

3.

4.

5.

Show the example used to explain why $b^0 = 1$ for any nonzero number b .

YOU TRY IT: Simplify.

94. -3^0

95. $(-5)^0$

Evaluating an expression with a negative exponent: Whole number base

Learning Page For any _____ number a and any whole number _____, we have the following.

Rule 1: $a^{-n} =$ _____

Move _____ to the _____ and change _____ to _____.

Rule 2: $\frac{1}{a^{-n}} =$ _____

Move _____ to the _____ and change _____ to _____.

Evaluating an expression with a negative exponent: Negative integer base

Watch Video 4: *Definition of b to a Negative Exponent* to complete the following.

DEFINITION

Definition of b^{-n}

Let b be a _____ and n be an integer. Then

$$b^{-n} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$$

Take the _____ of
the _____ and change
the _____ to
_____.

Simplify. Write the answers with positive exponents.

1.

2.

3.

EXAMPLE: Write all answers with positive exponents. Simplify $8x^{-2}$.

$$\begin{aligned} 8x^{-2} &= \frac{8}{1} \cdot \frac{x^{-2}}{1} \\ &= \frac{8}{1} \cdot \frac{1}{x^2} \\ &= \frac{8}{x^2} \end{aligned}$$

YOU TRY IT:

Simplify. Write all answers with positive exponents.

96. $-7(-2)^{-3} =$

Evaluating an expression with a negative exponent: Positive fraction base

Watch the video *Exercise: Simplifying Expressions with Negative Exponents* to complete the following.

Simplify and write the answer with positive exponents only.

Write the answer with positive exponents.

EXAMPLE:

Simplify $\left(\frac{-2}{3}\right)^{-4}$.

$$\begin{aligned} \left(\frac{-2}{3}\right)^{-4} &= \left(\frac{3}{-2}\right)^4 \\ &= \left(\frac{3}{-2}\right)\left(\frac{3}{-2}\right)\left(\frac{3}{-2}\right)\left(\frac{3}{-2}\right) \\ &= \frac{81}{16} \end{aligned}$$

YOU TRY IT:

97. $\left(\frac{5}{-2}\right)^{-3} =$

Rewriting an algebraic expression without a negative exponent

Watch the video *Rewriting an algebraic expression without a negative exponent* to complete the following.

Write the following expressions using only positive exponents and simplify your answers.

1. $\frac{1}{-5v^{-2}}$

2. $\frac{7}{3n^{-4}}$

3. $2x^{-3}$

EXAMPLE:

Write all answers with positive exponents.

Simplify $\frac{1}{8x^{-2}}$.

$$\begin{aligned}\frac{1}{8x^{-2}} &= \frac{1}{8} \cdot \frac{1}{x^{-2}} \\ &= \frac{1}{8} \cdot \frac{x^2}{1} \\ &= \frac{x^2}{8}\end{aligned}$$

YOU TRY IT:

Simplify. Write all answers with positive exponents.

98. $\frac{2}{-x^{-8}} =$

Introduction to the product rule with negative exponents

Learning Page We'll be using the following rules for exponents.

Product rule:

For any number a and any integers m and n , we have the following.

$$a^m \cdot a^n = \underline{\hspace{2cm}}$$

So, when $\underline{\hspace{2cm}}$ powers with the $\underline{\hspace{2cm}}$, we
 $\underline{\hspace{2cm}}$ the $\underline{\hspace{2cm}}$.

Negative exponent rule:

For any $\underline{\hspace{2cm}}$ number a and any integer m , we have the following.

$$a^{-m} = \underline{\hspace{2cm}}$$

EXAMPLE:

Use only positive exponents in your answer.

Simplify $u^{-4} \cdot u \cdot u^{-6}$.

$$\begin{aligned} u^{-4} \cdot u \cdot u^{-6} &= u^{-4+1+(-6)} && \text{product rule} \\ &= u^{-9} \\ &= \frac{1}{u} && \text{definition of negative exponent} \end{aligned}$$

YOU TRY IT:

Simplify. Use only positive exponents in your answer.

99. $x^{-3} \cdot x^{-5} \cdot x^2$

Product rule with negative exponents

Open the Instructor Added Resource which will direct you to a video to complete the following.

Simplify. Use only positive exponents in your answer.

YOU TRY IT: Simplify. Use only positive exponents in your answer.

100. $5c^2d^{-4} \cdot 2c^3 \cdot 6c^{-2}d^4$

Quotient rule with negative exponents: Problem type 1

Learning Page We will use the following rules for exponents.

Quotient rule:

For any number a and any _____ m and n , we have the following.

$$\frac{a^m}{a^n} = \underline{\hspace{2cm}}$$

So, when _____ powers with the _____ base, we _____ the _____.

Negative exponent rule:

For any _____ number a and any integer m , we have the following.

$$a^{-m} = \underline{\hspace{2cm}}$$

EXAMPLE:

Use only positive exponents in your answer.

Simplify $\frac{u^{-4}}{u^{-6}}$.

$$\begin{aligned} \frac{u^{-4}}{u^{-6}} &= u^{-4-(-6)} \quad \text{quotient rule} \\ &= u^2 \end{aligned}$$

YOU TRY IT:

Simplify. Use only positive exponents in your answer.

101. $\frac{x^{-8}}{x^{-5}}$

Power of a power rule with negative exponents

Learning Page We'll be using the following rules for exponents.

Power of a power rule:

For any number a and any _____ m and n , we have the following.

$$(a^m)^n = \underline{\hspace{2cm}}$$

Negative exponent rule:

For any nonzero _____ a and any integer m , we have the following.

$$a^{-m} = \underline{\hspace{2cm}}$$

EXAMPLE:

Use only positive exponents in your answer.

Simplify $(a^4)^{-3}$.

$$\begin{aligned} (a^4)^{-3} &= a^{4(-3)} && \text{Power of a power rule} \\ &= a^{-12} \\ &= \frac{1}{a^{12}} \end{aligned}$$

YOU TRY IT:

Simplify.

102. $(x^{-3})^5$

103. $(y^{-6})^{-7}$

Notes from Focus Group:

Notes from Focus Group:

Module 7

Contents

☐ Degree and leading coefficient of a univariate polynomial	125
☐ Simplifying a sum or difference of two univariate polynomials	125
☐ Multiplying a univariate polynomial by a monomial with a negative coefficient	126
☐ Multiplying a multivariate polynomial by a monomial	127
☐ Multiplying binomials with leading coefficients of 1	127
☐ Multiplying binomials with leading coefficients greater than 1	128
☐ Multiplying binomials with negative coefficients	128
☐ Multiplication involving binomials and trinomials in one variable	129
☐ Multiplying conjugate binomials: Univariate	130
☐ Squaring a binomial: Univariate	131
☐ Dividing a polynomial by a monomial: Univariate	132
☐ Polynomial long division: Type 1	133
☐ Polynomial long division: Type 2	134
☐ Greatest common factor of 2 numbers	135
☐ Greatest common factor of three univariate monomials	136
☐ Greatest common factor of two multivariate monomials	137
☐ Factoring out a monomial from a polynomial: Univariate	138
☐ Factoring out a binomial from a polynomial: GCF factoring, basic	138
☐ Factoring a univariate polynomial by grouping: Problem type 1	139
☐ Factoring a univariate polynomial by grouping: Problem type 2	140

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Degree and leading coefficient of a univariate polynomial

Watch *Video 2: Degree, Descending Order, Leading Term, and Coefficients* to complete the following.

Given the polynomial _____

- List the terms of the polynomial.
- Write the polynomial in descending order.
- State the degree of the polynomial and the leading coefficient.

Degree: _____ Leading coefficient: _____

Given the polynomial _____

- Identify the degree of each term.
- Identify the degree of the polynomial.

Simplifying a sum or difference of two univariate polynomials

Watch *Video 6: Subtracting Polynomials Horizontally and Vertically* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

DEFINITION Subtraction of Polynomials

If A and B are _____, then _____.

Subtract the polynomials _____

YOU TRY IT: Add the polynomial.

104. $(-3x^5 + 2x^3 + 5) + (7x^5 - 8x^3 + 9)$

Multiplying a univariate polynomial by a monomial with a negative coefficient

Watch *Video 2: Multiplying a Monomial by a Polynomial* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Multiply the polynomials.

1.

2.

EXAMPLE:

Rewrite without parentheses.

$$\begin{aligned} & -6y^6(-2y^2 - 5y + 3) \\ &= (-6y^6)(-2y^2) + (-6y^6)(-5y) + (-6y^6)(3) \\ &= 12y^8 + 30y^7 - 18y^6 \end{aligned}$$

YOU TRY IT:

Multiply the polynomials.

105. $-5x^3(2x^2 - 7x + 6)$

Multiplying a multivariate polynomial by a monomial

If you have not already done so, watch *Video 2: Multiplying a Monomial by a Polynomial* and take notes under the previous topic **Multiplying a univariate polynomial by a monomial with a negative coefficient**.

EXAMPLE:

Rewrite without parentheses.

$$(14xy^2 - 5x^2y + x^3y)(-2y)$$

$$(14xy^2 - 5x^2y + x^3y)(-2y)$$

$$= (14xy^2)(-2y) - (5x^2y)(-2y) + (x^3y)(-2y)$$

$$= -28xy^3 + 10x^2y^2 - 2x^3y^2$$

YOU TRY IT:

Rewrite without parentheses.

106. $-4x^3y^7z(2xy^2z^4 - \frac{1}{2}x^5y)$

Multiplying binomials with leading coefficients of 1

Watch *Video 3: Multiplying Binomials* to complete the following.

Multiply the polynomials.

YOU TRY IT: Multiply the polynomials.

107. $(x - 3)(x + 5)$

Multiplying binomials with leading coefficients greater than 1

Watch *Exercise: Multiplying Binomials* to complete the following.

Multiply the polynomials by using the distributive property.

EXAMPLE:

Multiply the polynomials. $(4x - 7)(2x + 1)$

$$\begin{aligned}(4x - 7)(2x + 1) &= 4x(2x) + 4x(1) + (-7)(2x) + (-7)(1) \text{ Distributive Property} \\ &= 8x^2 + 4x - 14x - 7 \\ &= 8x^2 - 10x - 7\end{aligned}$$

YOU TRY IT:

Multiply the polynomials.

108. $(2x - 3)(3x + 5)$

Multiplying binomials with negative coefficients

Learning Page

Carefully read through the example on the Learning Page.

EXAMPLE:

Multiply the polynomials $(-2x + 1)(-x + 7)$.

$$\begin{aligned}(-2x + 1)(-x + 7) &= (-2x)(-x) + (-2x)(7) + 1(-x) + (1)(7) \\ &= 2x^2 - 14x - x + 7 \\ &= 2x^2 - 15x + 7\end{aligned}$$

YOU TRY IT: Multiply the polynomials.

109. $(2x - 3)(-3x + 5)$

Multiplication involving binomials and trinomials in one variable

Watch *Video 5: Multiplying a Binomial by a Trinomial* to complete the following.

Multiply the polynomials.

EXAMPLE: Multiply the polynomials $(2y^2 - 5y - 1)(3y^2 - 4y + 4)$.

$$\begin{aligned}
 &(2y^2 - 5y - 1)(3y^2 - 4y + 4) \\
 &= 2y^2(3y^2 - 4y + 4) - 5y(3y^2 - 4y + 4) - 1(3y^2 - 4y + 4) \quad \text{Distributive Property} \\
 &= 2y^2(3y^2) + 2y^2(-4y) + 2y^2(4) - 5y(3y^2) - 5y(-4y) - 5y(4) - 1(3y^2) - 1(-4y) - 1(4) \quad \text{Distributive Property} \\
 &= 6y^4 - 8y^3 + 8y^2 - 15y^3 + 20y^2 - 20y - 3y^2 + 4y - 4 \\
 &= 6y^4 - 23y^3 + 25y^2 - 16y - 4 \quad \text{Combine like terms}
 \end{aligned}$$

YOU TRY IT: Multiply the polynomials.

110. $(x - 3)(3x^2 + 4x - 5)$

Multiplying conjugate binomials: Univariate

Watch *Video 7: Multiplying Conjugates* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

FORMULA Special Case Products

$(a + b)(a - b) = \underline{\hspace{2cm}}$ The product of conjugates results in a $\underline{\hspace{2cm}}$
 $\underline{\hspace{2cm}}$.

Multiply the polynomials. Show the work.

1.

2.

EXAMPLE:

Multiply the polynomials $(5 - 4x)(5 + 4x)$.

$$\begin{aligned}(5 - 4x)(5 + 4x) &= 5^2 - (4x)^2 \\ &= 25 - 16x^2\end{aligned}$$

YOU TRY IT: Multiply the polynomials.

111. $(3x + 4)(3x - 4)$

Squaring a binomial: Univariate

Watch *Video 8: Squaring Binomials* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

FORMULA

Special Case Products

- $(a + b)^2 = \underline{\hspace{2cm}}$

The square of a binomial results in a

- $(a - b)^2 = \underline{\hspace{2cm}}$

$\underline{\hspace{2cm}}$.

Multiply.

1.

2.

EXAMPLE: Multiply $(4 - 3x)^2$.

$$\begin{aligned}(4 - 3x)^2 &= (4 - 3x)(4 - 3x) \\ &= 16 - 12x - 12x + 9x^2 \\ &= 16 - 24x + 9x^2\end{aligned}$$

YOU TRY IT: Multiply.

112. $(3x - 2)^2$

Dividing a polynomial by a monomial: Univariate

Watch *Video 1: Dividing a Polynomial by a Monomial* to complete the following.

Divide.

1.

2.

YOU TRY IT: Divide.

113.
$$\frac{3x^4 - 6x^3 + 9x}{3x^2}$$

Polynomial long division: Type 1

Watch the video *Dividing Polynomials Using Long Division* to complete the following.

Divide the polynomials by using long division. Check your answer by multiplication.

Check: (divisor)(quotient) + remainder = dividend

The quotient is _____.

The remainder is _____.

EXAMPLE:

Use polynomial long division to evaluate:

$$\begin{array}{r}
 + 15x + 30 \\
 x-2 \overline{) 4x^3 + 7x^2 - 3} \\
 \underline{- 4x^3 + 8x^2} \\
 15x^2 - 3 \\
 \underline{- 15x^2 + 30x} \\
 30x - 3 \\
 \underline{- 30x + 60} \\
 57
 \end{array}$$

The quotient is $4x^2 + 15x + 30$.

The remainder is 57.

YOU TRY IT:

Use polynomial long division to evaluate:

114. $(2x^3 + 3x^2 + 4x + 3) \div (x + 3)$

The quotient is _____.

The remainder is _____.

Use polynomial long division to evaluate:

$$\begin{array}{r} x^2 + 3x + 3 \\ x^2 - 3 \overline{) x^4 + 3x^3 + x - 5} \\ \underline{-x^4 + 3x^2} + x - 5 \\ 3x^3 + 3x^2 + x - 5 \\ \underline{-3x^3 + 9x} - 5 \\ 3x^2 + 10x - 5 \\ \underline{-3x^2 + 9} - 5 \\ 10x + 4 \end{array}$$

The quotient is $x^2 + 3x + 3$.

The remainder is $10x + 4$.

Use polynomial long division to evaluate:

115. $(6x^3 + 5x^2 + 7x - 1) \div (3x + 1)$

Greatest common factor of 2 numbers

Open the Instructor Added Resource which will direct you to a video to complete the following.

Greatest Common Factor (GCF)

The GCF is the _____.

Find the GCF of the following numbers.

• GCF(_____)

Factors of _____:

Factors of _____:

Common factors:

GCF(_____) = _____

• GCF(_____)

Factors of _____:

Factors of _____:

Common factors:

GCF(_____) = _____

• GCF(_____)

Factors of _____:

Factors of _____:

Common factors:

GCF(_____) = _____

YOU TRY IT: Find the GCF of the two numbers

116. GCF(35, 28)

Greatest common factor of three univariate monomials

Watch *Video 1: Identifying the Greatest Common Factor* to complete the following.

Identify the greatest common factor.

The greatest common factor of a polynomial is the greatest common factor that _____
_____.

1. For the polynomial _____ the GCF = _____.

List the factors of each term:

Circle the factors in each term that must be in the GCF.

Pause the video and try this yourself.

- 2.

List the factors of each term: Circle the factors in each term that must be in the GCF of these terms.

The GCF of this polynomial is _____.

Play the video and check your answer.

EXAMPLE: Find the GCF of the terms of the polynomial $36x^7 + 90x^6 - 72x^4$

First, find the GCF of the coefficients, 36, 90, and 72 by listing the factors of each.

$$36 = 2 \cdot 2 \cdot 3 \cdot 3 = 2^2 \cdot 3^2$$

$$90 = 2 \cdot 3 \cdot 3 \cdot 5 = 2 \cdot 3^2 \cdot 5$$

$$72 = 2 \cdot 2 \cdot 2 \cdot 3 \cdot 3 = 2^3 \cdot 3^2$$

The GCF is $2 \cdot 3 \cdot 3 = 2 \cdot 3^2 = 18$

Faster method:

- the GCF(36,90,72) is made up of the **smallest power of each of the common factors**.
- 36, 90, and 72 have factors of 2 and 3 in common.
- The smallest power of 2 in any list is 1 and the smallest power of 3 in any list is 2.

Thus, the GCF is $2^1 \cdot 3^2 = 18$.

Next, find the GCF of the variables, x^7 , x^6 , and x^4 .

The common factor for each of these is x and the smallest power of x is x^4 . So, the $\text{GCF}(x^7, x^6, x^4) = x^4$.

The GCF of the terms of the polynomial is $18x^4$.

YOU TRY IT:

Find the GCF.

117. $20x^5$, $60x^3$, and $4x^2$

Greatest common factor of two multivariate monomials

Open the Instructor Added Resource which will direct you to a video to complete the following.

Find the GCF of the terms _____, _____, and _____.

YOU TRY IT: Find the greatest common factor of the two terms.

118. $14a^3b^5$ and $49ab^7$

Factoring out a monomial from a polynomial: Univariate

Watch *Video 2: Factor Out the Greatest Common Factor* to complete the following.

Factor out the greatest common factor (GCF).

YOU TRY IT: Factor out the GCF.

119. $14x^4 - 7x^3 + 21x$

Factoring out a binomial from a polynomial: GCF factoring, basic

Watch the video *Factoring Out a Binomial Factor* to complete the following.

Factor out the greatest common factor.

What is the common factor in all three terms? _____

EXAMPLE:

Factor out the GCF.

$$4x^3(x^2 + 3) - 2x(x^2 + 3) + (x^2 + 3)$$

$(x^2 + 3)$ is the factor common to all 3 terms so we write:

$$\begin{aligned} 4x^3(x^2 + 3) - 2x(x^2 + 3) + (x^2 + 3) \\ = (x^2 + 3)(4x^3 - 2x + 1) \end{aligned}$$

YOU TRY IT:

Factor out the GCF.

$$120. y^3(y + 2) - y(y + 2) - 9(y + 2)$$

Factoring a univariate polynomial by grouping: Problem type 1

Watch *Video 7: Factoring by Grouping* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Factor by grouping.

What is the first pair of terms? _____ What is the GCF of these terms? _____

What is the second pair of terms? _____ What is the GCF of these terms? _____

Check:

EXAMPLE: Factor by grouping.

$$3x^3 - 2x^2 + 12x - 8$$

In the first pair of terms the GCF is x^2 .

In the second pair of terms the GCF is 4.

$$3x^3 - 2x^2 + 12x - 8 = x^2(3x - 2) + 4(3x - 2)$$

 $3x - 2$ is the common factor in these two terms.

$$\begin{aligned} 3x^3 - 2x^2 + 12x - 8 &= x^2(3x - 2) + 4(3x - 2) \\ &= (3x - 2)(x^2 + 4) \end{aligned}$$

YOU TRY IT: Factor by grouping.

$$121. \ y^3 + 3y^2 - 3y - 9$$

Factoring a univariate polynomial by grouping: Problem type 2

If you have not completed the Notebook entry for the previous topic, watch *Video 7: Factoring by Grouping* and complete the notes now.

EXAMPLE: Factor by grouping.

$$12x^4 - 20x^3 - 3x + 5$$

In the first pair of terms the GCF is $4x^3$.

$$12x^4 - 20x^3 - 3x + 5 = 4x^3(3x - 5) - 3x + 5$$

 $3x - 5$ is not quite the same as the last two terms, $-3x + 5$.**Factor out -1 .**If we factor -1 out of $-3x + 5$ we get

$$-3x + 5 = -1(3x - 5).$$

Then,

$$\begin{aligned} 12x^4 - 20x^3 - 3x + 5 &= 4x^3(3x - 5) - 1(3x - 5) \\ &= (3x - 5)(4x^3 - 1) \end{aligned}$$

YOU TRY IT: Factor by grouping.

$$122. \ 2y^3 - 8y^2 - y + 4$$

Notes from Focus Group:

Notes from Focus Group:

Module 8-Review

To help you review for your upcoming exam, this module contains all of the topics from the modules since the last exam. Topics that you have already mastered will not appear in your carousel.

- ☐ Complete this module before you take the ALEKS exam.
- ☐ Each exam has two parts.
 - The ALEKS exam (100 pts)
 - The ALEKS exam must be taken in the MALL.
 - The ALEKS exam is a Comprehensive Knowledge Check.
 - Your score is the number of topics you have mastered out of the number of topics you should have mastered by this point.
 - If you lose topics on your ALEKS exam, your Review Module completion grade will not change.
 - Your scratch work for the ALEKS exam must be numbered and turned in through Blackboard.
 - The Written exam (25 pts)
 - Take your written exam in class the day of your focus group.
 - To study for the written exam:
 - Rework your old Focus Group assignments.
 - Rework any topics in ALEKS you may have lost on the ALEKS exam.

	Score
ALEKS Exam	
Written Exam	

Module 9

Contents

☐ Factoring a quadratic with leading coefficient 1	144
☐ Factoring a quadratic with a negative leading coefficient	144
☐ Factoring out a constant before factoring a quadratic	145
☐ Factoring a quadratic with leading coefficient greater than 1: Problem type 1	146
☐ Factoring a quadratic with leading coefficient greater than 1: Problem type 2	146
☐ Factoring a perfect square trinomial with leading coefficient 1	148
☐ Factoring a perfect square trinomial with leading coefficient greater than 1	149
☐ Factoring a product of a quadratic trinomial and a monomial	149
☐ Factoring a difference of squares in one variable: Basic	150
☐ Factoring a difference of squares in one variable: Advanced	151
☐ Solving an equation written in factored form	152
☐ Finding the roots of a quadratic equation with leading coefficient 1	152
☐ Finding the roots of a quadratic equation of the form $ax^2 + bx = 0$	153
☐ Finding the roots of a quadratic equation with leading coefficient greater than 1	154
☐ Solving a quadratic equation needing simplification	155
☐ Solving a word problem using a quadratic equation with rational roots	156
☐ Writing a quadratic equation given the roots and the leading coefficient	157

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Factoring a quadratic with leading coefficient 1

Watch *Video 9: Factoring Trinomials with a Leading Coefficient of 1* to complete the following.

Factor completely. _____

List the factors of the 3rd term in the trinomial.

Why were the factors -3 and -7 chosen? _____

Check:

YOU TRY IT: Factor completely.

123. $x^2 - 12x + 27$

Factoring a quadratic with a negative leading coefficient

Watch *Video 7: Factoring a Trinomial with a Negative Leading Coefficient* to complete the following.

Factor the trinomial completely by using any method. Remember to look for a common factor first.

The GCF of the terms is _____. Since the first term is _____ we factor out a _____.

To factor into two binomials we need two numbers whose product is _____ and sum is _____.

YOU TRY IT: Factor completely.

124. $-x^2 + 2x + 3$

Factoring out a constant before factoring a quadratic

Watch the video *Exercise: Factoring a Trinomial with a Leading Coefficient of 1 and a GCF* to complete the following. *NOTE:* This may not be the first video that pops up. Select it from the list of videos in the video box.

Factor the trinomial completely by using any method. Remember to look for a common factor first.

The GCF of the terms is _____. Since the first term is _____ we factor out a _____.

To factor into two binomials we need two numbers whose product is _____ and sum is _____.

EXAMPLE:

Factor completely. $4x^2 + 8x - 4$

We factor out 4, the GCF of the trinomial to get

$$4x^2 + 8x - 4 = 4(x^2 + 2x - 1).$$

When we apply the trial and error or ac-method we find that there are no factors of -1 that add to $+2$.

The trinomial cannot be factored any further and we say that $x^2 + 2x - 1$ is **prime**.

$4(x^2 + 2x - 1)$ is the final answer.

YOU TRY IT:

Factor completely.

125. $6a^2 + 21a - 12$

126. $12x^2 + 6x + 18$

Factoring a quadratic with leading coefficient greater than 1: Problem type 1

Watch *Video 5: Factoring a Trinomial with Leading Coefficient not Equal to 1 (Trial-and-Error Method)* to complete the following.

Factor. _____

Factoring a quadratic with leading coefficient greater than 1: Problem type 2

Watch *Video 4: Factoring a Trinomial by the Trial-and-Error Method (Leading Coefficient Not Equal to 1)* to complete the following.

Factor completely. _____

The GCF of the three terms is _____.

The leading terms of the binomials must be

(— —)(— —) or (— —)(— —)

List the factors of the last term of the trinomial.

EXAMPLE: Factor completely $6x^2 - x - 15$.

Using the trial-and-error method for factoring, we list the factors of 6 and -15 .

6	-15
1, 6	$-1, 15$
2, 3	$1, -15$
	$-3, 5$
	$3, -5$

- The first term of the binomials must be factors of 6.
- The last term of the binomials must be factors of -15 .
- The sum of the product of the outer and the product of the inner terms of the binomials must add to $-1x$.

Since $-1x$ is close to zero we choose factors that are “close” together. Let’s try 2 and 3 as factors of 6 and -3 and 5 as factors of -15 . This gives us the following options:

1. $(\underline{3}x - \underline{3})(\underline{2}x + \underline{5})$

2. $(\underline{3}x + \underline{3})(\underline{2}x - \underline{5})$

3. $(\underline{3}x - \underline{5})(\underline{2}x + \underline{3})$

4. $(\underline{3}x + \underline{5})(\underline{2}x - \underline{3})$

We discard options 1 and 2 because the binomials $(3x \pm 3)$ have a common factor of 3. This is NOT possible because the terms of $6x^2 - x + 15$ do not have a common factor.

Next we test #3. The sum of the product of the outer and the product of the inner terms of the binomials must be $-1x$.

Outer: $-5(2x) = -10x$ **Inner:** $3x(3) = 9x$

Sum: $-10x + 9x = -x$

This pair of binomials meets all of our needs. Thus, the factored form of $6x^2 - x + 15$ is

$$(3x - 5)(2x + 3)$$

YOU TRY IT: Factor completely.

127. $2x^2 - 7x - 15$

Factoring a perfect square trinomial with leading coefficient 1

Watch *Video 10: Recognizing and Factoring a Perfect Square Trinomial* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Factor completely. _____

The GCF is _____

This trinomial is a **perfect square trinomial**. Before we factor this, let's remember how to **square a binomial**.

$$(a + b)^2 =$$

We can rewrite $4x^2 + 12x + 9$ as _____.

This can be factored as _____.

Check:

EXAMPLE:

Factor completely. $x^2 - 14x + 49$

This is a **perfect square trinomial** if it fits the form:

$$(a)^2 + a(a)(b) + (b)^2$$

We can write

$$x^2 - 14x + 49 = (x)^2 + 2(x)(-7) + (-7)^2$$

which fits the form of a perfect square trinomial.

Thus,

$$x^2 - 14x + 49 = (x + (-7))^2 = (x - 7)^2$$

YOU TRY IT: Factor completely.

128. $x^2 - 10x + 25$

Factoring a perfect square trinomial with leading coefficient greater than 1

If you have not completed the Notebook entry for the previous topic, watch *Video 10: Recognizing and Factoring a Perfect Square Trinomial* and complete the notes now.

EXAMPLE:

Factor completely. $9x^2 - 24x + 16$

This is a **perfect square trinomial** if it fits the form:

$$(a)^2 + 2a(b) + (b)^2$$

We can write

$$9x^2 - 24x + 16 = (3x)^2 + 2(3x)(-4) + (-4)^2$$

which fits the form of a perfect square trinomial.

Thus,

$$9x^2 - 24x + 16 = (3x + (-4))^2 = (3x - 4)^2$$

YOU TRY IT: Factor completely.

129. $16x^2 - 20x + 25$

Factoring a product of a quadratic trinomial and a monomial

Watch *Video 6: Factoring a Trinomial Using the Trial-and-Error Method and when Rearranging Terms is Necessary* to complete the following. *NOTE:* This may not be the first video that pops up. Select it from the list of videos in the video box.

Factor completely. _____

The GCF is _____

EXAMPLE: Factor completely.

$$7x^5 - 14x^4 - 7x^3$$

The GCF is $7x^3$. Factoring out $7x^3$ we have

$$7x^5 - 14x^4 - 7x^3 = 7x^3(x^2 - 2x - 1)$$

Next we try to factor $x^2 - 2x - 1$.

Using trial-and-error we look for factors of -1 that sum to -2 .

-1 and 1 is the only pair of factors for -1 and $-1 + 1 \neq -2$.

Thus, $x^2 - 2x - 1$ cannot be factored any further and we say that $x^2 - 2x - 1$ is **prime**.

$7x^3(x^2 - 2x - 1)$ is completely factored.

YOU TRY IT:

130. Factor completely. $-20x^3 + 34x^2 - 6x$

Factoring a difference of squares in one variable: Basic

Watch *Video 1: Introduction to Factoring a Difference of Squares and a Sum of Squares* to complete the following.

Factor completely if possible.

1.

2.

First, we remember taking the product of conjugates such as _____.

The result is the _____ or $a^2 - b^2$.

A sum of squares _____.

$a^2 + b^2$ is _____.

EXAMPLE:

Factor completely, if possible. $100 - y^2$

We can write $100 - y^2 = (10)^2 - (y)^2$.

This shows that it is a **difference of two squares** which factors as

$$(10 - y)(10 + y)$$

YOU TRY IT: Factor completely, if possible

131. $x^2 - 49$

Factoring a difference of squares in one variable: Advanced

Watch *Video 2: Factoring a Difference of Squares* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Factor completely.

1.

2.

3.

Perfect squares

Perfect Squares

$1^2 =$

$(x^1)^2 =$

$2^2 =$

$(x^2)^2 =$

$3^2 =$

$(x^3)^2 =$

$4^2 =$

$(x^4)^2 =$

$5^2 =$

$6^2 =$

$7^2 =$

$8^2 =$

$9^2 =$

$10^2 =$

$11^2 =$

$12^2 =$

$13^2 =$

Solving an equation written in factored form

Watch *Video 2: Solving a Quadratic Equation Using the Zero Product Rule* to complete the following.

PROPERTY Zero Product Rule

If $ab = 0$, then _____ or _____.

Solve the equation _____.

EXAMPLE:

Solve the equation $-2x(x - 4)(8 + x) = 0$.

$$-2x(x - 4)(8 - x) = 0$$

$$-2x = 0 \text{ or } x - 4 = 0 \text{ or } 8 - x = 0$$

$$x = 0 \text{ or } x = 4 \text{ or } 8 = x$$

The solution is $x = 0, 4, 8$.

YOU TRY IT:

132. Solve the equation $(x + 5)(2x - 3) = 0$.

Finding the roots of a quadratic equation with leading coefficient 1

Watch *Video 4: Solving a Quadratic Equation Using the Zero Product Rule* to complete the following.

Solve the equation.

EXAMPLE: Solve equation $x^2 - 11x = -18$.

First we MUST rewrite the equation so that it is set = 0.

$$\begin{aligned}x^2 - 11x &= -18 \\x^2 - 11x + 18 &= 0\end{aligned}$$

Using the trail-and-error method of factoring, we have

$$x^2 - 11x + 18 = (x - 9)(x - 2)$$

We solve the equation as follows:

$$\begin{aligned}x^2 - 11x + 18 &= 0 \\(x - 9)(x - 2) &= 0 \\x - 9 = 0 \text{ or } x - 2 &= 0 \\x = 9 \text{ or } x &= 2\end{aligned}$$

The solution is $x = 9, 2$.

YOU TRY IT:

133. Solve the equation $x^2 + 4x - 21 = 0$.

134. Solve the equation $x^2 + 8x = -15$.

Finding the roots of a quadratic equation of the form $ax^2 + bx = 0$

Watch *Video 5: Solving a Quadratic Equation using the Zero Product Rule* to complete the following.

Solve the equation.

EXAMPLE:

Solve the equation $2x^2 + 8x = 0$.

$$\begin{aligned}2x^2 + 8x &= 0 \\2x(x + 4) &= 0\end{aligned}$$

$$\begin{array}{lll}2x = 0 & \text{or} & x + 4 = 0 \\x = 0 & \text{or} & x = -4\end{array}$$

The solution is $x = 0, -4$.

YOU TRY IT:

135. Solve the equation $4x^2 - 20x = 0$.

Finding the roots of a quadratic equation with leading coefficient greater than 1

Open the e-book to complete the following.

Solving a Quadratic Equation by Factoring

Step 1 Write the equation in the form _____.

Step 2 _____ completely.

Step 3 Apply the _____. That is, _____ each factor equal to _____ and solve the resulting equations.

If necessary for step 2, review the topic “Factoring a quadratic with leading coefficient greater than 1: Problem type 2.”

EXAMPLE:

Solve the equation $15x^2 + 7x - 4 = 0$.

$$15x^2 + 7x - 4 = 0$$

$$(5x + 4)(3x - 1) = 0$$

$$5x + 4 = 0 \quad \text{or} \quad 3x - 1 = 0$$

$$x = -\frac{4}{5} \quad \text{or} \quad x = \frac{1}{3}$$

The solution is $x = -\frac{4}{5}, \frac{1}{3}$.

YOU TRY IT:

136. Solve the equation $4x^2 - x - 3 = 0$.

137. Solve the equation $9x^2 + 3x - 2 = 0$.

Solving a quadratic equation needing simplification

Watch *Video 6: Solving a Quadratic Equation Using the Zero Product Rule* to complete the following.

Solve the equation.

EXAMPLE: Solve: $2x^2 - x - 3 = (x + 1)^2$.

$$2x^2 - x - 3 = (x + 1)^2$$

$$2x^2 - x - 3 = x^2 + 2x + 1$$

$$x^2 - 3x - 4 = 0$$

using the trial-and-error method we get

$$(x - 4)(x + 1) = 0$$

$$x = 4, -1$$

YOU TRY IT:

138. Solve: $2x^2 + x = (x - 2)^2 - 10$

Solving a word problem using a quadratic equation with rational roots

Watch *Video 10: Solving a Geometry Application Using a Quadratic Equation (Area of a Rectangle)* to complete the following.

The area of a rectangular field is _____. The length is _____.

Find the _____.

YOU TRY IT:

139. The length of a rectangular photograph is 7 in more than the width. If the area is 78 in^2 , what are the dimensions of the photograph?

Writing a quadratic equation given the roots and the leading coefficient

Open the Instructor Added Resource which will direct you to a video to complete the following.

Write the quadratic equation whose roots are _____ and _____ and whose leading coefficient is _____.
Use the letter x to represent the variable.

YOU TRY IT:

140. Write the quadratic equation whose roots are -7 and 2 and whose leading coefficient is -1 .
Use the letter x to represent the variable.

Notes from Focus Group:

Notes from Focus Group:

Module 10

Contents

☐ Evaluating a rational function: Problem type 1	160
☐ Restriction on a variable in a denominator: Quadratic	161
☐ Simplifying a ratio of factored polynomials: Linear factors	162
☐ Simplifying a ratio of polynomials using GCF factoring	163
☐ Simplifying a ratio of linear polynomials: 1, -1 , and no simplification	163
☐ Simplifying a ratio of polynomials by factoring a quadratic with leading coefficient 1	164
☐ Simplifying a ratio of polynomials: Problem type 1	165
☐ Multiplying rational expressions involving multivariate monomials	166
☐ Multiplying rational expressions made up of linear expressions	167
☐ Dividing rational expressions involving linear expressions	167
☐ Dividing rational expressions involving quadratics with leading coefficients of 1	168
☐ Introduction to the LCM of two monomials	169
☐ Writing equivalent rational expressions with monomial denominators	169
☐ Finding the LCD of rational expression with linear denominators: Relatively prime	170
☐ Adding rational expressions with common denominators and GCF factoring	171
☐ Adding rational expressions with linear denominators without common factors: Basic	172
☐ Adding rational expressions with linear denominators with common factors: Basic	173
☐ Adding rational expressions with denominators ax^n and bx^m	174
☐ Complex fraction without variables: Problem type 1	175
☐ Complex fraction without variables: Problem type 2	176

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Evaluating a rational function: Problem type 1

Open the e-book to complete the following.

Definition of a Rational Function

A function is a _____ if it can be written in the form _____. Where p and q are _____ and _____.

Watch *Video 2: Evaluating a Rational Function for Selected Values in the Domain* to complete the following.

Evaluate the function for the given value of x . $f(x) = \underline{\hspace{2cm}}$

1.

2.

3.

4.

The function is _____ at _____.

The value 3 is _____ in the _____ of the function.

Write the domain of the function in set-builder notation and in interval notation.

$f(x) = \underline{\hspace{2cm}}$

EXAMPLE:

Given $f(x) = \frac{x+3}{6-3x}$, find the following.

a. $f(4)$

$$f(4) = \frac{4+3}{6-3(4)} = \frac{7}{6-12} = -\frac{7}{6}$$

b. $f(-5)$

$$\begin{aligned} f(-5) &= \frac{-5+3}{6-3(-5)} \\ &= \frac{-2}{6-(-15)} \\ &= \frac{-2}{21} = -\frac{2}{21} \end{aligned}$$

c. $f(2)$

$$f(2) = \frac{2+3}{6-3(2)} = \frac{5}{0} \implies f(2) \text{ is undefined because the function is not defined at } x = 2.$$

YOU TRY IT:

Given $g(x) = \frac{7-4x}{7x-4}$, find the following.

141. $g(1)$

142. $g(\frac{4}{7})$

143. $g(0)$

Restriction on a variable in a denominator: Quadratic

Learning Page Division by _____ is _____.

So the expression is undefined when its _____ is _____.

We must find all values of x for which the expression is undefined.

So we set the _____ equal to _____ and solve.

EXAMPLE: Find all excluded values for $\frac{y+2}{y^2-9}$.

We must exclude values when $y^2 - 9 = 0$.

$$\begin{aligned} y^2 - 9 &= 0 \\ (y-3)(y+3) &= 0 \\ y-3 &= 0 \text{ or } y+3 = 0 \\ y &= 3, -3 \end{aligned}$$

$\frac{y+2}{y^2-9}$ is undefined when $y = 3$ or $y = -3$.

YOU TRY IT:

144. Find all excluded values of $\frac{u+7}{u^2-4u+4}$.

Simplifying a ratio of factored polynomials: Linear factors

Watch *Video 5: Simplifying a Rational Expression* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

PROPERTY Fundamental Principle of Rational Expressions

Let p , q , and r represent polynomials such that $q \neq 0$ and $r \neq 0$. Then

$$\frac{pr}{qr} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$$

Simplify the expression.

The expressions $\frac{2x-6}{x^2-8x+15}$ and $\frac{2}{x-5}$ are equivalent for all real numbers except _____ and _____ because they make the denominator equal to _____.

EXAMPLE: Simplify.

$$\frac{5(2x+1)(x-4)}{35(x-4)(x-3)}$$

Divide the numerator and denominator by 5.

$$\frac{\cancel{5}^1(2x+1)(x-4)}{\cancel{35}_7(x-4)(x-3)} = \frac{(2x+1)(x-4)}{7(x-4)(x-3)}$$

Divide the numerator and denominator by $x-4$.

$$\frac{(2x+1)\cancel{(x-4)}^1}{7\cancel{(x-4)}_1(x-3)} = \frac{2x+1}{7(x-3)}$$

$\frac{5(2x+1)(x-4)}{35(x-4)(x-3)} = \frac{2x+1}{7(x-3)}$ for all real numbers except $x=4$ and $x=3$ because they make the denominator equal to 0.

YOU TRY IT:

145. Simplify $\frac{8(2x+3)(x-7)}{18(2x+3)(x+7)}$.

Simplifying a ratio of polynomials using GCF factoring

Learning Page To simplify the expression, we first _____ the _____ and the _____.

Then, we look to _____.

EXAMPLE:

Simplify $\frac{18x^2 - 24x}{18x^2 - 36x}$.

We factor out the greatest common factor (GCF) from the numerator and the denominator.

$$\frac{18x^2 - 24x}{18x^2 - 36x} = \frac{6x(3x - 4)}{18x(x - 2)}$$

Divide numerator and denominator by $6x$.

$$\frac{\cancel{6x}^1(3x - 4)}{\cancel{18x}_3(x - 2)} = \frac{3x - 4}{3(x - 2)}$$

YOU TRY IT:

146. Simplify $\frac{24x^2 + 2x}{12x^2 + x}$.

Simplifying a ratio of linear polynomials: 1, -1 , and no simplification

Watch *Video 7: Recognizing a ratio of -1* to complete the following.

Recognizing a ratio of 1

$$\frac{5}{5} = \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}} = 1$$

Additional examples of a ratio = -1 :

Recognizing a ratio of -1

$$\frac{5}{-5} = \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}} = -1$$

EXAMPLE: Simplify.

a. $\frac{x-4}{4-x}$

$$\begin{aligned}\frac{x-4}{4-x} &= \frac{x-4}{-1(-4+x)} \\ &= \frac{\cancel{x-4}}{-1(\cancel{x-4})} \\ &= -1\end{aligned}$$

b. $\frac{3x-6y}{2y+x}$

$$\frac{3x-6y}{2y+x} = \frac{3(x-2y)}{2y+x}$$

Cannot be simplified.

YOU TRY IT: Simplify.

147. $\frac{x+2}{2-x}$

148. $\frac{4y-6x}{3x-2y}$

Simplifying a ratio of polynomials by factoring a quadratic with leading coefficient 1

If you have not completed the Notebook entry for the topic, “Simplifying a ratio of factored polynomials: Linear factors”, watch *Video 5: Simplifying a Rational Expression* and complete the notes now.

EXAMPLE: Simplify $\frac{x^2+x-6}{4x-8}$.

We factor out the GCF from the numerator and factor the denominator.

$$\begin{aligned}\frac{x^2+x-6}{4x-8} &= \frac{(x+3)(\cancel{x-2})}{4(\cancel{x-2})} \\ &= \frac{x+3}{4}\end{aligned}$$

YOU TRY IT:

149. Simplify $\frac{x^2+3x+2}{3x+6}$.

1. Factor the numerator and denominator.
2. Identify the restricted value(s) for x in this expression.
3. Simplify the expression.

$$\begin{aligned}\frac{x^2 + x - 6}{8 - 4x} &= \frac{(x+3)(x-2)}{4(2-x)} \\ &= \frac{(x+3)(x-2)}{4(-1)(x-2)} \\ &= \frac{(x+3)(\cancel{x-2})}{-4(\cancel{x-2})} \\ &= \frac{x+3}{-4} \text{ or } \frac{-(x+3)}{4} \text{ or } -\frac{x+3}{4}\end{aligned}$$

150. Simplify $\frac{15 - 5x}{x^2 - 9x + 18}$.

Multiplying rational expressions involving multivariate monomials

Watch *Video 1: Multiplying Rational Expressions* to complete the following

PROCEDURE To **multiply rational expressions**, multiply the _____ and multiply the _____. Then simplify if possible.

$$\frac{p}{q} \cdot \frac{r}{s} = \text{_____} \text{ provided that } q \neq 0 \text{ and } s \neq 0$$

Multiply the rational expressions.

1.

2.

EXAMPLE: Multiply $\frac{4m^4n^2}{3mn^5} \cdot \frac{15n}{2m^2}$.

$$\begin{aligned} \frac{4m^4n^2}{3mn^5} \cdot \frac{15n}{2m^2} &= \frac{2 \cdot 2 \cdot m^4 \cdot n^2 \cdot 3 \cdot 5 \cdot n}{3 \cdot m \cdot n^5 \cdot 2 \cdot m^2} \\ &= \frac{2 \cdot 2 \cdot 3 \cdot 5 \cdot m^4 \cdot n^3}{2 \cdot 3 \cdot m^3 \cdot n^5} \end{aligned}$$

Divide numerator and denominator by 2 and 3.

$$\begin{aligned} &= \frac{\cancel{2} \cdot 2 \cdot \cancel{3} \cdot 5 \cdot m^4 \cdot n^3}{\cancel{2} \cdot \cancel{3} \cdot m^3 \cdot n^5} \\ &= \frac{2 \cdot 5 \cdot m^4 \cdot n^3}{m^3 \cdot n^5} \end{aligned}$$

Divide numerator and denominator by n^3 .

$$= \frac{2 \cdot 5 \cdot m^4}{m^3 \cdot n^2}$$

Divide numerator and denominator by m^3 .

$$\begin{aligned} &= \frac{2 \cdot 5 \cdot m}{n^2} \\ &= \frac{10m}{n^2} \end{aligned}$$

YOU TRY IT:

151. Multiply $\frac{2a}{3b^2} \cdot \frac{9b}{14a^2}$.

Multiplying rational expressions made up of linear expressions

Open the e-book to complete the following.

Multiplying Rational Expressions

Step 1 Factor the _____ and _____ of each expression.

Step 2 _____ the numerators and multiply the _____.

Step 3 Reduce the _____ of _____ factors to 1 or -1 and _____.

EXAMPLE: Multiply $\frac{3x+6}{5x-10} \cdot \frac{x-2}{4x+8}$.

Factor out the GCF in each term then simplify.

$$\begin{aligned} \frac{3x+6}{5x-10} \cdot \frac{x-2}{4x+8} &= \frac{3(x+2)}{5(x-2)} \cdot \frac{x-2}{4(x+2)} \\ &= \frac{\cancel{3(x+2)}}{5(\cancel{x-2})} \cdot \frac{\cancel{x-2}}{4(\cancel{x+2})} \\ &= \frac{3}{20} \end{aligned}$$

YOU TRY IT:

152. Multiply $\frac{-5x+15}{2x+18} \cdot \frac{3x+27}{x-3}$.

Dividing rational expressions involving linear expressions

Open the e-book to complete the following.

Division Property of Rational Expressions

Let p , q , r , and s represent polynomials, such that $q \neq 0$ and $s \neq 0$. Then

$$\frac{p}{q} \div \frac{r}{s} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$$

EXAMPLE:

Divide $\frac{8z - 16}{-20} \div \frac{3z - 6}{40}$.

$$\begin{aligned}\frac{8z - 16}{-20} \div \frac{3z - 6}{40} &= \frac{8z - 16}{-20} \cdot \frac{40}{3z - 6} \\ &= \frac{8(z - 2)}{-1 \cdot 20} \cdot \frac{2 \cdot 20}{2(z - 2)} \\ &= \frac{\cancel{8(z - 2)}}{-1 \cdot \cancel{20}} \cdot \frac{\cancel{2} \cdot \cancel{20}}{\cancel{2}(z - \cancel{2})} \\ &= -8\end{aligned}$$

YOU TRY IT:

153. Divide $\frac{4x}{8x + 4} \div \frac{6}{14x + 7}$.

Dividing rational expressions involving quadratics with leading coefficients of 1

Watch *Video 4: Dividing Rational Expressions* to complete the following.

Divide and simplify.

EXAMPLE:

Divide $\frac{t^2 - 49}{t^2 + 4t - 21} \div \frac{t^2 - 2t - 35}{t^2 + 8t + 15}$.

$$\begin{aligned}\frac{t^2 - 49}{t^2 + 4t - 21} \div \frac{t^2 - 2t - 35}{t^2 + 8t + 15} &= \frac{t^2 - 49}{t^2 + 4t - 21} \cdot \frac{t^2 + 8t + 15}{t^2 - 2t - 35} \\ &= \frac{(t - 7)(t + 7)}{(t + 7)(t - 3)} \cdot \frac{(t + 3)(t + 5)}{(t - 7)(t + 5)} \\ &= \frac{\cancel{(t - 7)}\cancel{(t + 7)}}{\cancel{(t + 7)}(t - 3)} \cdot \frac{(t + 3)\cancel{(t + 5)}}{\cancel{(t - 7)}\cancel{(t + 5)}} \\ &= \frac{t + 3}{t - 3}\end{aligned}$$

YOU TRY IT:

154. Divide $\frac{x^2 - 25}{x^2 + x - 20} \div \frac{x^2 - 2x - 15}{x^2 + 7x + 12}$.

Introduction to the LCM of two monomials

Open the Instructor Added Resource which will direct you to a video to complete the following.

Find the LCM of _____ and _____.

Multiples of ____: _____

The LCM of ____ and ____ is ____ since

Multiples of ____ : _____

The LCM of ____ and ____ is ____ since

LCM(_____) = _____.

LCM(_____) = _____

YOU TRY IT:

155. Find the LCM of $15xy$ and $20x^2y^3z$.

Writing equivalent rational expressions with monomial denominators

Watch *Video 4: Writing Equivalent Fractions* to complete the following.

Convert each expression to an equivalent expression with the indicated denominator.

1.

2.

EXAMPLE:

Convert each expression to an equivalent expression with the indicated denominator.

$$\frac{3x}{5y^2} = \frac{\quad}{20xy^5}$$

To obtain the fraction equivalent to $\frac{3x}{5y^2}$ with the denominator $20xy^5$ we multiply by a “form of 1”.

Since we need to multiply $5y^2$ by $4xy^3$ to get $20xy^5$ our “form of 1” is

$$\frac{4xy^3}{4xy^3}$$

The equivalent fraction is

$$\frac{3x}{5y^2} \cdot \frac{4xy^3}{4xy^3} = \frac{12x^2y^3}{20xy^5}$$

YOU TRY IT:

Convert each expression to an equivalent expression with the indicated denominator.

$$156. \frac{2w}{7} = \frac{\quad}{14w^5}$$

Finding the LCD of rational expression with linear denominators: Relatively prime

Watch *Video 3: Determining the Least Common Denominator Between Two Rational Expressions* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

PROCEDURE
Determining the LCD of Two or More Expressions

- _____
- The LCD is the _____
from the _____, where each factor is raised to its _____.

Determine the LCD for each group of fractions.

1.

2.

EXAMPLE:

Find the LCD of $\frac{8}{3x+6}$ and $\frac{x}{4x-8}$.

We begin by factoring the denominators.

$$\frac{8}{3x+6} = \frac{8}{3(x+2)} \quad \frac{x}{4x-8} = \frac{x}{4(x-2)}$$

The denominators do not have any common factors. We call these denominators **relatively prime**.

The LEAST COMMON denominator of **relatively prime** denominators is the **product of all of the factors** in the denominators.

The LCD is

$$3 \cdot (x+2) \cdot 4 \cdot (x-2) = 12(x+2)(x-2).$$

YOU TRY IT:

157. Find the LCD of $\frac{5}{6x-16}$ and $\frac{7}{3x}$.

Adding rational expressions with common denominators and GCF factoring

Open the e-book to complete the following.

1. Addition and Subtraction of Rational Expressions with Like Denominators

To add or subtract rational expressions, the expressions must have the _____

_____. As with fractions, we _____ or _____ rational

expressions with the _____ denominator by _____ the terms in the

_____ and then writing the result _____ the _____

_____. Then, if possible, we _____ the expression to _____

_____.

Addition and Subtraction Properties of Rational Expressions

Let p , q , and r represent polynomials where $q \neq 0$. Then

1. $\frac{p}{q} + \frac{r}{q} =$ _____

2. $\frac{p}{q} - \frac{r}{q} =$ _____

EXAMPLE:Simplify $\frac{x^2}{x-4} - \frac{x+12}{x-4}$.

$$\begin{aligned}
 \frac{x^2}{x-4} - \frac{x+12}{x-4} &= \frac{x^2 - (x+12)}{x-4} \\
 &= \frac{x^2 - x - 12}{x-4} \\
 &= \frac{\cancel{(x-4)}(x+3)}{\cancel{x-4}} \\
 &= x+3
 \end{aligned}$$

YOU TRY IT:158. Simplify $\frac{6x}{3x-1} + \frac{5x}{3x-1}$.

Adding rational expressions with linear denominators without common factors: Basic

Watch *Video 7: Subtracting Rational Expressions* to complete the following. NOTE: This video may not pop-up. Select it from the list of videos.

Subtract.

EXAMPLE:Simplify $\frac{3}{x+2} + \frac{5}{x+1}$.

$$\begin{aligned}
 \frac{3}{x+2} + \frac{5}{x+1} &= \frac{3}{x+2} \cdot \frac{x+1}{x+1} + \frac{5}{x+1} \cdot \frac{x+2}{x+2} \\
 &= \frac{3(x+1)}{(x+2)(x+1)} + \frac{5(x+2)}{(x+1)(x+2)} \\
 &= \frac{3(x+1) + 5(x+2)}{(x+1)(x+2)} \\
 &= \frac{3x+3+5x+10}{(x+1)(x+2)} \\
 &= \frac{8x+13}{(x+1)(x+2)}
 \end{aligned}$$

YOU TRY IT:159. Simplify $-\frac{2}{x-1} + \frac{3}{x+4}$.**Adding rational expressions with linear denominators with common factors: Basic**

Learning Page To do the addition, the _____ must be the same.

So first, we find the _____.

Watch the video *Exercise: Subtracting Rational Expressions with Unlike Denominators 1* to complete the following.

Add or subtract as indicated.

Adding rational expressions with denominators ax^n and bx^m

Open the e-book to complete the following.

Adding and Subtracting Rational Expressions

Step 1 Factor the _____ of each rational expression.

Step 2 Identify the _____.

Step 3 Rewrite each rational expression as an _____ with the LCD as its denominator.

Step 4 Add or subtract the _____, and write the result over the _____ denominator.

Step 5 Simplify, if possible.

Watch *Video 5: Adding Rational Expressions* to complete the following.

Add. _____

EXAMPLE: Add.

$$\frac{6}{7x} + \frac{4}{x^3}$$

The LCD is $7x^3$

$$\begin{aligned}\frac{6}{7x} + \frac{4}{x^3} &= \frac{6}{7x} \cdot \frac{x^2}{x^2} + \frac{4}{x^3} \cdot \frac{7}{7} \\ &= \frac{6x^2}{7x^3} + \frac{28}{7x^3} \\ &= \frac{6x^2 + 28}{7x^3}\end{aligned}$$

YOU TRY IT: Add.

160. $\frac{5}{6b^4} + \frac{7}{4b}$

Complex fraction without variables: Problem type 1

Watch *Video 2: Simplifying a Complex Fraction using Method I* to complete the following.

Simplify the complex fraction.

EXAMPLE: Simplify $\frac{\frac{15}{8}}{\frac{5}{2}}$.

A fraction bar means division so we can write the complex fraction as

$$\frac{\frac{15}{8}}{\frac{5}{2}} = \frac{15}{8} \div \frac{5}{2}$$

When we divide by a fraction we multiply by the reciprocal of the divisor.

$$\frac{15}{8} \div \frac{5}{2} = \frac{15}{8} \cdot \frac{2}{5}$$

Simplifying, $\frac{15^3}{8_4} \cdot \frac{2^1}{5_1} = \frac{3}{4}$

YOU TRY IT:

161. Simplify $\frac{\frac{9}{4}}{\frac{3}{10}}$

Complex fraction without variables: Problem type 2

Watch *Video 2: Simplifying a Complex Fraction using Method I* to complete the following.

PROCEDURE

Simplifying a Complex Fraction (Method I)

1. _____ the fractions in the _____.
_____ the fractions in the _____.
2. Divide the _____ by the _____.
3. _____, if possible.

Simplify the complex fraction by using Method I.

Watch *Video 4: Simplifying a Complex Fraction using Method II* to complete the following.

PROCEDURE

Simplifying a Complex Fraction (Method II)

1. _____ and _____ of the complex fraction by the _____ within the expression.
2. Apply the _____ and _____ and _____.
3. _____, if possible.

Continued on the next page

Simplify the complex fraction by using Method II.

Notes from Focus Group:

Notes from Focus Group:

Module 11

Contents

☐ Square root of a rational perfect square	180
☐ Square root of a perfect square monomial	181
☐ Complex fraction: GCF factoring	181
☐ Complex fraction made of sums involving rational expressions: Problem type 1	182
☐ Solving a rational equation that simplifies to linear: Denominators a, x, or ax	183
☐ Solving a rational equation that simplifies to linear: Denominators ax and bx	184
☐ Solving a rational equation that simplifies to linear: Denominator $x + a$	185
☐ Solving a rational equation that simplifies to quadratic: Denominator x	186
☐ Solving a rational equation that simplifies to quadratic: Proportional form, basic	187
☐ Solving for a variable in terms of other variables in a rational equation: Problem type 1	188
☐ Solving a proportion of the form $\frac{(x+a)}{b} = \frac{c}{d}$	188
☐ Word problem on proportions: Problem type 1	189
☐ Word problem on proportions: Problem type 2	190
☐ Finding all square roots of a number	190
☐ Estimating a square root	191
☐ Cube root of an integer	191
☐ Introduction to simplifying a radical expression with an even exponent	192
☐ Table for a square root function	192
☐ Word problem involving multiple rates	193
☐ Graphing a square root function: Problem type 1	194

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Square root of a rational perfect square

Watch the video *Video 11: Evaluating Square Roots* to complete the following.

Finding the _____ of a number is essentially like _____

_____.

Simplify the expressions.

1.

Simplify, if possible.

2.

4.

3.

5.

EXAMPLE: Simplify, if possible.

$$\sqrt{\frac{54}{24}}$$

54 and 24 are not perfect squares so first try to simplify the fraction in the radical.

$$\sqrt{\frac{54}{24}} = \sqrt{\frac{9 \cdot 6}{4 \cdot 6}}$$

We can divide 6 out of the numerator and denominator so that,

$$\sqrt{\frac{9 \cdot \cancel{6}}{4 \cdot \cancel{6}}} = \sqrt{\frac{9}{4}}$$

Since $\left(\frac{3}{2}\right)^2 = \frac{9}{4}$

$$\sqrt{\frac{9}{4}} = \frac{3}{2}$$

YOU TRY IT:

Simplify, if possible.

162. $\sqrt{49} =$

163. $-\sqrt{\frac{75}{48}} =$

164. $\sqrt{-64} =$

Square root of a perfect square monomial

Learning Page To find this number, we can use the following **property of square roots**.

$$\sqrt{AB} = \text{_____} \text{ for any } \text{_____} \text{ numbers } A \text{ and } B$$

Carefully read through the example on the Learning Page.

EXAMPLE: Simplify the following.

$$\sqrt{81x^{10}}$$

We can write

$$\sqrt{81x^{10}} = \sqrt{9^2 \cdot (x^5)^2}$$

Which is equal to $9x^5$. Thus,

$$\sqrt{81x^{10}} = 9x^5$$

YOU TRY IT: Simplify the following.

165. $\sqrt{a^{14}} =$

166. $\sqrt{49y^8} =$

167. $\sqrt{16x^6} =$

Complex fraction: GCF factoring

Watch the video *Exercise: Simplifying Complex Fractions Using Method I* to complete the following.

Simplify the complex fraction by using Method I.

EXAMPLE: Simplify.

$$\begin{aligned} \frac{\frac{3x}{x-5}}{\frac{7}{4x-20}} &= \frac{3x}{x-5} \cdot \frac{4x-20}{7} \\ &= \frac{3x}{x-5} \cdot \frac{4(x-5)}{7} \\ &= \frac{3x}{\cancel{x-5}} \cdot \frac{4(\cancel{x-5})}{7} \\ &= \frac{12x}{7} \end{aligned}$$

YOU TRY IT: Simplify .

168. $\frac{\frac{7a}{a+3}}{\frac{1}{4a+12}} .$

Complex fraction made of sums involving rational expressions: Problem type 1

Watch *Video 3: Simplifying a Complex Fraction Using Method I* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Simplify the complex fraction by using Method I.

EXAMPLE: Simplify $\frac{1 - \frac{4}{3x}}{\frac{4}{3x} + 1}$.

Using Method II,

$$\begin{aligned} \frac{\left(1 - \frac{4}{3x}\right) \cdot 3x}{\left(\frac{4}{3x} + 1\right) \cdot 3x} &= \frac{1 \cdot 3x - \frac{4}{3x} \cdot 3x}{\frac{4}{3x} \cdot 3x + 1 \cdot 3x} \\ &= \frac{3x - 4}{4 + 3x} \end{aligned}$$

YOU TRY IT:
Simplify.

169. $\frac{\frac{1}{5x} - 3}{2 + \frac{1}{5x}}$

Solving a rational equation that simplifies to linear: Denominators a , x , or ax

Open the e-book to complete the following.

Solving a Rational Equation

1. Factor the _____ of all rational expressions. Identify any values of the variable for which any expression is _____.
2. Identify the _____ of all terms in the equation.
3. _____ both sides of the equation by the _____.
4. Solve the _____.
5. Check the potential solutions in the original equation. Note that _____ for which the equation is _____ cannot be a solution to the equation.

Watch *Video 2: Solving a Rational Equation* to complete the following.

Solve the equation.

EXAMPLE:Solve $\frac{1}{2} + \frac{9}{x} = \frac{2}{3}$.

$$\begin{aligned}\frac{1}{2} + \frac{9}{x} &= \frac{2}{3} \\ \frac{6x}{1} \left(\frac{1}{2} + \frac{9}{x} \right) &= \frac{6x}{1} \cdot \frac{2}{3} \\ \frac{6x}{1} \cdot \frac{1}{2} + \frac{6x}{1} \cdot \frac{9}{x} &= \frac{6x}{1} \cdot \frac{2}{3} \\ 3x + 54 &= 4x \\ 54 &= x\end{aligned}$$

YOU TRY IT:170. Solve $\frac{3}{4} - \frac{4}{x} = \frac{5}{6}$.**Solving a rational equation that simplifies to linear: Denominators ax and bx** Watch the video *Exercise: Solving a Rational Equation 1* to complete the following.

Solve the rational equation.

EXAMPLE:

Solve $\frac{1}{2} - \frac{3}{2p} = \frac{p-4}{p}$.

$$\frac{1}{2} - \frac{3}{2p} = \frac{p-4}{p}$$

Multiply both sides of the equation by $2p$

$$2p\left(\frac{1}{2} - \frac{3}{2p}\right) = 2p\left(\frac{p-4}{p}\right)$$

$$2p\left(\frac{1}{2}\right) - 2p\left(\frac{3}{2p}\right) = 2p\left(\frac{p-4}{p}\right)$$

$$p - 3 = 2(p - 4)$$

$$p - 3 = 2p - 8$$

$$-p = -5$$

$$p = 5$$

YOU TRY IT:

171. Solve $\frac{2}{3y} + \frac{1}{4} = \frac{11}{6y} - \frac{1}{3}$.

Solving a rational equation that simplifies to linear: Denominator $x + a$

Watch the video *Exercise: Solving a Rational Equation 3* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve the rational equation.

$$x \neq \underline{\hspace{2cm}}$$

EXAMPLE:Solve $\frac{3}{p-7} = -2$.

$$\frac{3}{p-7} = -2$$

Multiply both sides of the equation by the LCD $p - 7$

$$(p-7)\left(\frac{3}{p-7}\right) = (p-7)(-2)$$

$$\cancel{(p-7)}\left(\frac{3}{\cancel{p-7}}\right) = (p-7)(-2)$$

$$3 = -2p + 14$$

$$2p = 11$$

$$p = \frac{11}{2}$$

YOU TRY IT:172. Solve $5 = \frac{4}{2y+1}$.**Solving a rational equation that simplifies to quadratic: Denominator x** Watch *Video 4: Solving a Rational Equation* to complete the following.

Solve the equation. _____.

EXAMPLE: Solve $2 + \frac{6}{a} = a + 7$.

Multiply both sides of the equation by a

$$a\left(2 + \frac{6}{a}\right) = a(a + 7)$$

$$2a + 6 = a^2 + 7a$$

$$a^2 + 5a - 6 = 0$$

$$(a - 1)(a + 6) = 0$$

$$a = 1, -6$$

YOU TRY IT:

173. Solve $\frac{3}{x^2} = 2 + \frac{1}{x}$.

Solving a rational equation that simplifies to quadratic: Proportional form, basic

Watch the video *Exercise: Solving a Proportion* to complete the following.

Solve the proportion.

EXAMPLE: Solve $\frac{1}{b-5} = \frac{b-3}{3}$.

Multiply both sides of the equation by the LCD $3(b-5)$.

$$3(b-5) \cdot \frac{1}{b-5} = 3(b-5) \cdot \frac{b-3}{3}$$

Divide out common factors in the numerators and denominators

$$3\cancel{(b-5)} \cdot \frac{1}{\cancel{b-5}} = 3(b-5) \cdot \frac{b-3}{3}$$

$$(b-5)(b-3) = 1 \cdot 3$$

$$b^2 - 3b - 5b + 15 - 3 = 0$$

$$b^2 - 8b + 12 = 0$$

$$(b-6)(b-2) = 0$$

$$b = 6 \text{ or } 2$$

YOU TRY IT:

174. Solve $\frac{4}{y+12} = \frac{y}{8y+11}$.

Solving for a variable in terms of other variables in a rational equation: Problem type 1

Watch *Video 6: Solving a Formula for a Different Variable* to complete the following.

Solve for V .

Solving a proportion of the form $\frac{(x+a)}{b} = \frac{c}{d}$

Watch *Video 1: Introduction to Proportions* to complete the following.

Solve the proportion.

DEFINITION The **ratio of a to b** can be written as $\frac{a}{b}$ where $b \neq 0$.

An equation that _____ is called a _____.

For example:

$$\frac{a}{b} = \text{_____} \text{ for } \text{_____} \text{ and } \text{_____}$$

EXAMPLE:

Solve $\frac{3}{x+4} = -\frac{5}{x-1}$ for x .

Multiply both sides of the equation by the LCD

$$(x+4)(x-1)$$

$$\frac{3}{x+4} \cdot (x+4)(x-1) = \frac{-5}{x-1} \cdot (x+4)(x-1)$$

Divide out common factors in the numerators and denominators

$$\frac{3}{\cancel{x+4}} \cdot \cancel{(x+4)}(x-1) = \frac{-5}{\cancel{x-1}} \cdot (x+4)\cancel{(x-1)}$$

$$3(x-1) = -5(x+4)$$

$$3x - 3 = -5x - 20$$

$$8x = -17$$

$$x = -\frac{17}{8}$$

YOU TRY IT:

175. Solve $\frac{2}{x-1} = \frac{1}{x+6}$ for x .

Word problem on proportions: Problem type 1

Watch *Video 2: An Application of Rational Equations: Solving a Proportion* to complete the following.

Franco drove _____ on _____ of gas in his Honda hybrid. How many gallons will he need for a _____ trip across country?

Word problem on proportions: Problem type 2

Watch *Video 3: An Application of Rational Equations: Solving a Proportion* to complete the following.

The ratio of female to male students taking algebra is _____. If the total number of students taking the algebra class is _____, how many students are _____?

Finding all square roots of a number

Watch the video *Video 1: Definition of a Square Root* to complete the following.

b is a **square root** of a if _____.

Determine the square roots of the given real number.

1.

2.

3.

Estimating a square root

Learning Page Complete the following table of square roots.

Cube root of an integer

Watch the video *Evaluating Roots* to complete the following.

YOU TRY IT: Evaluate the roots without using a calculator. Identify those that are not real numbers.

a)

b)

c)

d)

e)

f)

YOU TRY IT: Simplify the following.

176. $\sqrt[3]{125} =$

177. $\sqrt[3]{-8} =$

178. $-\sqrt[3]{216} =$

Introduction to simplifying a radical expression with an even exponent

Watch the video *Simplifying the n^{th} Root of Perfect n^{th} Powers* to complete the following.

Simplify the expressions. Assume that all variables represent positive real numbers.

After completing the table to the right pause the video to try simplifying the expressions on your own.

1.

2.

3.

4.

Perfect squares	Perfect Cubes
$(x^1)^2 =$	$(x^1)^3 =$
$(x^2)^2 =$	$(x^2)^3 =$
$(x^3)^2 =$	$(x^3)^3 =$
$(x^4)^2 =$	$(x^4)^3 =$

Continue the video to check your answers.

Table for a square root function

Learning Page The table gives _____ x and asks that we find the corresponding _____.

Complete the table below from the Learning Page.

x	Evaluate $f(x) =$ _____	$f(x)$

Word problem involving multiple rates

Watch the video *Exercise: Solving a Rational Equation Application Involving Work* to complete the following.

Karen can wax her SUV in _____. Clarann can wax the same SUV in _____, how long will it take them to wax the SUV together?

	Work Rate	Time	Portion of Job Completed
Karen			
Clarann			

$$\left(\frac{\quad}{\quad} \right) + \left(\frac{\quad}{\quad} \right) = \left(\frac{\quad}{\quad} \right)$$

$$\frac{\quad}{\quad} + \frac{\quad}{\quad} = \frac{\quad}{\quad}$$

Graphing a square root function: Problem type 1

Watch the video *Video 11: Graphing a Radical Function* to complete the following.

Given _____, the domain is _____.

Graph f by making a table of points.

x	$f(x)$

Notes from Focus Group:

Notes from Focus Group:

Module 12-Review

To help you review for your upcoming exam, this module contains all of the topics from the modules since the last exam. Topics that you have already mastered will not appear in your carousel.

- ☐ Complete this module before you take the ALEKS exam.
- ☐ Each exam has two parts.
 - The ALEKS exam (100 pts)
 - The ALEKS exam must be taken in the MALL.
 - The ALEKS exam is a Comprehensive Knowledge Check.
 - Your score is the number of topics you have mastered out of the number of topics you should have mastered by this point.
 - If you lose topics on your ALEKS exam, your Review Module completion grade will not change.
 - Your scratch work for the ALEKS exam must be numbered and turned in through Blackboard.
 - The Written exam (25 pts)
 - Take your written exam in class the day of your focus group.
 - To study for the written exam:
 - Rework your old Focus Group assignments.
 - Rework any topics in ALEKS you may have lost on the ALEKS exam.

	Score
ALEKS Exam	
Written Exam	

Module 13

Contents

☐ Finding n^{th} roots of perfect n^{th} powers with signs	198
☐ Finding the n^{th} root of perfect n^{th} power monomial	199
☐ Converting between radical form and exponent form	200
☐ Rational exponents: Unit fraction exponents and whole number bases	201
☐ Rational exponents: Unit fraction exponents and bases involving signs	201
☐ Rational exponents: Non-unit fraction exponent with a whole number base	202
☐ Simplifying the square root of a whole number less than 100	203
☐ Simplifying the square root of a whole number greater than 100	203
☐ Rational exponents: Product rule	204
☐ Rational exponents: Power of a power rule	205
☐ Simplifying a radical expression with an even exponent	205
☐ Simplifying a radical expression with an odd exponent	206
☐ Simplifying a higher root of a whole number	207
☐ Introduction to square root addition or subtraction	207
☐ Square root addition or subtraction	208
☐ Introduction to simplifying a sum or difference of radical expressions: Univariate	209
☐ Simplifying a product involving square roots using the distributive property: Basic	209
☐ Square root multiplication: Basic	210
☐ Square root multiplication: Advanced	211
☐ Simplifying a product of radical expressions: Univariate	212

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Finding n^{th} roots of perfect n^{th} powers with signs

Open the e-book to complete the following.

Definition of an n^{th} Root

b is an n^{th} root of a if _____.

Example: 2 is a _____ root of _____ because _____.

Example: 2 is a _____ root of _____ because _____.

Example: 2 is a _____ root of _____ because _____.

Evaluating $\sqrt[n]{a}$

1. If _____ is an _____ integer and _____, then _____ is the principal (_____) n^{th} root of a .

Example: _____

2. If _____ is an _____ integer then _____ is the _____.

Example: _____

3. If _____ is an _____, then _____.

EXAMPLE:

Evaluate the following.

$$-\sqrt[4]{81}$$

Since $3^4 = 81$

$$-\sqrt[4]{81} = -\sqrt[4]{3^4} = -3$$

YOU TRY IT:

Simplify the following.

179. $\sqrt[4]{-16} =$

180. $\sqrt[3]{-125} =$

Finding the n^{th} root of perfect n^{th} power monomial

Watch the video *Simplifying the n^{th} Root of Perfect n^{th} Powers* to complete the following.

Simplify the expressions. Assume that all variables represent positive real numbers.

After completing the table to the right pause the video to try simplifying the expressions on your own.

1.

2.

3.

4.

Perfect squares

Perfect Cubes

$(x^1)^2 =$

$(x^1)^3 =$

$(x^2)^2 =$

$(x^2)^3 =$

$(x^3)^2 =$

$(x^3)^3 =$

$(x^4)^2 =$

$(x^4)^3 =$

Continue the video to check your answers.

EXAMPLE: Simplify the following.

$$\sqrt[4]{625p^{12}}$$

Since we are finding the 4^{th} root we want to write each factor as an equivalent power of 4.

We can write $625 = 5^4$ and $p^{12} = (p^3)^4$.

$$\sqrt[4]{625p^{12}} = \sqrt[4]{5^4(p^3)^4} = 5p^3$$

YOU TRY IT:

Simplify the following.

181. $\sqrt[3]{27x^{15}} =$

182. $\sqrt[5]{32x^{10}} =$

Converting between radical form and exponent form

Watch the video *Video 3: Converting Between Radical Notation and Rational Exponents* to complete the following.

Convert each expression to radical notation. Assume all variables represent positive real numbers.

1.

2.

3.

Convert each expression to an expression with rational exponents. Assume all variables represent positive real numbers.

4.

5.

6.

7.

YOU TRY IT: Write as an exponential expression.

183. $\sqrt[5]{x^2} =$

184. $\sqrt{y^3} =$

Write as a radical expression.

185. $x^{5/3} =$

186. $y^{2/7} =$

Rational exponents: Unit fraction exponents and whole number bases

Watch the video *Definition of “a” to the $1/n$ Power* to complete the following.

DEFINITION Let a be a real number, and let $n > 1$ be an integer. Then,

$$a^{1/n} = \text{_____} \text{ provided that } \text{_____} \text{ is a real number.}$$

Write each expression in radical notation and simplify.

1.

2.

3.

4.

5.

6.

Rational exponents: Unit fraction exponents and bases involving signs

If you have not already done so, watch the video *Definition of “a” to the $1/n$ Power* and take notes under the previous topic **Rational exponents: Unit fraction exponents and whole number bases**.

YOU TRY IT: Simplify the following.

187. $-81^{1/4} =$

188. $(-64)^{1/3} =$

Rational exponents: Non-unit fraction exponent with a whole number base

Watch *Video 2: Definition of "a" to the m/n Power* to complete the following.

DEFINITION Let a be a real number, and let m and n be positive integers that share no common factors other than 1. Then,

1. $a^{1/n} =$ _____ provided that _____ is real number.

2. $a^{m/n} =$ _____ provided that _____ is a real number.

Write the expression in radical notation and simplify.

1.

2.

3.

4.

YOU TRY IT: Simplify the following.

189. $27^{2/3} =$

190. $(-81)^{3/4} =$

Simplifying the square root of a whole number less than 100

Watch *Video 5: Simplifying a Radical with a Numerical Factor in the Radicand* to complete the following.

Simplify the expression _____.

Another way to simplify this is to find the largest perfect square that is a factor of our radicand.

Simplifying the square root of a whole number greater than 100

Learning Page One of the properties of square roots is the product property.

$$\sqrt{a \times b} = \text{_____} \text{ for any nonnegative numbers } a \text{ and } b$$

If you have not already done so, watch *Video 5: Simplifying a Radical with a Numerical Factor in the Radicand* and take notes under the previous topic.

Rational exponents: Product rule

Watch *Video 4: Properties of Rational Exponents* to complete the following.

PROPERTY Let a and b be nonzero real numbers. Let m and n be rational numbers such that a^m , a^n , and b^m are real numbers.

Description	Property	Example
Multiplying like bases	$a^m a^n = \underline{\hspace{2cm}}$	
Dividing like bases	$\frac{a^m}{a^n} = \underline{\hspace{2cm}}$	$\frac{5^{3/4}}{5^{1/2}} =$
Power rule	$(a^m)^n = \underline{\hspace{2cm}}$	
Power of a Product	$(ab)^m = \underline{\hspace{2cm}}$	$(c^{1/3}d^{1/2})^6 =$
Power of a Quotient	$\left(\frac{a}{b}\right)^m = \underline{\hspace{2cm}}$	

Assume that all variables represent positive real numbers.

EXAMPLE:

Use only positive exponents in your answer.

Simplify $u^{\frac{1}{4}} \cdot u^{-\frac{1}{6}}$.

$$\begin{aligned}
 u^{\frac{1}{4}} \cdot u^{-\frac{1}{6}} &= u^{\frac{1}{4} + (-\frac{1}{6})} && \text{product rule} \\
 &= u^{\frac{3}{12} - \frac{2}{12}} && \text{get common denominator} \\
 &= u^{\frac{1}{12}}
 \end{aligned}$$

YOU TRY IT:

Simplify. Use only positive exponents in your answer.

191. $x^{-1} \cdot x^{\frac{1}{5}}$

Rational exponents: Power of a power rule

If you have not watched *Video 4: Properties of Rational Exponents* under the previous topic **Rational exponents: Product rule**, do so now.

Simplify. Assume that all variables represent positive real numbers and use only positive exponents in your answer.

EXAMPLE: $\left(u^{\frac{1}{4}}\right)^5$

$$\begin{aligned}\left(u^{\frac{1}{4}}\right)^5 &= u^{\frac{1}{4} \cdot 5} \text{ power of a power rule} \\ &= u^{\frac{5}{4}} \text{ Simplify}\end{aligned}$$

YOU TRY IT:

192. $\left(x^{\frac{2}{3}}\right)^{\frac{1}{4}}$

Simplifying a radical expression with an even exponent

Watch *Video 7: Simplifying Radicals by using an Alternative Method* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Simplify the expressions. Assume that x , y and z represent positive real numbers.

1.

2.

Assume that all variables represent positive real numbers.

EXAMPLE:

Simplify $\sqrt{75y^{16}}$.

$$\begin{aligned}\sqrt{75y^{16}} &= \sqrt{5^2 \cdot 3y^{16}} \text{ because } 75 = 25 \cdot 3 \\ &= 5\sqrt{3y^{16}} \text{ because } \sqrt{25} = 5 \\ &= 5y^8\sqrt{3} \text{ the power divided by the index} \\ &\quad \text{is 8 with no remainder}\end{aligned}$$

YOU TRY IT: Simplify the following.

193. $\sqrt{24x^8} =$

194. $\sqrt{18x^{10}} =$

Simplifying a radical expression with an odd exponent

Watch *Video 3: Simplifying Radicals* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Simplify the expressions. Assume that x and y are positive real numbers.

a)

b)

c)

d)

e)

Recall: _____ must be raised to a _____.

Assume that all variables represent positive real numbers.

EXAMPLE:

Simplify $\sqrt{50p^{11}}$.

$$\begin{aligned}\sqrt{50p^{11}} &= \sqrt{5^2 \cdot 2 \cdot p^{11}} \text{ because } 50 = 25 \cdot 2 \\ &= 5\sqrt{2p^{11}} \text{ because } \sqrt{5^2} = 5 \\ &= 5p^5\sqrt{2p} \text{ the power divided by the index} \\ &\quad \text{is 5 with remainder of 1}\end{aligned}$$

YOU TRY IT: Simplify the following.

195. $\sqrt{20x^{11}} =$

196. $\sqrt{27x^{15}} =$

Simplifying a higher root of a whole number

Open the e-book to complete the following.

Simplified Form of a Radical

Consider any radical expression where the radicand is written as a product of prime factors. The expression is in *simplified form* if all the following conditions are met:

1. The radicand has _____ raised to a power greater than or equal to the _____.
2. The radicand does not contain a _____.
3. There are no _____ in the _____ of a fraction.

Assume that all variables represent positive real numbers.

EXAMPLE: Simplify $\sqrt[4]{243}$.

$$\begin{aligned}\text{We can write } 243 &= 3^5 = 3^4 \cdot 3 \\ \sqrt[4]{243} &= \sqrt[4]{3^4 \cdot 3} \\ &= \sqrt[4]{3^4} \cdot \sqrt[4]{3} \\ &= 3\sqrt[4]{3}\end{aligned}$$

YOU TRY IT: Simplify the following.

197. $\sqrt[5]{128} =$

Introduction to square root addition or subtraction

Watch the video *Adding or Subtracting Radical Expressions 1* to complete the following.

Add or subtract the radical expression, if possible.

YOU TRY IT: Simplify the following.

198. $7\sqrt{5} - 4\sqrt{5} =$

199. $8\sqrt{3} + 2\sqrt{3} =$

Square root addition or subtraction

Open the e-book to complete the following.

Definition of Like Radicals

Two radical terms are called *like radicals* if they have the _____ and _____.

Avoiding Mistakes

The process of adding *like radicals* with the distributive property is similar to adding _____
_____. The end result is that the _____
are added and the radical factor is _____.

$$\sqrt{3} + \sqrt{3} = 1\sqrt{3} + 1\sqrt{3} = \underline{\hspace{2cm}}$$

Be careful: True or False: $\sqrt{3} + \sqrt{3} = \sqrt{6}$

True or False: $\sqrt{x} + \sqrt{y} = \sqrt{x+y}$

EXAMPLE: Simplify $3\sqrt{12} + 2\sqrt{48}$.

$$\begin{aligned} 3\sqrt{12} + 2\sqrt{48} &= 3\sqrt{4 \cdot 3} + 2\sqrt{16 \cdot 3} && \text{Factor out the perfect square in each term} \\ &= 3 \cdot 2\sqrt{3} + 2 \cdot 4\sqrt{3} && \text{Take the square root of each perfect square} \\ &= 6\sqrt{3} + 8\sqrt{3} && \text{Simplify} \\ &= (6 + 8)\sqrt{3} && \text{Distributive property} \\ &= 14\sqrt{3} \end{aligned}$$

YOU TRY IT: Simplify the following.

200. $3\sqrt{40} - \sqrt{8} + 2\sqrt{50} =$

Introduction to simplifying a sum or difference of radical expressions: Univariate

Watch *Video 3: Adding and Subtracting Radicals* to complete the following.

Add or subtract as indicated.

EXAMPLE:

Simplify $\sqrt{24x} - \sqrt{54x}$

$$\sqrt{24x} - \sqrt{54x}$$

$$= \sqrt{4 \cdot 6x} - \sqrt{9 \cdot 6x} \quad \text{Factor out the perfect square in each term}$$

$$= 2\sqrt{6x} - 3\sqrt{6x} \quad \text{Take the square root of each perfect square}$$

$$= (2 - 3)\sqrt{6x} \quad \text{Distributive property}$$

$$= -\sqrt{6x}$$

YOU TRY IT: Simplify the following.

201. $\sqrt{75w} - \sqrt{27w} =$

Simplifying a product involving square roots using the distributive property: Basic

Watch the video *Multiplying Radical Expressions 2* to complete the following.

Multiply the radical expressions.

EXAMPLE: Multiply $3\sqrt{5}(2\sqrt{5} + 4)$

YOU TRY IT: Simplify the following.

202. $2\sqrt{6}(\sqrt{3} - \sqrt{7}) =$

$$\begin{aligned}
 &3\sqrt{5}(2\sqrt{5} + 4) \\
 &= 3\sqrt{5} \cdot 2\sqrt{5} + 3\sqrt{5} \cdot 4 \quad \text{Use the distributive property} \\
 &= 3 \cdot 2\sqrt{5} \cdot \sqrt{5} + 4 \cdot 3\sqrt{5} \quad \text{Commutative property of multiplication} \\
 &= 6\sqrt{5 \cdot 5} + 12\sqrt{5} \quad \text{Use the property } \sqrt{A} \cdot \sqrt{B} = \sqrt{A \cdot B} \\
 &= 6 \cdot 5 + 12\sqrt{5} \quad \text{Because } \sqrt{5 \cdot 5} = 5 \\
 &= 30 + 12\sqrt{5}
 \end{aligned}$$

Square root multiplication: Basic

Watch *Video 1: Introduction to the Multiplication of Radicals* to complete the following.

PROPERTY Multiplication Property of Radicals

Let a and b represent real numbers such that $\sqrt[n]{a}$ and $\sqrt[n]{b}$ are real numbers.

$$\sqrt[n]{a} \cdot \sqrt[n]{b} = \underline{\hspace{2cm}}$$

Multiply. Assume that x represents a positive real number.

1.

2.

3.

Square root multiplication: Advanced

Watch *Video 2: Multiplying Radical Expressions* to complete the following.

Multiply and simplify the result. Assume that all variables represent positive real numbers.

1.

2.

EXAMPLE: Simplify $2\sqrt{20} \cdot \sqrt{54}$

$$2\sqrt{20} \cdot \sqrt{54}$$

$$= 2\sqrt{20 \cdot 54} \quad \text{Use the property } \sqrt{A}\sqrt{B} = \sqrt{AB} \\ \text{for positive } A \text{ and } B$$

$$= 2\sqrt{4 \cdot 5 \cdot 9 \cdot 6} \quad \text{Factor out the perfect squares}$$

$$= 2\sqrt{4 \cdot 9 \cdot 5 \cdot 6}$$

$$= 2 \cdot 2 \cdot 3\sqrt{30} \quad \text{Take the square root of the} \\ \text{perfect squares}$$

$$= 12\sqrt{30}$$

YOU TRY IT: Simplify the following.

203. $3\sqrt{24} \cdot 2\sqrt{18} =$

Simplifying a product of radical expressions: Univariate

Learning Page Take notes from the Learning Page.

Simplify _____. Assume that all variables represent positive real numbers.

$$\begin{aligned}
 & \text{_____} = \text{_____} && \text{Using the property _____ for positive } A \text{ and } B \\
 & = \text{_____} && \text{Multiplying under the square root sign} \\
 & = \text{_____} && \text{Factoring out the _____} \\
 & = \text{_____} && \text{Using the property _____ for positive } A \text{ and } B \\
 & = \text{_____}
 \end{aligned}$$

EXAMPLE: Simplify $\sqrt{5b} \cdot \sqrt{15b^2}$

$$\sqrt{5b} \cdot \sqrt{15b^2}$$

$$= \sqrt{5b \cdot 15b^2} \quad \text{Use the property } \sqrt{A}\sqrt{B} = \sqrt{AB} \text{ for positive } A \text{ and } B$$

$$= \sqrt{75b^3} \quad \text{Multiply under the square root sign}$$

$$= \sqrt{25b^2 \cdot 5b} \quad \text{Factor out the perfect square}$$

$$= 5b\sqrt{5b} \quad \text{Take the square root of the perfect square}$$

YOU TRY IT: Simplify the following.

204. $\sqrt{12x^5} \cdot 2\sqrt{10x} =$

Notes from Focus Group:

Notes from Focus Group:

Module 14

Contents

☐ Simplifying a quotient of square roots	215
☐ Introduction to solving a radical equation	216
☐ Solving a radical equation that simplifies to a linear equation: One radical, basic	217
☐ Solving a radical equation that simplifies to a linear equation: One radical, advanced	218
☐ Solving a radical equation that simplifies to a quadratic equation: One radical, basic	219
☐ Algebraic symbol manipulation with radicals	220
☐ Word problem involving radical equations: Advanced	221
☐ Using i to rewrite square roots of negative numbers	222
☐ Solving an equation of the form $x^2 = a$ using the square root property	222
☐ Solving a quadratic equation using the square root property: Exact answers, basic	223
☐ Solving a quadratic equation using the square root property: Exact answers, advanced	224
☐ Applying the quadratic formula: Exact answers	225
☐ Solving a quadratic equation with complex roots	226
☐ Domain and range from the graph of a parabola	227
☐ How the leading coefficient affects the shape of the parabola	228
☐ Finding the vertex, intercepts, and axis of symmetry from the graph of a parabola	229
☐ Finding the x -intercept(s) and the vertex of a parabola	229
☐ Graphing a parabola of the form $y = x^2 + bx + c$	231
☐ Graphing a parabola of the form $y = ax^2 + bx + c$: Integer coefficients	232

Weekly Checklist

- ☐ Complete MALL time.
- ☐ Work in ALEKS and Notebook at least 3 days a week.
- ☐ Complete the weekly Module and Notebook pages by the due date.
- ☐ Attend Focus Group.
- ☐ Actively participate in Focus Group.
- ☐ Earn extra credit: Complete 10 topics by _____.

Simplifying a quotient of square roots

Learning Page

We'll use the following **property of square roots** to simplify our expression.

Quotient property of square roots

_____ = _____ for any nonnegative numbers a and b , where $b \neq 0$

Carefully read through the example on the Learning Page and take notes.

EXAMPLE: Simplify $\sqrt{\frac{2}{10}}$

$$\sqrt{\frac{2}{10}} = \sqrt{\frac{1}{5}} \quad \text{Divide under the square root sign}$$

$$= \frac{\sqrt{1}}{\sqrt{5}} \quad \text{Use quotient property of square roots}$$

$$= \frac{1}{\sqrt{5}} \quad \text{Simplify the square root: } \sqrt{1} = 1$$

A simplified radical fraction does **NOT** have a radical in the denominator.

We **rationalize the denominator** by multiplying by $\frac{\sqrt{5}}{\sqrt{5}}$, which equals 1.

$$\frac{1}{\sqrt{5}} \cdot \frac{\sqrt{5}}{\sqrt{5}} = \frac{\sqrt{5}}{5} \implies \sqrt{\frac{2}{10}} = \frac{\sqrt{5}}{5}$$

YOU TRY IT: Simplify the following.

205. $\sqrt{\frac{9}{7}} =$

Introduction to solving a radical equation

Watch *Video 1: Introduction to Radical Equations* to complete the following.

Solve the equations.

1.

2.

Avoiding Mistakes

When an equation is raised to an _____, it is necessary to
_____ in the original equation.

Show why this is important.

YOU TRY IT: Solve the following.

206. $\sqrt{y} = -7$

207. $\sqrt{x} = 8$

Solving a radical equation that simplifies to a linear equation: One radical, basic

Watch *Video 2: Procedure to Solve a Radical Equation* to complete the following.

PROCEDURE Solving Radical Equations

1. _____. If an equation has more than one radical, choose one of the radicals to isolate.
- 2.
3. _____. If the equation still has a radical, repeat steps 1 and 2.
- 4.

Solve the equation.

Watch *Video 4: Solving a Radical Equation with No Solution* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve _____

Solving a radical equation that simplifies to a linear equation: One radical, advanced

Watch the video *Exercise: Solving an Equation Containing One Radical 1* to complete the following. NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

Solve the equation.

EXAMPLE:

Solve $\sqrt{y+8} + 2 = 4$

$$\sqrt{y+8} + 2 = 4$$

$$\sqrt{y+8} = 2$$

$$(\sqrt{y+8})^2 = (2)^2$$

$$y+8 = 4$$

$$y = -4$$

Check the solution.

$$\sqrt{-4+8} + 2 \stackrel{?}{=} 4$$

$$\sqrt{4} + 2 \stackrel{?}{=} 4$$

$$4 = 4$$

$y = -4$ is a solution.

YOU TRY IT:

208. Solve $\sqrt{2x+29} + 3 = 1$

Solving a radical equation that simplifies to a quadratic equation: One radical, basic

Watch the video *Solving a Radical Equation in which One Potential Solution Does not Check* to complete the following.

Solve the equation.

EXAMPLE: Solve for y .

$$\sqrt{y+18} + 2 = y$$

$$\sqrt{y+18} = y - 2$$

$$(\sqrt{y+18})^2 = (y-2)^2$$

$$y + 18 = y^2 - 4y + 4$$

$$0 = y^2 - 5y - 14$$

$$0 = (y-7)(y+2)$$

$$y = -2, 7$$

Check the solutions.

$$\sqrt{-2+18} + 2 \stackrel{?}{=} -2$$

$$\sqrt{16} + 2 \stackrel{?}{=} -2$$

$$4 + 2 \stackrel{?}{=} -2$$

$$6 \neq -2$$

$$\sqrt{7+18} + 2 \stackrel{?}{=} 7$$

$$\sqrt{25} + 2 \stackrel{?}{=} 7$$

$$5 + 2 \stackrel{?}{=} 7$$

$$7 = 7$$

$y = 7$ is a solution.

YOU TRY IT: Solve for x .

209. $\sqrt{2x+29} + 3 = x$

Algebraic symbol manipulation with radicals

Watch the video *Exercise: Solving an Equation Containing One Radical 3* to complete the following.

Assume all variables represent positive real numbers.

Solve for _____:

YOU TRY IT: Solve for V .

210. $b = \sqrt{\frac{3V}{h}}$

Word problem involving radical equations: Advanced

Watch the video *Exercise: Solving an Equation Containing One Radical 7* to complete the following.

If an object is dropped from an _____, its velocity at impact with the ground is given by _____ where g is the acceleration due to gravity and h is the initial height.

- a. Find the initial height (in feet) of an object if its _____ ft/sec.

(Assume that the acceleration due to gravity is _____.)

- b. Find the initial height (in meters) of an object if its _____ m/sec.

(Assume that the acceleration due to gravity is _____. Round to the nearest tenth of a meter.)

Using i to rewrite square roots of negative numbers

Open the e-book to complete the following.

Definition of the Imaginary Number i

$$i = \underline{\hspace{2cm}}$$

Note: From the definition of i , it follows that $\underline{\hspace{2cm}}$.

Definition of $\sqrt{-b}$ for $b > 0$

Let b be a positive real number. Then $\underline{\hspace{2cm}}$

EXAMPLE: Simplify $\sqrt{-50}$.

We use the letter i for $\sqrt{-1}$.

For any positive real number a , we have the property

$$\sqrt{-a} = i \cdot \sqrt{a}.$$

$$\sqrt{-50} = i\sqrt{25 \cdot 2} = 5i \cdot \sqrt{2}$$

YOU TRY IT: Simplify.

211. $\sqrt{-24}$

212. $\sqrt{-15}$

Solving an equation of the form $x^2 = a$ using the square root property

Watch *Video 1: Introduction to the Square Root Property* to complete the following.

Solve the equation. This video shows two ways to solve the equation. Make sure to write down BOTH ways.

PROPERTY

The Square Root Property

For any real number k , if $x^2 = k$, then $\underline{\hspace{2cm}}$.

All variables represent real numbers.

EXAMPLE:

Solve $x^2 = -100$.

This equation has no **real number solution**.

There is no value for x that can be squared to get a negative answer.

YOU TRY IT: Solve.

213. $x^2 = 36$

214. $x^2 = 5$

Solving a quadratic equation using the square root property: Exact answers, basic

Watch *Video 2: Solving Quadratic Equations Using the Square Root Property* to complete the following.

Solve the equations.

1.

2.

3.

4.

YOU TRY IT: Solve.

215. $x^2 - 40 = 0$

216. $3x^2 + 6 = 0$

Solving a quadratic equation using the square root property: Exact answers, advanced

Watch *Video 3: Solving Quadratic Equations Using the Square Root Property* to complete the following.

Solve the equations.

1.

2.

EXAMPLE: Solve: $2(x + 1)^2 - 16 = 0$.

We need to write the equation with only the squared expression on the left side.

$$2(x + 1)^2 - 16 = 0$$

Add 16 to both sides

$$2(x + 1)^2 = 16$$

Divide both sides by 2

$$(x + 1)^2 = 8$$

Use the Square root property

$$x + 1 = \pm\sqrt{8}$$

Isolate x

$$x = -1 \pm 2\sqrt{2}$$

YOU TRY IT:

217. Solve: $\frac{1}{2}(x - 2)^2 - 5 = 0$

Applying the quadratic formula: Exact answers

Watch *Video 1: Introduction to the Quadratic Formula* to complete the following.

FORMULA

The Quadratic Formula

Given a quadratic equation $ax^2 + bx + c = 0$ ($a \neq 0$), the solutions are:

$$x =$$

Solve the equation by using the Quadratic Formula.

YOU TRY IT: Solve using the Quadratic Formula.

218. $x^2 - 3x + 1 = 0$

Solving a quadratic equation with complex roots

Watch the video *Solving a Quadratic Equation by Using the Quadratic Formula* to complete the following.

Solve the equation by using the quadratic formula.

EXAMPLE: Solve $5x^2 - 4x + 1 = 0$ using the quadratic formula.

$$5x^2 - 4x + 1 = 0$$

$$x = \frac{-(-4) \pm \sqrt{(-4)^2 - 4(5)(1)}}{2(5)}$$

$$x = \frac{4 \pm \sqrt{-4}}{10}$$

$$x = \frac{4 \pm 2i}{10}$$

$$x = \frac{2}{5} \pm \frac{1}{5}i$$

YOU TRY IT:

219. Solve $3x^2 + 2x + 1 = 0$ by using the quadratic formula.

Domain and range from the graph of a parabola

Learning Page

It is possible to determine the domain and range of a function from its graph.

The _____ is the set of all the numbers that appear as _____ of points on the graph.

The _____ is the set of all the numbers that appear as _____ of points on the graph.

The graph of a _____ function is a _____.

When a parabola is a _____, it extends to the left and right _____. It also extends upward or downward _____.

YOU TRY IT: Find the domain and range of the quadratic given below.

220.

How the leading coefficient affects the shape of the parabola

Watch *Video 6: Investigating the Graphs of Quadratic Functions (vertical stretch and shrink)* to complete the following.

Graph the functions defined below on the same graph.

x	$f(x)$	$g(x)$	$h(x)$

If we make a conjecture, we might think that the graph of $y = ax^2$

Graph the functions defined below on the same graph.

x	$f(x)$	$g(x)$	$h(x)$

If we make a conjecture, we might think that the graph of $y = ax^2$ is a reflection over the x -axis for

_____.

The reflection of $y = x^2$ will stretch if $a < -1$ and shrink if $-1 < a < 0$.

Finding the vertex, intercepts, and axis of symmetry from the graph of a parabola

Learning Page A parabola is a graph such as those shown below.

Here are some facts about parabolas. On each graph label the vertex and the axis of symmetry.

Parabola opening upward	Parabola opening downward
<p>The <i>vertex</i> is the _____ on the graph.</p>	<p>The <i>vertex</i> is the _____ on the graph.</p>
<p>The _____ is the line that divides the parabola into _____. (This line goes through the _____.)</p>	

Finding the x -intercept(s) and the vertex of a parabola

Learning Page Finding the x -intercept(s)

An x -intercept is the _____ of a point where the graph _____.

A parabola can have _____, _____, or _____ x -intercepts.

At each point where a graph crosses the x -axis, the _____.

To find any x -intercepts of the parabola _____ we let _____ and solve the resulting quadratic equation.

$$y = \underline{\hspace{2cm}}$$

$$0 = \underline{\hspace{2cm}}$$

$$0 = \underline{\hspace{2cm}}$$

solution: _____

So the two x -intercepts are _____

Continued on the next page

Watch the video *Exercise: Determining the Vertex of a Quadratic Function* to complete the following.

The Vertex Formula

For $f(x) = ax^2 + bx + c$ ($a \neq 0$) the vertex is given by

$$\left(\frac{-b}{2a}, f\left(\frac{-b}{2a}\right) \right)$$

Find the vertex by using the vertex formula. $r(x) = \underline{\hspace{2cm}}$

x -coordinate of the vertex:

y -coordinate of the vertex:

Vertex:

EXAMPLE: Find the vertex of

$$f(x) = -2x^2 - 16x - 40$$

by using the vertex formula.

$$\begin{aligned} \frac{-b}{2a} &= \frac{-(-16)}{2(-2)} \\ &= \frac{16}{-4} = -4 \end{aligned}$$

$$\begin{aligned} f(-4) &= -2(-4)^2 - 16(-4) - 40 \\ &= -32 + 64 - 40 = -8 \end{aligned}$$

So the vertex is $(-4, -8)$.

YOU TRY IT:

221. Find the vertex of $g(x) = 2x^2 - 4x - 9$ using the vertex formula.

Graphing a parabola of the form $y = x^2 + bx + c$

Open the Instructor Added Resource which will direct you to a video to complete the following.

Sketch the graph of_____.

Vertex: _____

x -coordinate: _____

y -coordinate: _____

x -intercepts: _____

x	y

Graphing a parabola of the form $y = ax^2 + bx + c$: Integer coefficients

Watch *Video 3: Applying the Vertex Formula and Graphing a Quadratic Function* to complete the following.

NOTE: This may not be the first video that pops up. Select this video from the list of videos on the left of the video box.

FORMULA The Vertex Formula For $f(x) = ax^2 + bx + c$ ($a \neq 0$) the vertex is given by

$$\left(\frac{-b}{2a}, \frac{4ac - b^2}{4a} \right) \text{ or } \underline{\hspace{2cm}}$$

Given $f(x) = \underline{\hspace{2cm}}$

$a = \underline{\hspace{2cm}}$ $b = \underline{\hspace{2cm}}$ $c = \underline{\hspace{2cm}}$

a. Use the vertex formula to find the vertex.

c. Determine the x -intercept(s).

b. Determine the y -intercept.

Notes from Focus Group:

Notes from Focus Group:

Module 15-Final Review

To help you review for your upcoming final exam, this module contains all of the topics from the course. Topics that you have already mastered will not appear in your carousel.

- ALEKS final exam
 - The ALEKS final exam must be taken in the MALL.
 - The ALEKS final exam is a Comprehensive Knowledge Check.
 - The ALEKS final exam must be completed by _____.
- To study for the final exams:
 - Complete this ALEKS Final Review Module.
 - Rework the problems on your old exams.
 - Review your old Focus Group assignments.

Solutions

Module 1

1. 17°C

2. 126

3. 52

4. $-\frac{1}{3}$

5. $-\frac{21}{4}$

6. undefined

7. 0 (zero)

8. 36

9. -36

10. 125

11. $-\frac{1}{125}$

12. -11

13. 2

14. Associative Property of Addition

15. Distributive Property

16. Commutative Property of Multiplication

17. $-12x + 15$

18. $21x + 14$

19. $2x + 17y$

20. $2x + 3y$

21. $y = \frac{31}{35}$

22. $y = -\frac{15}{4}$

23. $y = -2$

24. $x = 21$

25. $x = \frac{27}{4}$

26. $x = 21$

27. $7 + \frac{d}{6} = 9$

28. $t - 2$

Module 2

29. $x < 2$

30.

32. All numbers.

33. 13

34. $x = A + y - 12$

35. $\frac{A}{7} - 4 = x$

36. $x < 5$

37. $x \geq \frac{7}{8}$

38. $x > 0$ and $x \leq 4$

39. $(-\infty, 2]$

40. $x < -63$

41. $x \leq -\frac{32}{3}$

42. $(-3, -2]$

43. $(-\infty, -3] \cup (-2, \infty)$

44. $\{3, -3\}$

45. No solution

46. $\{7, -7\}$

47. All real numbers

Module 3

50. $|x| < 1$

51. no

52. no

53. yes

54.

55.

56.

57.

58. $(-3, 0), (2, 0), (0, -2)$ 59. $m = \frac{3}{4}$ 60. m is undefined

61.

62.

$m = -3$

 y -intercept: $(0, 2)$ 63. slope: -2 y -intercept: $(0, 4)$ 64. Slope-intercept: $y = 3x + 1$ Standard Form: $-3x + y = 1$ 65. vertical line: $x = 3$ horizontal line: $y = 7$

66. $y = -\frac{3}{5}x - \frac{11}{5}$

67.

x	$f(x)$
-2	-3
-1	-1
0	1
1	3
2	5

68. domain: $\{2, -5, 0, 5\}$
range: $\{3, 1, -4\}$ **Module 5**69. domain: $(-\infty, \infty)$
range: $[-2, \infty)$ 70. $[-100, \infty)$ 71. $(-\infty, 100]$

72. Function

73. Not a Function

74. -31 75. $g(1) = 3$ 76. $x = 0$ 77. $(2, 4)$ is a solution.

78.

The solution set is $\{(-3, -4)\}$ 79. $\{(-2, 1)\}$ 80. $(-2, 2)$ 81. $x = 61^\circ, y = 58^\circ$ 82. notepad: \$1.85
marker: \$0.65**Module 6**83. p^9 84. $-8x^8$ 85. $12x^8y^{11}$ 86. x^{30} 87. $81p^4$ 88. y^6 89. $\frac{1}{y^6}$ 90. $\frac{b^2}{a^2}$ 91. $9x^2y^8$ 92. $-\frac{8y^{12}}{x^6}$ 93. $\frac{5x}{4}$ 94. -1 95. 1 96. $\frac{7}{8}$ 97. $-\frac{8}{125}$ 98. $-2x^8$ 99. $\frac{1}{x^6}$ 100. $60c^3$ 101. $\frac{1}{x^3}$ 102. $\frac{1}{x^{15}}$ 103. y^{42} **Module 7**

104. $4x^5 - 6x^3 + 14$

105. $-10x^5 + 35x^4 - 30x^3$

106. $-8x^4y^9z^5 + 2x^8y^8z$

107. $x^2 + 2x - 15$

108. $6x^2 + x - 15$

109. $-6x^2 + 19x - 15$

110. $3x^3 - 5x^2 - 17x + 15$

111. $9x^2 - 16$

112. $9x^2 - 12x + 4$

113. $x^2 - 2x + \frac{3}{x}$

114. quotient: $2x^2 - 3x + 13$
remainder: -36

115. quotient: $2x^2 + x + 2$
remainder: -3

116. 7

117. $4x^2$

118. $7ab^5$

119. $7x(2x^3 - x^2 + 3)$

120. $(y + 2)(y^3 - y - 9)$

121. $(y + 3)(y^2 - 3)$

122. $(y - 4)(2y^2 - 1)$

Module 9

123. $(x - 9)(x - 3)$

124. $-(x - 3)(x + 1)$ or $(3 - x)(x + 1)$

125. $3(a + 4)(2a - 1)$

126. $6(2x^2 + x + 3)$

127. $(2x + 3)(x - 5)$

128. $(x - 5)^2$

129. Not a perfect square trinomial. Does not factor.

130. $-2x(5x - 1)(2x - 3)$

131. $(x - 7)(x + 7)$

132. $x = -5, \frac{3}{2}$

133. $x = 3, -7$

134. $x = -3, -5$

135. $x = 0, 5$

136. $x = -\frac{3}{4}, 1$

137. $x = \frac{1}{3}, -\frac{2}{3}$

138. $x = -3, -2$

139. 6 in X 13 in

140. $-x^2 - 5x - 14 = 0$

Module 10

141. 1

142. Undefined

143. $-\frac{7}{4}$

144. 2

145. $\frac{4(x-7)}{9(x+7)}$

146. 2

147. $\frac{x+2}{2-x}$

148. -2

149. $\frac{x+1}{3}$

150. $-\frac{5}{x-6}$

151. $\frac{3}{7ab}$

152. $-\frac{15}{2}$

153. $\frac{7x}{6}$

154. $\frac{x+4}{x-4}$

155. $60x^2y^3z$

156. $\frac{4w^6}{14w^5}$

157. $2 \cdot (3x - 8) \cdot 3x = 6x(3x - 8)$

158. $\frac{11x}{3x-1}$

159. $\frac{x-11}{(x-1)(x+4)}$

160. $\frac{10+21b^3}{12b^4}$

161. $\frac{15}{2}$

Module 11

162. 7

163. $-\frac{5}{4}$

164. Not a real number

165. a^7

166. $7y^4$

167. $4x^3$

168. $28a$

169. $\frac{1-15x}{10x+1}$

170. $x = -48$

171. $y = 2$

172. $y = \frac{-1}{10}$

173. $x = -\frac{3}{2}, 1$

174. $y = -2, 22$

175. $x = -13$

176. 5

177. -2

178. -6

Module 13

179. No real solution

180. -5

181. $3x^5$

182. $2x^2$

183. $x^{2/5}$

184. $y^{3/2}$

185. $\sqrt[3]{x^5}$

186. $\sqrt[7]{y^2}$

187. -3

188. -4

189. 9

190. Not a real number

191. $\frac{1}{x^{\frac{4}{5}}}$

192. $x^{\frac{1}{6}}$

193. $2x^4\sqrt{6}$

194. $3x^5\sqrt{2}$

195. $2x^5\sqrt{5x}$

196. $3x^7\sqrt{3x}$

197. $2\sqrt[5]{4}$

198. $3\sqrt{5}$

199. $10\sqrt{3}$

200. $6\sqrt{10} + 8\sqrt{2}$

201. $2\sqrt{3x}$

202. $6\sqrt{2} - 2\sqrt{42}$

203. $72\sqrt{3}$

204. $4x^3\sqrt{30}$

Module 14

205. $\frac{3\sqrt{7}}{7}$

206. No solution

207. $x = 64$

208. No Solution

209. $x = 10$

210. $V = \frac{b^2h}{3}$

211. $2i\sqrt{6}$

212. $i\sqrt{15}$

213. $x = \pm 6$

214. $x = \pm\sqrt{5}$

215. $x = \pm 2\sqrt{10}$

216. $\pm i\sqrt{2}$

217. $x = 2 \pm \sqrt{10}$

218. $\frac{3 \pm \sqrt{5}}{2}$

219. $x = -\frac{1}{3} \pm i\frac{\sqrt{2}}{3}$

220. Domain: $(-\infty, \infty)$
Range: $[-6, \infty)$

221. $(1, -11)$

Index

Adding rational expressions with common denominators and GCF factoring, 171
Adding rational expressions with denominators ax^n and bx^m , 174
Adding rational expressions with linear denominators with common factors: Basic, 173
Adding rational expressions with linear denominators without common factors: Basic, 172
Addition and subtraction of 3 fractions involving signs, 28
Additive property of equality with signed fractions, 35
Additive property of inequality with signed fractions, 51
Algebraic symbol manipulation with radicals, 220
Applying the quadratic formula: Exact answers, 225

Classifying slopes given graphs of lines, 76
Classifying the graph of a function, 105
Complex fraction made of sums involving rational expressions: Problem type 1, 182
Complex fraction without variables: Problem type 1, 175
Complex fraction without variables: Problem type 2, 176
Complex fraction: GCF factoring, 181
Converting between radical form and exponent form, 200
Cube root of an integer, 191

Degree and leading coefficient of a univariate polynomial, 125
Distributive property: Integer coefficients, 34
Dividing a polynomial by a monomial: Univariate, 132
Dividing rational expressions involving linear expressions, 167
Dividing rational expressions involving quadratics with leading coefficients of 1, 168
Division involving zero, 30
Domain and range from ordered pairs, 83
Domain and range from the graph of a continuous function, 89
Domain and range from the graph of a parabola, 227
Domain of a square root function: Basic, 90

Estimating a square root, 191
Evaluating a quadratic expression: Integers, 50
Evaluating a rational function: Problem type 1, 160
Evaluating an expression with a negative exponent: Negative integer base, 117
Evaluating an expression with a negative exponent: Positive fraction base, 118
Evaluating an expression with a negative exponent: Whole number base, 117
Evaluating expressions with exponents of zero, 116
Evaluating functions: Linear and quadratic or cubic, 91
Exponents and integers: Problem type 1, 31
Exponents and integers: Problem type 2, 31
Exponents and signed fractions, 32

- Factoring a difference of squares in one variable: Advanced, 151
- Factoring a difference of squares in one variable: Basic, 150
- Factoring a perfect square trinomial with leading coefficient 1, 148
- Factoring a perfect square trinomial with leading coefficient greater than 1, 149
- Factoring a product of a quadratic trinomial and a monomial, 149
- Factoring a quadratic with a negative leading coefficient, 144
- Factoring a quadratic with leading coefficient 1, 144
- Factoring a quadratic with leading coefficient greater than 1: Problem type 1, 146
- Factoring a quadratic with leading coefficient greater than 1: Problem type 2, 146
- Factoring a univariate polynomial by grouping: Problem type 1, 139
- Factoring a univariate polynomial by grouping: Problem type 2, 140
- Factoring out a binomial from a polynomial: GCF factoring, basic, 138
- Factoring out a constant before factoring a quadratic, 145
- Factoring out a monomial from a polynomial: Univariate, 138
- Finding n^{th} roots of perfect n^{th} powers with signs, 198
- Finding x - and y -intercepts given the graph of a line given the equation: Basic, 74
- Finding x - and y -intercepts given the graph of a line on a grid, 72
- Finding all square roots of a number, 190
- Finding inputs and outputs of a function from its graph, 94
- Finding outputs of a one-step function that models a real-world situation: Function notation, 93
- Finding slope given two points on the line, 74
- Finding the n^{th} root of perfect n^{th} power monomial, 199
- Finding the x -intercept(s) and the vertex of a parabola, 229
- Finding the roots of a quadratic equation of the form $ax^2 + bx = 0$, 153
- Finding the roots of a quadratic equation with leading coefficient 1, 152
- Finding the roots of a quadratic equation with leading coefficient greater than 1, 154
- Finding the slope and y -intercept of a line given its equation in the form $y = mx + b$, 79
- Finding the slope of horizontal and vertical lines, 75
- Finding the vertex, intercepts, and axis of symmetry from the graph of a parabola, 229

- Graphically solving a system of linear equations, 96
- Graphing a compound inequality on the number line, 48
- Graphing a function of the form $f(x) = ax^2$, 105
- Graphing a line by first finding its slope and y -intercept, 78
- Graphing a line given its equation in slope-intercept form: Fractional slope, 71
- Graphing a line given its equation in slope-intercept form: Integer slope, 70
- Graphing a line through a given point with a given slope, 77
- Graphing a linear inequality on the number line, 47
- Graphing a parabola of the form $y = ax^2 + bx + c$: Integer coefficients, 232
- Graphing a parabola of the form $y = x^2 + bx + c$, 231
- Graphing a square root function: Problem type 1, 194
- Graphing a vertical or horizontal line, 71
- Greatest common factor of 2 numbers, 135
- Greatest common factor of three univariate monomials, 136
- Greatest common factor of two multivariate monomials, 137

- Hamburger Menu, 11
- How the leading coefficient affects the shape of the parabola, 228

- Identifying functions from relations, 91
- Identifying solutions to a linear equation in two variables, 69

Identifying solutions to a system of linear equations, 95
 Interpreting the graphs of two functions, 106
 Introduction to simplifying a radical expression with an even exponent, 192
 Introduction to simplifying a sum or difference of radical expressions: Univariate, 209
 Introduction to solving a radical equation, 216
 Introduction to solving an absolute value equation, 57
 Introduction to square root addition or subtraction, 207
 Introduction to the LCM of two monomials, 169
 Introduction to the power of a power rule of exponents, 111
 Introduction to the power of a product rule of exponents, 112
 Introduction to the product rule of exponents, 109
 Introduction to the product rule with negative exponents, 120
 Introduction to the quotient rule of exponents, 113

 Least common multiple of 2 numbers, 26

 Multiplication involving binomials and trinomials in one variable, 129
 Multiplicative property of equality with signed fractions, 36
 Multiplicative property of inequality with integers, 53
 Multiplying a multivariate polynomial by a monomial, 127
 Multiplying a univariate polynomial by a monomial with a negative coefficient, 126
 Multiplying binomials with leading coefficients greater than 1, 128
 Multiplying binomials with leading coefficients of 1, 127
 Multiplying binomials with negative coefficients, 128
 Multiplying conjugate binomials: Univariate, 130
 Multiplying rational expressions involving multivariate monomials, 166
 Multiplying rational expressions made up of linear expressions, 167

 Order of operations with integers and exponents, 32

 Plotting a point in the coordinate plane, 68
 Polynomial long division: Type 1, 133
 Polynomial long division: Type 2, 134
 Power and quotient rules with positive exponents, 115
 Power of a power rule with negative exponents, 122
 Power rules with positive exponents: Multivariate products, 114
 Product rule with negative exponents, 120
 Product rule with positive exponents: Multivariate, 110
 Product rule with positive exponents: Univariate, 110
 Properties of real numbers, 33

 Quotient of expressions involving exponents, 114
 Quotient rule with negative exponents: Problem type 1, 121

 Rational exponents: Non-unit fraction exponent with a whole number base, 202
 Rational exponents: Power of a power rule, 205
 Rational exponents: Product rule, 204
 Rational exponents: Unit fraction exponents and bases involving signs, 201
 Rational exponents: Unit fraction exponents and whole number bases, 201
 Restriction on a variable in a denominator: Quadratic, 161
 Rewriting an algebraic expression without a negative exponent, 119

 Set-builder and interval notation, 49

Signed fraction division, 29
 Simplifying a higher root of a whole number, 207
 Simplifying a product involving square roots using the distributive property: Basic, 209
 Simplifying a product of radical expressions: Univariate, 212
 Simplifying a quotient of square roots, 215
 Simplifying a radical expression with an even exponent, 205
 Simplifying a radical expression with an odd exponent, 206
 Simplifying a ratio of factored polynomials: Linear factors, 162
 Simplifying a ratio of linear polynomials: 1, -1 , and no simplification, 163
 Simplifying a ratio of polynomials by factoring a quadratic with leading coefficient 1, 164
 Simplifying a ratio of polynomials using GCF factoring, 163
 Simplifying a ratio of polynomials: Problem type 1, 165
 Simplifying a sum or difference of two univariate polynomials, 125
 Simplifying the square root of a whole number greater than 100, 203
 Simplifying the square root of a whole number less than 100, 203
 Solving a compound linear inequality: Graph solution, basic, 54
 Solving a compound linear inequality: Interval notation, 56
 Solving a distance, rate, time problem using a system of linear equations, 104
 Solving a linear equation with several occurrences of the variable: Variables on both sides and distribution, 38
 Solving a proportion of the form $\frac{(x+a)}{b} = \frac{c}{d}$, 188
 Solving a quadratic equation needing simplification, 155
 Solving a quadratic equation using the square root property: Exact answers, advanced, 224
 Solving a quadratic equation using the square root property: Exact answers, basic, 223
 Solving a quadratic equation with complex roots, 226
 Solving a radical equation that simplifies to a linear equation: One radical, advanced, 218
 Solving a radical equation that simplifies to a linear equation: One radical, basic, 217
 Solving a radical equation that simplifies to a quadratic equation: One radical, basic, 219
 Solving a rational equation that simplifies to linear: Denominator $x + a$, 185
 Solving a rational equation that simplifies to linear: Denominators a , x , or ax , 183
 Solving a rational equation that simplifies to linear: Denominators ax and bx , 184
 Solving a rational equation that simplifies to quadratic: Denominator x , 186
 Solving a rational equation that simplifies to quadratic: Proportional form, basic, 187
 Solving a system of linear equations using elimination with addition, 99
 Solving a system of linear equations using elimination with multiplication and addition, 100
 Solving a system of linear equations using substitution, 97
 Solving a two-step equation with integers, 37
 Solving a two-step equation with signed fractions, 37
 Solving a two-step linear inequality: Problem type 2, 52
 Solving a value mixture problem using a system of linear equations, 103
 Solving a word problem involving a sum and another basic relationship using a system of linear equations, 101
 Solving a word problem using a quadratic equation with rational roots, 156
 Solving a word problem using a system of linear equations of the form $Ax + By = C$, 102
 Solving a word problem with two unknowns using a linear equation, 42
 Solving an absolute value equation: Problem Type 1, 58
 Solving an absolute value equation: Problem Type 2, 59
 Solving an absolute value inequality: Problem Type 1, 65
 Solving an absolute value inequality: Problem Type 2, 66
 Solving an absolute value inequality: Problem Type 3, 67
 Solving an equation of the form $x^2 = a$ using the square root property, 222
 Solving an equation written in factored form, 152

Solving for a variable in terms of other variables in a rational equation: Problem type 1, 188
 Solving for a variable in terms of other variables using addition or subtraction with division, 51
 Solving for a variable in terms of other variables using addition or subtraction: Advanced, 50
 Solving for a variable inside parentheses in terms of other variables, 51
 Solving inequalities with no solution or all real numbers as solutions, 60
 Square root addition or subtraction, 208
 Square root multiplication: Advanced, 211
 Square root multiplication: Basic, 210
 Square root of a perfect square monomial, 181
 Square root of a perfect square with signs, 88
 Square root of a rational perfect square, 180
 Squaring a binomial: Univariate, 131

Table for a linear function, 82
 Table for a square root function, 192
 Technical Support, 12
 The Learning Carousel, 10
 Translating a sentence into a multi-step equation, 39
 Translating a sentence into a multi-step inequality, 61

Understanding the power rules of exponents, 111
 Understanding the product rule of exponents, 109
 Using i to rewrite square roots of negative numbers, 222
 Using distribution with double negation and combining like terms to simplify: Multivariate, 34

Variable expressions as inputs of functions: Problem type 1, 93
 Vertical line test, 92

Word problem involving multiple rates, 193
 Word problem involving radical equations: Advanced, 221
 Word problem on proportions: Problem type 1, 189
 Word problem on proportions: Problem type 2, 190
 Word problem with addition or subtraction of integers, 26
 Working in ALEKS with the Notebook, 10
 Writing a compound inequality given a graph on the number line, 52
 Writing a multi-step equation for a real-world situation, 40
 Writing a one-step expression for a real-world situation, 41
 Writing a quadratic equation given the roots and the leading coefficient, 157
 Writing an absolute value inequality given a graph on the number line, 68
 Writing an equation in slope-intercept form given the slope and a point, 79
 Writing an inequality for a real-world situation, 46
 Writing an inequality given a graph on the number line, 46
 Writing equivalent rational expressions with monomial denominators, 169
 Writing the equation of the line through two given points, 81
 Writing the equations of vertical and horizontal lines through a given point, 80

ARITHMETIC PROPERTIES			
Associative:	addition: $a + (b + c) = (a + b) + c$	Identity:	addition: $0 + a = a$
	multiplication: $a(bc) = (ab)c$		multiplication: $1 \cdot a = a$
Commutative:	addition: $a + b = b + a$	Inverse:	addition: $a + (-a) = 0$
	multiplication: $ab = ba$		multiplication: $a \cdot \frac{1}{a} = 1, a \neq 0$
Distributive:	$a(b + c) = ab + ac$		
FRACTIONS			
Adding:	$\frac{a}{b} + \frac{c}{d} = \frac{ad + bc}{bd}$	Multiplying:	$\frac{a}{b} \cdot \frac{c}{d} = \frac{ac}{bd}$
Subtracting:	$\frac{a}{b} - \frac{c}{d} = \frac{ad - bc}{bd}$	Dividing:	$\frac{a}{b} \div \frac{c}{d} = \frac{a}{b} \cdot \frac{d}{c} = \frac{ad}{bc}$
FACTORING			
Difference of Two Squares $a^2 - b^2 = (a - b)(a + b)$ $a^2 + b^2$ =Does not factor		Sum and Difference of Two Cubes $a^3 + b^3 = (a + b)(a^2 - ab + b^2)$ $a^3 - b^3 = (a - b)(a^2 + ab + b^2)$	
Perfect Square Trinomials $a^2 - 2ab + b^2 = (a - b)^2$ $a^2 + 2ab + b^2 = (a + b)^2$			
DISTANCE AND MIDPOINT FORMULAS			
Distance between (x_1, y_1) and (x_2, y_2) $d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$		Midpoint between (x_1, y_1) and (x_2, y_2) $m = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$	
ABSOLUTE VALUE			
Statement	Equivalent Statement	Statement	Equivalent Statement
$ x = a$	$x = a$ or $x = -a$	$ x \leq a$	$-a \leq x \leq a$
$ x = y $	$x = y$ or $x = -y$	$ x \geq a$	$x \leq -a$ or $x \geq a$
CIRCLE			
Standard Form of a Circle with center (h, k) and radius r : $(x - h)^2 + (y - k)^2 = r^2$			

COMMON GRAPHS

$$f(x) = mx + b$$

$$f(x) = x$$

$$f(x) = x^2$$

$$f(x) = x^3$$

$$f(x) = \sqrt{x}$$

$$f(x) = \sqrt[3]{x}$$

$$f(x) = |x|$$

$$f(x) = \frac{1}{x}$$

$$f(x) = e^x$$

$$f(x) = \ln x$$

$$f(x) = \frac{1}{x^2}$$

$$x^2 + y^2 = r^2$$

GEOMETRY			
Rectangle		Perimeter $P = 2l + 2w$	Area $A = lw$
Parallelogram		Perimeter $P = 2a + 2b$	Area $A = bh$
Triangle		Perimeter $P = a + b + c$	Area $A = \frac{1}{2}bh$
Trapezoid		$P = a + b_1 + b_2 + c$	Area $A = \left(\frac{b_1 + b_2}{2}\right)h$
Circle		Circumference $C = 2\pi r$	Area $A = \pi r^2$
Right Circular Cone		Volume $V = \frac{1}{3}\pi r^2 h$	Surface Area $A = \pi r \sqrt{r^2 + h^2}$
Right Circular Cylinder		Volume $V = \pi r^2 h$	Surface Area $A = 2\pi r h$
Sphere		Volume $V = \frac{4}{3}\pi r^3$	Surface Area $A = 4\pi r^2$
Parallelepiped		Volume $V = lwh$	Surface Area $A = 2(lw + lh + wh)$

PROPERTIES OF EXPONENTS			
$a^m \cdot a^n = a^{m+n}$	$\frac{a^m}{a^n} = a^{m-n}$	$(a^n)^m = a^{nm}$	$(ab)^m = a^m b^m$
$a^0 = 1, a \neq 0$	$a^{-n} = \frac{1}{a^n}$	$\left(\frac{a}{b}\right)^n = \frac{a^n}{b^n}$	
DEFINITION OF LOGARITHM			
$\log_a x = y \iff a^y = x$		$\ln x = y \iff e^y = x$	
LAWS OF LOGARITHMS			
$\log_a m + \log_a n = \log_a mn$		$\ln m + \ln n = \ln mn$	
$\log_a m - \log_a n = \log_a \frac{m}{n}$		$\ln m - \ln n = \ln \frac{m}{n}$	
$\log_a m^n = n \log_a m$		$\ln m^n = n \ln m$	